

Safety Data Sheets

CHSS



HEALTH, BENSON CSC, 126 5TH ST.

11/25/2019



Safety Data Sheet Index

Binder: HEALTH, BENSON CSC, 126 5TH ST. - CHSS

Product Name	CAS Number	Manufacturer	Version Date	Page
ThinPrep PreservCyt Solution - ThinPrep PreservCyt Solution		Hologic Inc.	11/28/2016	3



Safety Data Sheet

ThinPrep® PreservCyt Solution

SECTION 1: Identification of the substance/preparation and of the Company/undertaking

Product Identifier

Product Name ThinPrep® PreservCyt Solution

Safety data sheet number 85093-001

Recommended use of the chemical and restrictions on use

Specific use(s) A methanol based, buffered preservative solution used to support cells during transport and slide preparation

Recommended Use In vitro diagnostic

Details of the supplier of the safety data sheet

Manufacturer Hologic Inc.
250 Campus Drive
Marlborough, MA 01752
United States
1-508-263-2900

Distributor Hologic Canada Limited
130 Spadina Avenue, Suite 401
Toronto, ON, M5V-2L4
Canada
1-877-209-7192

24 Hour Emergency Phone Number Chemtrec, U.S. and Canada 1-800-424-9300; Chemtrec International + 1-703-741-5970

For further information, please contact: sds@hologic.com

SECTION 2: Hazards identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Acute toxicity - Oral	Category 3
Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Vapors)	Category 3
Specific target organ toxicity (single exposure)	Category 1

Physical hazards	Flammable liquids Category 3
------------------	------------------------------

Emergency Overview

Label Elements



Signal word

Danger

Hazard Statements

H301 - Toxic if swallowed
H311 - Toxic in contact with skin
H331 - Toxic if inhaled
H370 - Causes damage to organs
H226 - Flammable liquid and vapor

Precautionary Statements - Prevention

P210 - Keep away from heat/sparks/open flames/hot surfaces. — No smoking
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P264 - Wash face, hands and any exposed skin thoroughly after handling
P270 - Do not eat, drink or smoke when using this product
P233 - Keep container tightly closed

ERG Code

P307 + P311 - IF exposed: Call a POISON CENTER or doctor/physician
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P363 - Wash contaminated clothing before reuse
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P311 - Call a POISON CENTER or doctor/physician
P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
P330 - Rinse mouth

Fire

In case of fire: Use CO₂, dry chemical, or foam for extinction.

Precautionary Statements - Storage

P405 - Store locked up
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.

Hazards not otherwise classified (HNOC)

Not Applicable

Other Information

50% of the mixture consists of ingredient(s) of unknown toxicity

SECTION 3: Composition/information on ingredients

Substances

Not Applicable

Mixtures

Component name	CAS No	%
Methanol	67-56-1	35-55

SECTION 4: First aid measures

First aid measures

General advice

Immediate medical attention is required. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Call a physician immediately.
Skin Contact	Wash off immediately with plenty of water.
Inhalation	Immediate medical attention is required. Remove to fresh air. If not breathing, give artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person. Drink plenty of water.
Self-protection of the first aider	Remove all sources of ignition.
Symptoms	Treat symptomatically.

Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically.
---------------------------	------------------------

SECTION 5: Firefighting measures

Flammability	Flammable liquid and vapor.
Suitable Extinguishing Media	Dry chemical, Foam, Carbon dioxide (CO ₂).
Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapors may form explosive mixtures with air. Flammable.
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas. Use personal protective equipment as required.
<u>Environmental precautions</u>	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system.

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or tarp to minimize spreading. Dike far ahead of liquid spill for later disposal.
Methods for cleaning up	Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labeled containers. Soak up with inert absorbent material.

SECTION 7: Handling and storage

Precautions for safe handling	Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep container tightly closed. Ensure adequate ventilation, especially in confined areas.
Advice on safe handling	Ensure adequate ventilation, especially in confined areas. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be

grounded.

Conditions for safe storage, including any incompatibilities

Storage	Store in accordance with local regulations. Use appropriate containment to avoid environmental contamination.
Storage Conditions	Keep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).
Incompatible materials.	Strong oxidizing agents. Acids. Metals.

SECTION 8: Exposure Controls/Personal Protection.**Exposure Guidelines****United States of America**

Component name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Methanol 67-56-1	STEL: 250 ppm TWA: 200 ppm S*	TWA: 200 ppm TWA: 260 mg/m ³ (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m ³ (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m ³ (vacated) S*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m ³ STEL: 250 ppm STEL: 325 mg/m ³

Canada

Component name	British Columbia OEL	Quebec OEL	Ontario TWA
Methanol 67-56-1	TWA: 200 ppm STEL: 250 ppm Skin	TWA: 200 ppm TWA: 262 mg/m ³ STEL: 250 ppm STEL: 328 mg/m ³ Skin	TWA: 200 ppm STEL: 250 ppm Skin

Mexico

Component	Carcinogenicity	Exposure Limits
Methanol 67-56-1 (35-55)	-	Mexico: TWA 200 ppm Mexico: TWA 260 mg/m ³ Mexico: STEL 250 ppm Mexico: STEL 310 mg/m ³

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).
--------------------------	---

Appropriate engineering controls

Engineering Controls	Provide adequate ventilation. Showers. Eyewash stations.
-----------------------------	--

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Wear suitable protective clothing.
Hand Protection	Wear protective nitrile rubber gloves.
Respiratory protection	Not Applicable

General Hygiene Considerations	Regular cleaning of equipment, work area and clothing is recommended. When using do not eat, drink or smoke.
---------------------------------------	--

Other Information

Environmental exposure controls	No information available.
--	---------------------------

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical State @20°C	Liquid
Appearance	Colorless, clear, Liquid
Color	Colorless
Odor	Alcohol
Odor threshold	No information available

<u>Property</u>	<u>Values</u>
pH	5.5
Melting point/freezing point	-48 °C / -54 °F
Boiling point / boiling range	71 °C / 159 °F
Flash point	26 °C / 78 °F
Method	CC (closed cup)
Evaporation rate	No information available
Flammability (solid, gas)	No information available
Flammability Limits in Air	
Upper flammability limits	36%
Lower flammability limit	6.7%
Vapor pressure	No information available
Vapor density	No information available
Relative density	No information available
Water solubility	Miscible in water
Solubility(ies)	No information available
Partition coefficient	No information available
Autoignition temperature	385 °C / 725 °F
Decomposition temperature	No information available
Viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Percent Volatile	> 99%

SECTION 10: Stability and reactivity

Reactivity	None under normal use conditions.
Stability	Stable under normal conditions.
Possibility of Hazardous Reactions	None under normal use conditions.
Hazardous polymerization	None under normal use conditions.
Conditions to avoid	Heat, flames and sparks.
Incompatible materials.	Strong oxidizing agents. Acids. Metals.
Hazardous Decomposition Products	None under normal use conditions.
Materials to avoid	Strong oxidizing agents. Acids. Metals.

SECTION 11: Toxicological information

Information on likely routes of exposure

Product Information	Repeated or prolonged exposure may cause central nervous system damage. May be harmful by inhalation, ingestion, or skin absorption.
Inhalation	Harmful by inhalation.
Eye contact	May cause irritation.
Skin Contact	Harmful in contact with skin.
Ingestion	Harmful if swallowed.

Information on toxicological effects**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.

Target Organ Effects Central nervous system, Eyes, Gastrointestinal tract (GI), Respiratory system, Skin.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 50% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

SECTION 12: Ecological information**Ecotoxicity**

20 - 50% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Persistence and degradability No information available.

Bioaccumulation No information available.

Mobility No information available.

Component name	Partition coefficient
Methanol 67-56-1	-0.77

Other adverse effects No information available.

SECTION 13: Disposal Considerations.**Waste treatment methods**

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Waste from Residues / Unused Products Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

US EPA Waste Number D001 U154

Component name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methanol 67-56-1		Included in waste stream: F039		U154

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Component name	California Hazardous Waste Status
Methanol	Toxic

SECTION 14: Transport information**DOT**

UN/ID no UN1993
Proper Shipping Name Flammable liquid, n.o.s.
Hazard Class 3
Packing group III
Description UN1993, Flammable liquid, n.o.s. (Methanol), 3, III
Emergency Response Guide Number 128

TDG

UN/ID no UN1993
Proper Shipping Name Flammable liquid, n.o.s.
Hazard Class 3
Packing group III
Description UN1993, Flammable liquid, n.o.s. (Methanol), 3, III

IATA

UN/ID no UN1993
Proper Shipping Name Flammable liquid, n.o.s.
Hazard Class 3
Packing group III
ERG Code 3L
Description UN1993, Flammable liquid, n.o.s. (Methanol), 3, III

IMDG

UN/ID no UN1993
Proper Shipping Name Flammable liquid, n.o.s.
Hazard Class 3
Packing group III
EmS No. F-E, S-E
Description UN1993, Flammable liquid, n.o.s. (Methanol), 3, III, (26°C c.c.)

SECTION 15: Regulatory information**International Inventories**

Component name	TSCA	EINECS/ELINCS	DSL/NDSL	PICCS
Methanol 67-56-1	Present	X	X	X
EDTA Disodium Salt 6381-92-6	-	-	X	X
Glacial Acetic Acid 758-12-3	-	X	-	-

Component name	ENCS	IECSC	AICS	KECL
Methanol 67-56-1	Present	X	X	Present
EDTA Disodium Salt 6381-92-6	-	X	X	-

Legend

X - Present

- Not Listed

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**AICS** - Australian Inventory of Chemical Substances

ThinPrep® PreservCyt Solution

KECL - Korean Existing and Evaluated Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component name	CAS No	%	SARA 313 - Threshold Values %
Methanol - 67-56-1	67-56-1	35-55	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Component name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Methanol 67-56-1	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Component name	California Proposition 65
Methanol - 67-56-1	Developmental

U.S. State Right-to-Know Regulations

Component name	New Jersey	Massachusetts	Pennsylvania
Methanol 67-56-1	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

International Regulations

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

Mexico

Mexico - Grade Serious risk, Grade 3

SECTION 16: Other information

Prepared By Hologic Inc
Revision Date 28-Nov-2016

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation,

disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet