# **Safety Data Sheets**

Library



# Sunsites

11/20/2018



# Safety Data Sheet Index Binder: Sunsites - Library

Product Name	CAS Number	Manufacturer	Version Date	Page
#18 WEIMAN LEMON OIL - Weiman Lemon Oil	8042-47-5	Weiman Products	05/06/2016	4
70% ISOPROPYL ALCOHOL - 70% ISOPROPYL ALCOHOL	67-63-0	OSTREM CHEMICAL CO. LTD.	01/31/2018	9
ABC Dry Chemical Fire Extinguishant - ABC Dry Chemical Fire Extinguishant		AMEREX CORPORATION	03/13/2018	13
ACE INDOOR FOGGER(5) - ACE INDOOR FOGGER(5)		CHEMSICO DIV OF UNITED INDUSTRIES CORP	10/18/2010	25
d-CON Bait Station - Disposable - d-CON Bait Station - Disposable		Reckitt Benckiser LLC	08/15/2017	26
Dial Antibacterial Hand Soap - ANTIBACTERIAL HAND SOAP		Kutol Products Company	06/23/2017	37
DISINFECTANT SCRUBBING BUBBLES BATHROOM CLEANER - FRESH CITRUS SCENT (DIN 02412411) - DISINFECTANT SCRUBBING BUBBLES BATHROOM CLEANER - FRESH CITRUS SCENT (DIN 02412411)		S.C. Johnson and Son, Limited	01/09/2018	42
Dust-Off Compressed Gas Duster - Dust-Off Compressed Gas Duster		Falcon Safety Products, Inc	05/15/2018	60
FAMILY DOLLAR ANTIBACTERIAL DISINFECTANT SPRAY LINEN SCENT - FAMILY DOLLAR ANTIBACTERIAL DISINFECTANT SPRAY LINEN SCENT		Chase Products Co	08/29/2016	66
Great Value Glass Cleaner - Great Value Glass Cleaner		KIK International LLC	12/28/2016	74
Hillyard Quick & Clean Super Hil-Aire Citrus - Hillyard Quick & Clean Super Hil-Aire Citrus		Hillyard Industries	04/29/2015	81
Liquid Paper Correction Fluid - Water Base - Liquid Paper Correction Fluid - Water Base		Sanford, L.P.	04/23/2014	92
Lysol Disinfecting Wipes - All Scents - Lysol Disinfecting Wipes - All Scents		Reckitt Benckiser LLC.	05/15/2018	94
Mr. Clean Magic Eraser - Mr. Clean Magic Eraser		Procter & Gamble	07/07/2017	107
ORTHO HOME DEFENSE MAX ANT & ROACH KILLER - ORTHO HOME DEFENSE MAX ANT & ROACH KILLER		The ORTHO Group	03/31/2016	113
Professional Lysol Brand Kills 99.9% of Viruses & Bacteria Power Toilet Bowl Cleaner (Liquid -		Reckitt Benckiser LLC.	11/23/2015	125

Product Name	CAS Number	Manufacturer	Version Date	Page
Professional Lysol Brand Kills 99.9% of Viruses & Bacteria Power Toilet Bowl Cleaner (Liquid)				
SCRUBBING BUBBLES BATHROOM CLEANER - SCRUBBING BUBBLES BATHROOM CLEANER		S.C. Johnson & Son, Inc.	01/30/2006	138
WD-40 Specialist High Performance White Lithium Grease - WD-40 Specialist High Performance White Lithium Grease		WD-40 Products (Canada) LTD.	11/18/2016	142



Safety Data Sheet according to the Hazardous Products Regulations (HPR) WHMIS 2015 Date of issue: 05/06/2016 Revision date: 05/06/2016 Version: 1.0

Safety Data Sheet according to the Hazardous Products Regulations (HPR) WHMIS 2015

according to the Hazardous Products Regulations (HPR) V	ITMIS 2015
4.2. Most important symptoms and effect	s, both acute and delayed
Symptoms/injuries after inhalation	: May cause respiratory tract irritation.
Symptoms/injuries after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear
	production, with possible redness and swelling.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.
4.3. Indication of any immediate medical	attention and special treatment needed
Symptoms may not appear immediately. In case of a	ccident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).
SECTION 5: Firefighting measures	
5.1. Extinguishing media	To al for a sum of a substantial
Suitable extinguishing media	: Treat for surrounding material.
Unsuitable extinguishing media	: Do not use water jet.
5.2. Special hazards arising from the sub	stance or mixture
Fire hazard	: Products of combustion may include, and are not limited to: oxides of carbon.
Reactivity	: No dangerous reaction known under conditions of normal use.
5.3. Advice for firefighters	
Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory
	protection (SCBA).
SECTION 6: Assidental release mean	
SECTION 6: Accidental release meas	
6.1. Personal precautions, protective equ	
General measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
6.2. Environmental precautions	
No additional information available	
6.3. Methods and material for containmer	t and cleaning up
For containment	: Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable
Tor containment	container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
Methods for cleaning up	: Scoop up material and place in a disposal container. Provide ventilation.
6.4. Reference to other sections	
	clothing and equipment and section 13 for advice on waste disposal.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid contact with skin and eyes. Avoid breathing vapour or mist. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.
Hygiene measures	: Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.
Hygiene measures	
7.2. Conditions for safe storage, including	
Storage conditions	: Keep out of the reach of children. Keep container tightly closed. Store in a cool place. Store locked up.
7.3. Specific end use(s)	
Not available.	
SECTION 8: Exposure controls/perso	nal protection
8.1. Control parameters	
No additional information available.	
8.2. Exposure controls	
Appropriate engineering controls	: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.
Hand protection	: Wear chemically resistant protective gloves.
Eye protection	: Safety glasses or goggles are recommended when using product.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection
	must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Environmental exposure controls	: Maintain levels below Community environmental protection thresholds.
05/06/2016	EN (English) 2/5

### Safety Data Sheet

according to the Hazardous Products Regulations (HPR) WHMIS 2015

Other information

: Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and o	chemical properties
Physical state	: Liquid
Appearance	: No data available
Colour	: Yellow
Odour	: Lemon
Odour threshold	: No data available
рН	: No data available
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 93 °C (> 200 °F) [TOC]
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable
Vapour pressure	: No data available
Vapour pressure at 50 °C	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.83
Relative density of saturated gas/air mixture	: No data available
Density	: No data available
Relative gas density	: No data available
Solubility	: No data available.
Partition coefficient: n-octanol/water	: No data available
Log Kow	: No data available
Viscosity, kinematic	: 4 - 6 @ 40°C (104°F)
Viscosity, kinematic (calculated value) (40 °C)	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
Lower explosive limit (LEL)	: No data available
Upper explosive limit (UEL)	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity				
10.1. Reactivity				
No dangerous reaction known under conditions of normal use.				
10.2. Chemical stability				
Stable under normal storage conditions.				
10.3. Possibility of hazardous reactions				
No dangerous reaction known under conditions of normal use.				
0.4. Conditions to avoid				
Heat. Incompatible materials.				
10.5. Incompatible materials				
Strong oxidizers.				
10.6. Hazardous decomposition products				
May include, and are not limited to: oxides of carbon.				

N E X R E G

3/5

# Safety Data Sheet

according to the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	: Not classified.	
Weiman Lemon Oil		
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat	No data available.	
White mineral oil, petroleum (8042-47-5)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
Skin corrosion/irritation	: Based on available data, the classification criteria are not met.	
Serious eye damage/irritation	: Based on available data, the classification criteria are not met.	
Respiratory or skin sensitization	: Based on available data, the classification criteria are not met.	
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.	
Carcinogenicity	: Based on available data, the classification criteria are not met.	
Reproductive toxicity	: Based on available data, the classification criteria are not met.	
Specific target organ toxicity (single exposure)	: Based on available data, the classification criteria are not met.	
Specific target organ toxicity (repeated exposure)	: Based on available data, the classification criteria are not met.	
Aspiration hazard	: May be fatal if swallowed and enters airways.	
Symptoms/injuries after inhalation	: May cause respiratory tract irritation.	
Symptoms/injuries after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.	
Symptoms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.	
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.	

<b>SECTION 12: Ecological information</b>			
12.1. Toxicity			
Ecology - general	: May cause long-term adverse effects in the aquatic environment.		
12.2. Persistence and degradability			
Weiman Lemon Oil			
Persistence and degradability	Not established.		
12.3. Bioaccumulative potential			
Weiman Lemon Oil			
Bioaccumulative potential	Not established.		
12.4. Mobility in soil			
No additional information available			
12.5. Other adverse effects			
No additional information available			
SECTION 13: Disposal considerations	S		
13.1. Waste treatment methods			
Waste disposal recommendations	: This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.		
<b>SECTION 14: Transport information</b>	SECTION 14: Transport information		

Transportation of Dangerous Goods

In accordance with Transportation of Dangerous Goods

Not regulated for transport

# **SECTION 15: Regulatory information**

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.



Safety Data Sheet according to the Hazardous Products Regulations (HPR) WHMIS 2015

<b>SECTION 16: Other informatio</b>	
Date of issue	: 05/06/2016
Revision date	: 05/06/2016
Indication of changes	: None.
Version	: 1.0

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

5/5

### **1. IDENTIFICATION**

Product Identifier:70% ISOPROPYLALCOHOLDate of RefProduct Code:G697Other Name(s):Distributed By:Recommended Use and Restrictions on Use:		Date of Revision: January 31, 2018		
Manufactured By:	Ostrem Chemical Co. Ltd. 2310 - 80th Avenue NW Edmonton, Alberta, Canada T6P 1N2 www.ostrem.com		Phone: 780-440-1911 In Case of Emergency Only, Phone CANUTEC: 613-996-6666	
2. HAZARDS IDENTIFICATION				
Classification of the Mixture:		Eye Damage/Irritation - Category 2A Specific Target Organ Toxicity (Single Exposure) - Category 3 Flammable Liquids - Category 2		
Label Elements:				

Hazard Pictogram(s):



Signal Word:	DANGER	
Hazard Statement(s):	2	
	May cause drowsiness or dizziness.	
	Highly flammable liquid and vapour.	

#### Precautionary Statement(s):

Г	recautionary Statemer	n(s).
	Prevention:	Wash hands thoroughly after handling. Avoid breathing dust, vapours or spray. Use only outdoors or in a well-ventilated area. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear protective gloves, protective clothing, and eye/face protection.
	Response:	<ul> <li>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.</li> <li>If eye irritation persists: Get medical advice.</li> <li>IF INHALED: Remove person to fresh air and keep comfortable for breathing.</li> <li>Call a poison centre or physician if you feel unwell.</li> <li>IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.</li> </ul>
	Storage:	Store in a well-ventilated place. Keep cool. Keep container tightly closed.
	Disposal:	Dispose of contents/container in accordance with local/regional/national/international regulations.

### Physical/health hazards not otherwise classified:

not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS							
Chemical Name         Conc.         CAS #         Common Names							
isopropanol (99%) 65 - 85% 67-63-0 isopropyl alcohol							

# 4. FIRST-AID MEASURES

#### **Necessary Measures:**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a poison centre or physician if you feel unwell.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

#### Most important symptoms, both acute and delayed:

Causes serious eye irritation.

May cause drowsiness or dizziness.

#### Indication of immediate medical attention and special treatment needed, if necessary:

not applicable

#### **5. FIRE-FIGHTING MEASURES**

#### Suitable (and unsuitable) extinguishing media:

Use extinguishing media appropriate for surrounding fire.

#### Specific hazards arising from the chemical (e.g.: hazardous combustion products):

May liberate carbon monoxide and carbon dioxide.

#### Special protective equipment and precautions for firefighters:

As for surrounding fire. Firefighters should wear full protective clothing and self contained breathing equipment.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective equipment. See section 8.

#### **Environmental precautions:**

Prevent from entering sewers, waterways or low areas.

#### Methods and materials for containment and cleaning up:

Isolate hazard area and restrict access. Small spills: soak up with inert absorbent material and scoop into containers. Large spills: prevent contamination of waterways. Dike and pump into suitable containers. Clean up residual with absorbent material, place in appropriate container and flush with water.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling:

Wash hands thoroughly after handling.

Avoid breathing dust, vapours or spray.

Use only outdoors or in a well-ventilated area.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not ingest. Avoid contact with eyes, skin and clothing.

#### Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep cool. Keep container tightly closed. Keep out of reach of children. Store in a cool, dry area.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters - Exposure limits:

Ingredient: isopropanol (99%)

Limit: ACGIH TWA: 200 ppm STEL 400 ppm

#### Appropriate engineering controls:

Provide exhaust ventilation to keep airborne levels below recommended exposure limits.

#### Respiratory protection:

If exposure exceeds occupational exposure limits, use an appropriate NIOSH approved respirator.

#### Other protection:

Wear protective gloves, protective clothing, and eye/face protection.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, colour etc.): Odour: Odour threshold:	colourless liquid strong alcohol odour not available
pH:	neutral
Melting/Freezing point:	-16°F / -26°C
Initial boiling point and range:	not available
Flash point:	12 C
Evaporation rate:	not available
Flammability (solid, gas):	not available
Upper/lower flammability or explosive limits:	not available
Vapour pressure:	not available
Vapour density:	not available
Relative density (specific gravity):	0.856
Solubility(ies):	100%
Partition co-efficient: n-octanol/water:	not available
Auto-ignition temperature:	not available
Decomposition temperature:	not available
Viscosity:	not available

#### **10. STABILITY AND REACTIVITY**

#### **Reactivity:**

This material is considered to be non-reactive under normal use conditions.

#### Chemical stability:

Stable.

#### Possibility of hazardous reactions:

not available

#### Conditions to avoid (e.g.: static discharge, shock or vibration):

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Incompatible materials:

Oxidizers

#### Hazardous decomposition products:

not available

#### **11. TOXICOLOGICAL INFORMATION**

#### POTENTIAL ACUTE HEALTH EFFECTS

Inhalation:	May cause respiratory tract irritation.
Ingestion:	May be harmful if swallowed.
Eye contact:	Causes serious eye irritation.
Skin contact:	May cause mild skin irritation.
Skin absorption:	not available

#### POTENTIAL CHRONIC HEALTH EFFECTS

Inhalation:not availableIngestion:not availableEye contact:not availableSkin contact:not availableSkin absorption:not available

Mutagenicity: Carcinogenicity: Reproductive toxicity: Sensitization of product: Specific Target Organ Toxicity - single exposure:

#### not available

This information, if applicable, can be found in Section 2. This information, if applicable, can be found in Section 2. This information, if applicable, can be found in Section 2. This information, if applicable, can be found in Section 2.

# Safety Data Sheet

Specific Target Organ Toxicity - repeated exposure:	This information, if applicable, can be found in Section 2.
Toxicological Data:	
Ingredient:	<u>Data:</u>
isopropanol (99%)	not available
Other Toxicological Information on Ingredients:	
other toxicological mornation on ingreatents.	
12. ECOLOGICAL INFORMATION Ecotoxicity (aquatic and terrestrial, where available):	not available
12. ECOLOGICAL INFORMATION	not available not available
12. ECOLOGICAL INFORMATION Ecotoxicity (aquatic and terrestrial, where available):	
12. ECOLOGICAL INFORMATION Ecotoxicity (aquatic and terrestrial, where available): Persistence and degradability:	not available

not available

**Ecological Information on Ingredients:** 

#### **13. DISPOSAL CONSIDERATIONS**

Waste disposal: Disposal of all waste must be done according to local, provincial and federal regulations.

#### **14. TRANSPORT INFORMATION**

TDG classification: UN 1219; ISOPROPYL ALCOHOL; CLASS 3; PG II

#### **15. REGULATORY INFORMATION**

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

#### **16. PREPARATION INFORMATION**

Prepared by: Technical Services Department, Ostrem Chemical Co. Ltd., Ph.: 780-440-1911

Date of Preparation:January 27, 2017Date of Revision:January 31, 2018

This Safety Data Sheet may not be changed or altered in any way without the express knowledge and permission of Ostrem Chemical Co. Ltd.

### End of Document



# SAFETY DATA SHEET

# Section 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Other Identifiers: Product Code(s): Model Code(s) of Extinguishers:

Recommended Use:

Manufacturer: Internet Address: Address:

Company Telephone: E-mail Address: Emergency Contacts:

Revised:

ABC Dry Chemical Fire Extinguishant Multi-purpose Dry Chemical CH555, F13, F11 402, IS 18ABC, IS35ABC, IS 45ABC, 13ABC, V25ABC, VH25ABC, V30ABC, VH30ABC, V50ABC, V550ABC, VS75ABC, V250ABC Fire suppression, not for human or animal drug use. AMEREX CORPORATION www.amerex-fire.com

7595 Gadsden Highway, P.O. Box 81 Trussville, AL 35173-0081 (205) 655-3271 info@amerex-fire.com Chemtrec 1(800) 424-9300 or (703) 527–3887 March 13, 2018

# Section 2. HAZARDS IDENTIFICATION

# **GHS** – Classification

Health	Environmental	Physical
Acute Toxicity: Category 5	None	None
Skin Corrosion/Irritation: Category 3	None	None
Skin Sensitization: NO	None	None
Eye: Category 2A	None	Warning
STOT – Category 3	None	Warning
Carcinogen: Category None	None	None

GHS – Label Symbol(s):



If Pressurized: Gas Under Pressure

GHS – Words(s):

Warning

Other Hazards Not Resulting in Classification: Mica may contain small quantities of quartz (crystalline silica). Prolonged exposure to respirable crystalline silica dust at concentrations exceeding the occupational exposure limits may increase the risk of developing a disabling

lung disease known as silicosis. IARC found limited evidence for pulmonary carcinogenicity of crystalline silica in humans. In the case of normal use of this product, exposure to silica should be nil.

The attapulgite clay used in this product has a fiber length of less than 5um; therefore, the clay is not considered to be carcinogenic in animals or humans.

GHS Hazard	GHS Codes(s)	Code Phrase(s)			
Physical	H229	*- Contents under pressure; may explode if heated.			
Health	H303	May be harmful if swallowed			
	315	Causes skin irritation			
	319	Causes serious eye irritation			
	335	May cause respiratory irritation			
Environmental	None				
Precautionary:					
General	P101	If medical advice is needed, have product container or label at hand			
Prevention	P251	Do not pierce or burn, even after use.			
	261	Avoid breathing dust/fumes/gas/mist/vapours/spray.			
	264	Wash exposed skin thoroughly after handling.			
	280	Wear protective gloves/protective clothing/eye protection/face protection.			
Response	P312	Call a doctor if you feel unwell.			
	321	Specific treatment (see Section 4. First Aid Measures)			
	362	Take off contaminated clothing.			
	302+352	IF ON SKIN: Wash with plenty of water.			
	304+340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.			
	305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if			
		present and easy to do – continue rinsing.			
	332+313	If skin irritation occurs: Get medical advice/attention.			
	342+311	If experiencing respiratory symptoms: Call a doctor.			
	337+313	If eye irritation persists get medical advice/attention.			
Storage	P410 +403	*- Protect from sunlight. Store in well-ventilated place.			
Disposal	P501	Dispose of contents through a licensed disposal company. Contaminated container should			
		be disposed of as unused product.			

**GHS** – Hazard Phrases

\*- If under pressure

# Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	EC No.	REACH Reg. No.	CAS-No.	Weight %	Classification
Mono-ammonium phosphate	231-764-5	01-2119488166-29	7722-76-1	80-98	NA
Attapulgite clay	601-805-5	Not Available	12174-11-7	3-16	NA
Mica- potassium aluminum silicate	310-1276	Not Available	12001-26-2	1-2	NA
Silicone oil methyl hydrogen polysiloxane	613-152-3	Not Available	63148-57-2	<1	NA
Calcium carbonate	207-439-9	Not Available	1317-65-3	<1	NA
Amorphous silica precipitated synthetic zeolite	231-545-4	01-2119379499-16- 0036	7631-86-9	<1	NA
Yellow 14 pigment – di-azo dye	226-789-3	Not Available	5468-75-7	<1	NA

Emergency overview:

Light yellow, fine solid powder, odorless.

Adverse health effects and symptoms:

Mild irritant to the respiratory system. Irritant to eyes, and skin. Symptoms may include coughing,

shortness of breath, and irritation of the lungs, eyes, and skin. Ingestion, although unlikely, may cause cramps, nausea and diarrhea.

# Section 4. FIRST AID MEASURES

Eye Exposure:	May cause irritation. Irrigate eyes with water and repeat until pain free. Seek medical attention if irritation develops, or if vision changes occur.
Skin Exposure:	May cause skin irritation. In case of contact, wash with plenty of soap and water. Seek medical attention if irritation persists.
Inhalation:	May cause irritation, along with coughing. If respiratory irritation or distress occurs remove victim to fresh air. Seek medical attention if irritation persists.
Ingestion:	Overdose symptoms may include numbness or tingling in hands or feet, uneven heart rate, paralysis, feeling faint, chest pain or heavy feeling, pain spreading to the arm or shoulder, nausea, diarrhea, sweating, general ill feeling, or seizure (convulsions). If victim is conscious and alert, give 2-3 glasses of water to drink. If conscious, do not induce vomiting. Seek immediate medical attention. Do not leave victim unattended. To prevent aspiration of swallowed product, lay victim on side with head lower than waist.
Medical conditions possibly	
aggravated by exposure:	Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema, or bronchitis. Skin contact may aggravate existing skin disease. Chronic overexposure may cause pneumoconiosis ("dusty lung" disease).

# Section 5. FIRE-FIGHTING MEASURES

Flammable Properties: Flash Point: Suitable Extinguishing Media:

Hazardous Combustion Products:

Not flammable Not determined Non-combustible. Use extinguishing media suitable for surrounding conditions. Carbon oxides

# Explosion Data: Sensitivity to Mechanical Impact: Sensitivity to Static Discharge: Unusual fire/explosion hazards:

Protective Equipment and Precautions for Firefighters:

Not sensitive Not sensitive In a fire this material may decompose, releasing oxides of carbon, potassium and nitrogen (see Section 10).

As in any fire, wear self-contained breathing apparatus pressure-demand. NIOSH (approved or equivalent) and full protective gear.

# Section 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Avoid contact with skin, eyes, and clothing. Minimum - safety glasses, gloves, and a dust Personal Protective Equipment: respirator. **Emergency Procedures:** NA Methods for Containment: Prevent further leakage or spillage if safe to do so. Methods for Clean Up: Avoid dust formation; clean up released material using vacuum or wet sweep and shovel to minimize generation of dust. Bag and transfer to properly labeled containers. Ventilate area and wash spill site after material pickup is complete. If product is contaminated, use PPE and containment Other: appropriate to the nature of the most toxic chemical/material in the mixture.

# Section 7. HANDLING AND STORAGE

Personal Precautions:		Use appropriate PPE when handling or maintaining equipment, and wash thoroughly after handling (see Section 8).
Conditions for Safe Storage:		Keep product in original container or extinguisher. Contents may be under pressure – inspect for extinguisher rust periodically to ensure container integrity.
Incompatible Products:		Do not mix with other extinguishing agents, particularly potassium bicarbonate and sodium bicarbonate. Incompatible with strong oxidizing agents and strong acids. Do not store in high humidity. Do not combine with chlorine compounds.
	Page 4	of 12 Pages

ABC

# Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name	OSHA PEL	ACGIH TLV	DFG MAK *	EU BLV
Mono- ammonium phosphate	PNOC <sup>**</sup> Total dust, 15 mg/m <sup>3</sup> Respirable fraction, 5 mg/m <sup>3</sup>	PNOC Total dust, 10 mg/m <sup>3</sup> Respirable fraction, 3 mg/m <sup>3</sup>	PNOC Total dust, 4 mg/m <sup>3</sup> Respirable fraction, 1.5 mg/m <sup>3</sup>	NA
Mica	6 mg/m <sup>3</sup>	3 mg/m3		NA
Attapulgite clay	PNOC <sup>**</sup> Total dust, 15 mg/m <sup>3</sup> Respirable fraction, 5 mg/m <sup>3</sup>	PNOC Total dust, 10 mg/m <sup>3</sup> Respirable fraction, 3 mg/m <sup>3</sup>	PNOC Total dust, 4 mg/m <sup>3</sup> Respirable fraction, 1.5 mg/m <sup>3</sup>	
Silicone oil	NR**	NR		
Calcium carbonate	PNOC Total dust, 15 mg/m <sup>3</sup> Respirable fraction, 5 mg/m <sup>3</sup>	PNOC Total dust, 10 mg/m <sup>3</sup> Respirable fraction, 3 mg/m <sup>3</sup>		NA
Amorphous silica	20mppcf <u>80 mg/m<sup>3</sup></u> or % SiO <sub>2</sub>	10 mg/m <sup>3</sup>	4 mg/m <sup>3</sup>	NA
Yellow 14 pigment	NR	NR	NR	NA

\*German regulatory limits \*\*PNOC = Particulates not otherwise classified (ACGIH) also known as Particulates not otherwise regulated (OSHA) \*\*\* NR = Not Regulated. All values are 8 hour time weighted average concentrations.

Engineering Controls:

Showers Eyewash stations Ventilation systems

# Personal Protective Equipment - PPE Code E:

The need for respiratory protection is not probable during short-term exposure. During production, the manufacturer should use judgement concerning the need for PPE.





Eye/Face Protection: Skin and Body Protection: Respiratory Protection:





Tightly fitting safety goggles Wear protective gloves/coveralls If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn. Use P100 respirators for limited exposure. Use air-purifying respirator (APR) with high efficiency particulate air (HEPA) filters for prolonged

Page 5 of 12 Pages <u>ABC</u>

exposure. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. The need for respiratory protection is not likely for short-term use in well ventilated areas.

Hygiene Measures:

Good personal hygiene practices essential, such as avoiding food, tobacco products, or other hand-tomouth contact when handling. Wash thoroughly after handling.

# Section 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Molecular Weight: Odor: Odorless Odor Threshold: Decomposition Temperature <sup>o</sup>C: 100 - 120 Freezing Point <sup>o</sup>C: Initial Boiling Point <sup>o</sup>C: **Physical State:** pH: Flash Point <sup>o</sup>C: None Autoignition Temperature <sup>o</sup>C: None Boiling Point/Range <sup>o</sup>C: Melting Point/Range <sup>o</sup>C: Flammability/Explosion Limits in Air <sup>o</sup>C: **Explosive Properties:** None **Oxidizing Properties:** None Volatile Component (%vol) **Evaporation Rate:** Vapor Density: Vapor Pressure: Specific gravity at 25 °C: Solubility: Partition Coefficient: Viscosity: No information available

Light yellow powder, finely divided odorless solid NH4H2PO4: 115.03 No information available No information available No information available **Crystalline Powder** Approximately 4.4 to 4.9 No information available NH4H2PO4: 190 Upper – None; Lower-None Not applicable No information available No information available NH4H2PO4: 1.41 mm/Hg NH4H2PO4: 1.80 40.4 g/100 ml NH4H2PO4 Est: -4.11

NOTE: NH4H2PO4 - Monoammonium Phosphate

# Section 10. STABILITY AND REACTIVITY

Stability:

Incompatibles:

Conditions to Avoid: Hazardous Decomposition Products:

Possibility of Hazardous Reactions: Hazardous Polymerization Stable under recommended storage and handling conditions. Strong oxidizing agents; Strong acids; sodium hypochlorite and chlorine compounds. Protect from moisture Storage or handling near incompatibles. Carbon, nitrogen, and potassium oxides. Heat of fire may release carbon monoxide. None Does not occur

# Section 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Symptoms: Inhalation: Eyes: Skin: Acute Toxicity: Chronic Toxicity: Short-term Exposure: Long-term Exposure: Inhalation, skin and eye contact.

Irritation, coughing. Irritation. Irritation. Relatively non-toxic.

None known. As with all dusts, pneumoconiosis, or "dusty lung" disease, may result from chronic exposure.

# **Acute Toxicity Values - Health**

Chemical Name		LD50	LC50 (Inhalation)
	Oral Dermal		
Mono-ammonium phosphate	5750 mg/kg (rat)	>7940 mg/kg (rabbit)	Not available
Mica	None	None	None
Attapulgite clay	None	None	None
Silicone oil	None	None	None
Calcium carbonate	6450 mg/kg (rat)	500 mg/24 hr (rabbit)	Not available
Amorphous silica	>5000 mg/kg (rat)	>2000 mg/kg (rabbit)	>2.2 mg/L (rat)
Yellow 14 pigment	>17000 mg/kg (rat)	>3000 mg/kg (rat)	>4448 mg/m3 (rat)

Reproductive Toxicity:

Target Organs and Effects (TOST):

This product's ingredients are not known to have reproductive or teratogenic effects. Respiratory system (mild irritant).

This product is a mild irritant to epithelial tissue, (eyes, mucous membranes, skin) and may aggravate dermatitis. No information was found indicating the product causes sensitization.

Page 7 of 12 Pages <u>ABC</u>

# **Other Toxicity Categories**

Chemical Name	Germ Cell Mutagenicity	Carcino- genicity	Repro- ductive	TOST Single Exp	TOST Repeated Exp	Aspiration
Mono-ammonium phosphate	None	None	None	Cat 3	None	None
Attapulgite clay	None	None	None	None	None	None
Mica	None	None	None	None	None	None
Silicone oil	None	None	None	None	None	None
Calcium carbonate	None	None	None	None	None	None
Amorphous silica	None	None	None	None	None	None
Yellow 14 pigment	None	None	None	None	None	None

# Section 12. ECOLOGICAL INFORMATION

Ecotoxicity:	Negative effects unknown. Provides nutrient nitrogen and phosphorus to plant life.
Persistence/Degradability:	Degrades rapidly in humid/wet environment.
Probability of rapid biodegradation:	NH4H2PO4 Est: 0.693 (Rapid);
	(NH4)2SO4: Est: 0.684 (Rapid)
Anaerobic biodegradation probability:	NH4H2PO4 Est: 0.398 (Slow);
	(NH4)2SO4: Est: 0.398 (Slow)
Bioaccummulation potential:	Low.
Bioconcentration factor:	NH4H2PO4: 3.16 L/kg (wet weight) (Low BCF)
Bioaccummulation factor:	NH4H2PO4: 63.04 L/kg (wet weight)
Mobility in soil:	Slow evaporation rate; water soluble, may leach to groundwater
Log Koc:	NH4H2PO4 Est: -1.25
Log Koa:	NH4H2PO4 Est: 16.72
Log Kaw:	NH4H2PO4 Est: -20.86
NOTE: NH4H2PO4 – Mono-ammonium	Phosphate

Other Adverse Ecological Effects:

No other known effects at this time

# Aquatic Toxicity Values – Environment – Research

riquatio revierty raidee		
Chemical Name	Acute (LC50)	Chronic (LC50)
Mono-ammonium phosphate	N/A	N/A
Mica	N/A	N/A
Attapulgite clay	N/A	N/A
Silicone oil	N/A	N/A
Calcium carbonate	N/A	N/A
Amorphous silica	N/A	N/A
Yellow 14 pigment	N/A	N/A

# Aquatic Toxicity Values – Environment – Estimates

Chemical Name	Acute (LC50)	EC50
Mono-ammonium phosphate	2,91e+07 mg/L Fish 96 hr; 9.4e+06 mg/l Daphnid 48 hr;	6.70e+05 mg/L Gr. Algae 96 hr
Mica	N/A	N/A
Attapulgite clay	N/A	N/A
Silicone oil	N/A	N/A
Calcium carbonate	N/A	N/A
Amorphous silica	N/A	N/A
Yellow 14 pigment	N/A	N/A

# Section 13. DISPOSAL CONSIDERATIONS

Safe Handling

Waste Disposal Considerations

Contaminated Packaging

Use appropriate PPE when handling, and wash thoroughly after handling (see Section 8). Dispose in accordance with federal, state, and local regulations. Dispose in accordance with federal, state, and local regulations.

# NOTES:

This product is not a RCRA characteristically hazardous or listed hazardous waste. Dispose of according to state or local laws, which may be more restrictive than federal laws or regulations. Used product may be altered or contaminated, creating different disposal considerations.

# Section 14. TRANSPORT INFORMATION

UN Number: UN Proper Shipping Name: Transport Hazard Class: Packing Group: Marine Pollutant?:	NA NA NA NO
ΙΑΤΑ	Not regulated
DOT NOTES:	Not regulated

This product is not defined as a hazardous material under U.S. Department of Transportation (DOT) 49 CFR 172, or by Transport Canada "Transportation of Dangerous Goods" regulations.

Special Precautions for Shipping:

The transportation information above covers the ABC 555 dry chemical extinguisher agent as shipped in bulk containers and not when contained in fire extinguishers or fire extinguisher systems. If shipped in a stored pressure-type fire extinguisher, and pressurized with a non-flammable, non-toxic inert expellant gas, the fire extinguisher is considered a hazardous material by the US Department of Transportation and Transport Canada. The proper shipping name shall be FIRE EXTINGUISHER and the UN designation is UN 1044. The DOT hazard class/division is LIMITED QUANTITY when pressurized to less than 241 psig and when shipped via highway or rail. UN Class 2.2. Non-Flammable Gas, when shipping via air. Packing Group – N/A

# Section 15. REGULATORY INFORMATION

International Inventory Status:	All ingredients are on the following inventories		
Country(ies)	Agency	Status	
United States of America	TSCA	Yes	
Canada	DSL	Yes	
Europe	EINECS/ELINCS	Yes	
Australia	AICS	Yes	
Japan	MITI	Yes	
South Korea	KECL	Yes	

# **REACH Title XVII Restrictions**:

No information available

Chemical Name	Dangerous Substances	Organic Solvents	Harmful Substances Whose Names Are to be Indicated on Label	Pollution Release and Transfer Registry (Class II)	Pollution Release and Transfer Registry (Class I)	Poison and Deleterious Substances Control Law
Monoammonium Phosphate	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

Component	ISHA – Harmful Substances Prohibited for Manufacturing, Importing, Transferring, or Supplying	ISHA – Harmful Substances Requiring Permission	Toxic Chemical Classification Listing (TCCL) – Toxic Chemicals	Toxic Release Inventory (TRI) – Group I	Toxic Release Inventory (TRI) – Group II
Monoammonium Phosphate 7722-76-1	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Attapulgite clay 12174-11-7 (>3)	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Mica- potassium aluminum silicate 120001-26-2 (>2)	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Calcium carbonate 471-34-1	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Amorphous silica 69012-64-2	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Yellow 14 pigment 5468-75-7	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

# European Risk and Safety phrases:

EU Classification: Xr	n - Irritant	
R Phrases:	20	Harmful by inhalation.
	36/37/38	Irritating to eyes, respiratory system and skin.
S Phrases:	22	Do not breath dust.
	24/25	Avoid contact with skin and eyes
	26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	36	Wear suitable protective clothing.

# U.S. Federal Regulatory Information:

# SARA 313:

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) - This product does not contain and chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

None of the chemicals in this product are under SARA reporting requirements or have SARA threshold planning quantities (TPQs) or CERCLA reportable quantities (RQs), or are regulated under TSCA 8(d).

# SARA 311/312 Hazard Categories:

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
*-Sudden Release of Pressure Hazard	Yes
Reactive Hazard	No

\* - Only applicable if material is in a pressurized extinguisher.

# Clean Water/Clean Air Acts:

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42) or Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61) and Section 112 of the Clean Air Act Amendments of 1990.

# U.S. State Regulatory Information:

Chemicals in this product are covered under specific State regulations, as denoted below:

Alaska - Designated Toxic and Hazardous Substances: None California – Permissible Exposure Limits for Chemical Contaminants: None Florida – Substance List: Mica Dust Illinois – Toxic Substance List: None Kansas – Section 302/303 List: None Massachusetts – Substance List: Mica Dust Minnesota – List of Hazardous Substances: None Missouri – Employer Information/Toxic Substance List: None New Jersey – Right to Know Hazardous Substance List: None North Dakota – List of Hazardous Chemicals, Reportable Quantities: None Pennsylvania – Hazardous Substance List: None Rhode Island – Hazardous Substance List: Mica Dust Texas – Hazardous Substance List: No West Virginia – Hazardous Substance List: None Wisconsin – Toxic and Hazardous Substances: None

California Proposition 65: No component is listed on the California Proposition 65 list.

<u>Other</u>: Mexico – Grade Canada – WHMIS Hazard Class

No component listed No component listed

# Section 16. OTHER INFORMATION

This SDS conforms to requirements under U.S., U.K., Canadian, Australian, and EU regulations or standards, and conforms to the proposed 2003 ANSI Z400.1 format.

Issuing Date Revision Date Revision Notes 17-June-2012 13-March-2018 None

The information herein is given in good faith but no warranty, expressed or implied, is made. Updated by William F. Garvin, CIH.

Chemsico **Division of United Industries** P. O. Box 142642 St. Louis, MO 63114-0642

# Material Safety Data Sheet

Complies with OSHA's Hazard Communication Standard, 29 CFR 1910.1200 Rubber gloves			
I Trade Name: Ace Indoor Fogger <sub>5</sub>			
Product Type: Total Release Aerosol Inser	ticide		
Product Item Number: HG-75701-9		Formula Code Nun	<b>aber:</b> 21-0937/21-0666
EPA Registration Number	Manufacturer		Emergency Telephone Numbers
9688-249	Chemsico Division of United In 8494 Chapin Industria St. Louis, MO 63114	al Drive	For Chemical Emergency:1-800-633-2873For Information:1-800-917-5423Prepared by:C. A. DuckworthDate Prepared:October 18, 2010
II Hazards Ingredient/Identity Informat	ion	III Physical and C	hemical Characteristics
	SHA PEL ACGIH TLV 10 ppm 100 ppm NA NA NA NA	Appearance & Odor: Boiling Point: Melting Point: Vapor Pressure: Specific Gravity: Vapor Density: % Volatile (by vol.): Solubility in Water: Evaporation Rate: V Reactivity Data	Fan spray with clear wet film and pyrethroid odor. NA NA 110 psig at 54° C/130° F 0.95 (H <sub>2</sub> O = 1) Greater than 1 (Air = 1) 99% Greater than 61% Less than 1 (Butyl Acetate = 1)
		•	
Flash Point:       117° F (TCC)         Flame Extension:       0-inches (Level 1         Flammable Limits:       NA         Autoignition Temperature:       NA         Fire Extinguishing Media:       Water fog, Carb         Decomposition Temperature:       NA         Special Fire-Fighting Procedures:       Keep cans coo         shielding to protect personnel against bursting, ru         Unusual Fire & Explosion Hazards:       At elevated 1         54° C/130° F), cans may vent, rupture or burst	on dioxide, Dry chemical . Use equipment or pturing or venting cans. emperatures (over	Stability: Polymerization: Conditions to Avoid: Incompatible Materials Hazardous Decomposi or Byproducts:	
VI Health Hazard Data		VII Precautions for Safe Handling and Use	
Ingestion: First Aid: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth top an unconscious person. Skin Contact: First Aid: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. Special Notes: None Health conditions Aggravated by Exposure: None known Ingredients listed by NTP, OSHA, or IARC as Carcinogens or Potential Carcinogens: None		Avoid breathing vap sources. Soak up spills v Waste Disposal: Do not puncture or in recycling if available. for disposal instructions Handling & Storage Pre	
VIII Control Measures		IX Transportation	n Data
Read and follow label directions. They are your best guide to using this product effectively, and give necessary safety precautions to protect your health.		DOT: Consumer Com IMDG: UN-1950, Aeroso IATA: Un-1950, Aerosols	

The information and statements herein are believed to be reliable but are not to be construed as warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.

**Hazardous Material Identification** System - (HMIS)

HEALTH – 1 REACTIVITY - 0

FLAMMABILITY - 2

PERSONAL -Rubber aloves Conforms to USDOL OSHA 29CFR 1910.1200 HAZCOM

# SAFETY DATA SHEET

d-CON® Bait Station - Disposable



1. Product and company identification			
Product name	: d-CON® Bait Station - Disposable		
Distributed by	: Reckitt Benckiser LLC. Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, New Jersey 07054-0225 +1 973 404 2600		
Emergency telephone number (Medical)	: 1-800-338-6167		
Emergency telephone number (Transport)	: 1-800-424-9300 (U.S. & Canada) CHEMTREC Outside U.S. and Canada (North America), call Chemtrec:703-527-3887		
Website:	: http://www.rbnainfo.com		
Product use	: Rodenticide		

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

SDS #	: D0263011 v3.0
Formulation #:	: 8121078 v1.0
EPA ID No.	: 3282-99
UPC Code / Sizes	: Corner Fit 1ct Disposable Bait Station 19200-89543-00 (Mimas)

2. Hazards identification				
Classification of the substance or mixture	: ACUTE TOXICITY (oral) - Category 4			
GHS label elements Hazard pictograms				
Signal word Hazard statements	: Warning : Harmful if swallowed.			
Code # : FF8121078 (D0263011)	<b>SDS #</b> : D0263011 v3.0 <b>Date of issue</b> : 15/08/2017 <b>1/11</b>			

# 2. Hazards identification

### Precautionary statements

General	: Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
Response	: IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. Rinse mouth.
Storage	: Not applicable.
Disposal	<ul> <li>Dispose of contents and container in accordance with all local, regional, national and international regulations.</li> </ul>
Supplemental label elements	: None known.
Hazards not otherwise classified	: None known.

# 3. Composition/information on ingredients

Substance/mixture : Mixture		
Ingredient name	%	CAS number
diphacinone (ISO)	< 0.1	82-66-6

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

# 4. First aid measures

Description of necessary f	first aid measures
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	<ul> <li>Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.</li> </ul>
Ingestion	: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Code # : FF8121078 (D0263011)	<b>SDS #</b> : D0263011 v3.0 <b>Date of issue</b> : 15/08/2017 <b>2/11</b>

# 4. First aid measures

#### Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact : May cause slight transient irritation. Inhalation : No known significant effects or critical hazards. Skin contact : No known significant effects or critical hazards. Ingestion : Harmful if swallowed. **Over-exposure signs/symptoms** : Adverse symptoms may include the following: Eye contact irritation redness Inhalation : No specific data. **Skin contact** : No specific data. Ingestion : This product contains anticoagulants with an effect similar to that of warfarin. The anticoagulant interferes with the synthesis of prothrombin. Significant exposure (e.g. ingestion) can cause anticoagulation effects and could aggravate existing blood clotting disorders. Indication of immediate medical attention and special treatment needed, if necessary Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Contains the anticoagulant Diphacinone. If swallowed, this material may reduce clotting ability of the blood and cause bleeding. For humans or animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K1. : No specific treatment. **Specific treatments Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

5. Fire-fighting me	easures			
Extinguishing media				
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.			
Unsuitable extinguishing media	: None known.			
Specific hazards arising from the chemical	: No specific fire or explosion hazard.			
Hazardous thermal decomposition products	: No specific data.			
Special protective actions for fire-fighters	<ul> <li>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</li> </ul>			
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.			
Code # : FF8121078 (D0263011)	<b>SDS #</b> : D0263011 v3.0 <b>Date of issue</b> : 15/08/2017 <b>3/11</b>			

# 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.			
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".			
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).			
Methods and materials for co	ont	ainment and cleaning up			
Small spill	:	Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.			
Large spill	:	Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note:			

# 7. Handling and storage

(D0263011)

### Precautions for safe handling

Flecaulions for sale nationing	4	
Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

see Section 1 for emergency contact information and Section 13 for waste disposal.

# 8. Exposure controls/personal protection

Control					
Occupational exposure limits Not applicable.	ì				
Appropriate engineering controls	: Good genera contaminants	l ventilation should be s	sufficient to control	worker exposure to	airborne
controls they comply cases, fum		om ventilation or work p vith the requirements o scrubbers, filters or eng sary to reduce emission	f environmental pro gineering modification	otection legislation.	In some
Individual protection measures	<u>5</u>				
Code # : FF8121078	SDS #	: D0263011 v3.0	Date of issue	: 15/08/2017	4/11

# 8. Exposure controls/personal protection

Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	<ul> <li>Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.</li> </ul>

# 9. Physical and chemical properties

<u>Appearance</u>	
Physical state	: Solid. [Block]
Color	: Green.
Odor	: Characteristic.
Odor threshold	: Not available.
рН	Not available.
Melting point	: 54.444°C (130°F)
Boiling point	: Not available.
Flash point	: Closed cup: >190.56°C (>375°F)
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	Not available.
Relative density	: Not available.
Solubility	: Insoluble in the following materials: cold water and hot water.

Code #	: FF8121078	SDS #	: D0263011 v3.0	Date of issue	: 15/08/2017	5/11
	(D0263011)					

# 9. Physical and chemical properties

Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	1	Not available.
<b>Decomposition temperature</b>	1	Not available.
Viscosity	:	Not available.
Flow time (ISO 2431)	1	Not available.

# 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Protect from moisture. Keep from freezing.
Incompatible materials	: Do not use with other products.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# 11. Toxicological information

# Information on toxicological effects

### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
diphacinone (ISO)	LC50 Inhalation Vapor LD50 Dermal LD50 Oral		2 g/m³ 200 mg/kg 1500 μg/kg	4 hours - -

### Irritation/Corrosion

Not available.

### **Sensitization**

Not available.

#### **Mutagenicity**

Not available.

#### **Carcinogenicity**

Not available.

### **Reproductive toxicity**

Not available.

### **Teratogenicity**

Not available.

### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Not available.

# **Aspiration hazard**

Code # : FF8121078 (D0263011)

SDS #

**Date of issue** : 15/08/2017

6/11

# **11. Toxicological information**

Not available.

Information on the likely routes of exposure	: Not available.
Potential acute health effect	<u>xts</u>
Eye contact	: May cause slight transient irritation.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: Harmful if swallowed.
Eye contact	<ul> <li>hysical, chemical and toxicological characteristics</li> <li>Adverse symptoms may include the following: irritation redness</li> </ul>
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: This product contains anticoagulants with an effect similar to that of warfarin. The anticoagulant interferes with the synthesis of prothrombin. Significant exposure (e.g. ingestion) can cause anticoagulation effects and could aggravate existing blood clotting disorders.

Delayed and immediate effect	ts and also chronic effects from short and long term exposure
<u>Short term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health eff	<u>ects</u>
Not available.	
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

# Numerical measures of toxicity

# Acute toxicity estimates

Not available.

SDS #

. . . . . . . . .

# **11. Toxicological information**

# 12. Ecological information

IOXICITY			
Product/ingredient name	Result	Species	Exposure
diphacinone (ISO)	Acute EC50 1.8 ppm Fresh water Acute LC50 2.09 ppm Fresh water	Daphnia - Daphnia magna Fish - Ictalurus punctatus	48 hours 96 hours

### Persistence and degradability

Not available.

### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
diphacinone (ISO)	4.27	-	high

|--|

Soil/water partition: Not available.coefficient (Koc)

Other adverse effects : This product is extremely toxic to mammals, birds and other wildlife. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water.

# 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# 14. Transport information

Not a DOT controlled material (United States). Not a TDG-controlled material. This preparation is not classified as dangerous according to international transport regulations (ADR/RID, IMDG or ICAO/IATA).

SDS # :

# 15. Regulatory information

**U.S. Federal regulations** : TSCA 8(a) CDR Exempt/Partial exemption: Not determined United States inventory (TSCA 8b): FIFRA regulated products exempt from TSCA

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Not listed
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed
DEA List II Chemicals (Essential Chemicals)	: Not listed

### SARA 302/304

### **Composition/information on ingredients**

			SARA 302 T	<b>PQ</b>	SARA 304 F	RQ
Name	%	EHS	(lbs)	(gallons)	(lbs)	(gallons)
diphacinone (ISO)	< 0.01	Yes.	10 / 10000	-	10	-

**SARA 304 RQ** 

: 200000 lbs / 90800 kg

### SARA 311/312

**Classification** 

: Immediate (acute) health hazard

# **Composition/information on ingredients**

Name		hazard	Sudden release of pressure		(acute) health	Delayed (chronic) health hazard
diphacinone (ISO)	< 0.1	No.	No.	No.	Yes.	No.

# **State regulations**

otate regulations	
Massachusetts	: None of the components are listed.
New York	: None of the components are listed.
New Jersey	: None of the components are listed.
Pennsylvania	: None of the components are listed.
<u>Canada</u>	
WHMIS (Canada)	: Not controlled under WHMIS (Canada).
<u>Canadian lists</u>	
Canadian NPRI	: None of the components are listed.
CEPA Toxic substances	: None of the components are listed.
Canada inventory	: Not determined.

### **Label elements**

Code #	: FF8121078 (D0263011)	SDS #	: D0263011 v3.0	Date of issue	: 15/08/2017	9/11
--------	---------------------------	-------	-----------------	---------------	--------------	------

# 15. Regulatory information

Signal word: Hazard statements : CAUTION

nents : May be harmful if swallowed.

Precautionary measures

: Wear suitable gloves. Prevent access to bait by children, birds and domestic animals.

# 16. Other information

Hazardous Material Information System (U.S.A.)

Health	1
Flammability	1
Physical hazards	0
Personal protection	В

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection : Association (U.S.A.)

(D0263011)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
Date of issue Date of previous issue Version	: 15/08/2017 : 20/09/2013 : 3
Code # : FF8121078	SDS # : D0263011 v3.0 Date of issue : 15/08/2017 10/11

# **16. Other information**

Prepared by	: Reckitt Benckiser LLC.
	Product Safety Department
	1 Philips Parkway
	Montvale, New Jersey 07646-1810 USA.
	FAX: 201-476-7770

#### **Revision comments**

: Revision on Section 15 TSCA Statement.

✓ Indicates information that has changed from previously issued version.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



RB is a member of the CSPA Product Care Product Stewardship Program.


ANTIBACTERIAL HAND SOAP

#### SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

Product Name	:	ANTIBACTERIAL HAND SOAP
Product Codes Recommended use Product dilution information	:	5009, 5012, 5019, 5065, 5067, 65036, 30441 Antibacterial hand cleaner Product is sold ready to use.
Company	:	Kutol Products Company 100 Partnership Way Sharonville, OH 45242 1-800-543-4641
Chemtrec Phone	:	1-800-424-9300
Issuing date	:	06/23/2017

#### SECTION 2 - HAZARD(S) IDENTIFICATION

GHS Classification	:	Category 2B Eye irritation
GHS Label Element Hazards pictograms	:	
Signal Word Hazard Statements	:	Warning <b>Response:</b> IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Other Hazards	:	None known.
SECTION 3 – COMPOSITION /	INFO	DRMATION ON INGREDIENTS
Pure substance/mixture	:	Mixture
Chemical Name		Concentration (%) CAS No.
BENZALKONIUM CHLORIDE		< 5 8001-54-5
SECTION 4 – FIRST AID MEAS	URE	S
In case of eye contact	:	Flush eyes under eyelids with plenty of cool water for at least 15 minutes. If irritation persists, seek medical/advice attention.
In case of skin contact	:	If irritation persists, wash with water.
GHS SDS F215F		Page 1 of 5



#### ANTIBACTERIAL HAND SOAP

If ingested	:	Contact a physician or Poison Control Center immediately. Do not induce vomiting never give anything by mouth to an unconscious person.
If inhaled Protection of first-aiders Notes to physicians	:	Get medical attention if symptoms occur. No special precautions are necessary. Treat symptomatically.

#### SECTION 5 – FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	None known.
Specific hazards during firefighting	:	No flammable or combustible.
Hazardous combustions products	:	Carbon oxides
Special protective equipment for fire-fighters	:	Use personal protective equipment.
Specific extinguishing methods	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

#### SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal precautions Environmental precautions		No special measures required. Avoid contact of large amounts of spilled material runoff with soil and surface waterways.
Methods of cleaning up	:	Absorb with inert material. Use a water rinse for final clean-up.

#### SECTION 7 - HANDLING AND STORAGE

Handling	Wash hands after handling.	
Storage	Keep out of reach of children. Keep container tightly clo	osed.
	Store between 32 to 122 degrees F.	

#### **SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION**

Engineering measures	:	Good general ventilation should be sufficient to control workers exposure to airborne contamination.
Personal protection		
Eyes	:	Eye protection should be used when splashing may occur.
Hands	:	No protective equipment is needed under normal use.
Skin	:	No protective equipment is needed under normal use.
Respiratory	:	No protective equipment is needed under normal use.



#### ANTIBACTERIAL HAND SOAP

#### **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: Viscous amber liquid Odor: Spicy floral fragrance Odor Threshold: No data available ph: 6.0 typical Melting point/freezing point: N/A Initial boiling and boiling range: N/A Flash point: N/A Evaporation rate: <1 Flammability (solid, gas): No data available Upper/lower flammability limits: N/A Vapor pressure: N/A Vapor density: N/A Relative density: No data available. Solubility (ies): No data available. Partition coefficient: n-octanol/water: No data available. Auto ignition temperature: N/A Decomposition temperature: No data available. Viscosity: 3,250 CPS @ 77 F or 25 C

#### SECTION 10 – STABILITY AND REACTIVITY

Stability Possibility of hazardous reactions	The product is stable under normal conditions. No dangerous reaction is known under conditions of normal use.
Conditions to avoid Incompatible materials Hazardous decomposition products	None known. None known. Carbon oxides

#### SECTION 11 – TOXICOLOGICAL INFORMATION

Information on likely routines of	
exposure	

: Inhalation, eye contact, skin contact.

#### **Potential Health Effects**

Eyes	: Cause of irritation.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic exposure	: Health injuries are not known or expected under normal use.

#### **Experience with Human Exposure**

Eye contact	Redness, irritation.
Skin contact :	No symptoms known or expected.
Ingestion :	No symptoms known or expected.
Inhalation :	No symptoms known or expected.

#### Toxicity

Acute oral toxicity	:	Acute toxicity estimate: >5,000 mg/kg
Acute inhalation toxicity	:	No data available
Acute dermal toxicity	:	Acute toxicity estimate: >5,000 mg/kg
Skin corrosion/irritation	:	No data available
Serious eye damage/eye	:	Mild eye irritation.
irritation		
Respiratory or skin	:	No data available.
sensitization		



ANTIBACTERIAL HAND SOAP

Carcinogenicity	
IARC	<ul> <li>No component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by IARC.</li> </ul>
OSHA	: No ingredient of this product presents at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
SECTION 12 – ECOLOGICA	
Ecological Tests	: Data is not available.
Environmental Impact	: The product ingredients are expected to be safe for the environment at the concentrations predicted under normal use and accidental spill scenarios. Packaging components are compatible with the conventional solid waste management practices.
SECTION 13 - DISPOSAL (	CONSIDERATIONS
SECTION 13 – DISPOSAL O	<ul> <li>CONSIDERATIONS</li> <li>The product should not be allowed to enter drains, water courses or the soil. When possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.</li> </ul>

#### SECTION 14 – TRANSPORT INFORMATION

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes. The shipper / consignor / sender are responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Shipment	Identification Number	Proper Shipping Name	Hazardous Classification	Packaging Group
US DOT	Not dangerous goods	N/A	N/A	None
IATA (Air)	Not dangerous goods	N/A	N/A	None
IMDG (Vessel)	Not dangerous goods	N/A	N/A	None



#### ANTIBACTERIAL HAND SOAP

#### SECTION 15 – REGULATORY INFORMATION

U.S. Federal Regulations		
TSCA 8(b) Inventory	:	All components are listed or exempted.
SARA 302/304/311/312	:	No listed substance.
Extremely Hazardous		
Substances		
SARA 302/304 Emergency	:	No listed substance.
Planning and Notification		

#### **SECTION 16 - OTHER INFORMATION**



The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.

classification according to Canadian Hazardous Products Regulation



### DISINFECTANT SCRUBBING BUBBLES® BATHROOM CLEANER -FRESH CITRUS SCENT (DIN 02412411)

Version 1.2

Print Date 01/09/2018

Revision Date 01/09/2018

SDS Number 350000021341

#### **1. PRODUCT AND COMPANY IDENTIFICATION**

#### **Product information**

Product name	:	DISINFECTANT SCRUBBING BUBBLES® BATHROOM CLEANER - FRESH CITRUS SCENT (DIN 02412411)
Recommended use	:	Hard Surface CleanerHard Surface Cleaner
Restrictions on use	:	Use only as directed on label
Manufacturer, importer, supplier	:	S.C. Johnson and Son, Limited 1 Webster Street Brantford ON N3T 5R1
Telephone	:	+1-800-558-5566
Emergency telephone number	:	24 Hour Transport & Medical Emergency Phone (866) 231-5406 24 Hour International Emergency Phone (952) 852-4647 24 Hour Canadian Transport Emergency Phone (CANUTEC) (613) 996-6666

#### 2. HAZARDS IDENTIFICATION

#### Classification of the substance or mixture

#### Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Gases under pressure	Liquefied gas	Contains gas under pressure; may explode if heated.
Serious eye damage/eye irritation	Category 2B	Causes eye irritation.

#### Labelling

Hazard symbols Gas cylinder

Signal word Warning

classification according to Canadian Hazardous Products Regulation



### DISINFECTANT SCRUBBING BUBBLES® BATHROOM CLEANER -FRESH CITRUS SCENT (DIN 02412411)

Version 1.2

Revision Date 01/09/2018

Print Date 01/09/2018

SDS Number 350000021341

Hazard statements Contains gas under pressure; may explode if heated.

**Precautionary statements** 

Protect from sunlight. Store in a well-ventilated place.

Other hazards: Intentional misuse by deliberately concentrating and inhaling<br/>contents can be harmful or fatal.<br/>Excessive exposure to spray mist, fog or vapour may cause<br/>respiratory irritation.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous chemicals present at or above reportable levels as defined by Canadian Hazardous Products Regulation are listed in this table.

Chemical name	CAS-No.	Weight percent
Isobutane	75-28-5	5.00 - 7.00
Diethylene glycol monobutyl ether	112-34-5	5.00 - 7.00
Tetrasodium ethylene diamine tetraacetate	64-02-8	3.00 - 5.00
Alkyl dimethyl benzyl ammonium chloride	68424-85-1	0.0001 - 0.10
Decyldimethyloctylammonium chloride	32426-11-2	0.0001 - 0.10
Dimethyldioctylammonium chloride	5538-94-3	0.0001 - 0.10
Didecyldimethylammonium chloride	7173-51-5	0.0001 - 0.10

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

classification according to Canadian Hazardous Products Regulation



# DISINFECTANT SCRUBBING BUBBLES® BATHROOM CLEANER -FRESH CITRUS SCENT (DIN 02412411)

Version 1.2

5.

Revision Date 01/09/2018

Print Date 01/09/2018

SDS Number 350000021341

#### 4. FIRST AID MEASURES

Description of first aid measures					
Eye contact	: No special requirements				
Skin contact	: No special requirements				
Inhalation	: No special requirements.				
Ingestion	: No special requirements				
Most important symptor	ns and effects, both acute and delayed				
Eyes	: May irritate eyes.				
Skin effect	: No adverse effects expected when used as directed.				
Inhalation	<ul> <li>Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.</li> <li>Excessive exposure to spray mist, fog or vapour may cause respiratory irritation.</li> </ul>				
Ingestion	: No adverse effects expected when used as directed.				
Indication of any immediate medical attention and special treatment needed					
See Description of first ai	d measures unless otherwise stated.				
FIREFIGHTING MEASURE	s				
Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.				

classification according to Canadian Hazardous Products Regulation



# DISINFECTANT SCRUBBING BUBBLES® BATHROOM CLEANER -FRESH CITRUS SCENT (DIN 02412411)

Version 1.2

Print Date 01/09/2018

Revision Date 01/09/2018

SDS Number 350000021341

Specific hazards during firefighting	:	Aerosol Product - Containers may rocket or explode in heat of fire.
Further information	:	Fight fire from maximum distance or protected area. Cool and use caution when approaching or handling fire-exposed containers. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Remove all sources of ignition. Wash thoroughly after handling.	
Environmental precautions	Outside of normal use, avoid release to the env	vironment.
Methods and materials for containment and cleaning up	Sweep up and shovel into suitable containers f Clean residue from spill site.	or disposal.

#### 7. HANDLING AND STORAGE

Handling		
Precautions for safe handling	:	Avoid contact with skin, eyes and clothing. For personal protection see section 8. KEEP OUT OF REACH OF CHILDREN AND PETS.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Storage		
Requirements for storage areas and containers	:	Protect from sunlight. Store in a well-ventilated place.

classification according to Canadian Hazardous Products Regulation



### DISINFECTANT SCRUBBING BUBBLES® BATHROOM CLEANER -FRESH CITRUS SCENT (DIN 02412411)

Version 1.2

Revision Date 01/09/2018

Print Date 01/09/2018

SDS Number 350000021341

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Occupational Exposure Limits**

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
Isobutane	75-28-5	-	1,000 ppm	-	ACGIH STEL
Diethylene glycol monobutyl ether	112-34-5	-	35 ppm	-	SUPPLIER
Diethylene glycol monobutyl ether	112-34-5	-	10 ppm	-	ACGIH TWA

#### Personal protective equipment

Respiratory protection	:	No special requirements.
Hand protection	:	No special requirements.
Eye protection	:	No special requirements.
Skin and body protection	:	No special requirements.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form

: Liquefied gas

Color

: clear Colorless to amber

classification according to Canadian Hazardous Products Regulation



# DISINFECTANT SCRUBBING BUBBLES® BATHROOM CLEANER -FRESH CITRUS SCENT (DIN 02412411)

Version 1.2

Print Date 01/09/2018

Revision Date 01/09/2018

SDS Number 350000021341

Odour	: Citrus
Odour Threshold	: Test not applicable for this product type
рН	: 11.8 at (20 °C)
Melting point/freezing point	: 32 °F
Initial boiling point and boiling range	: Test not applicable for this product type
Flash point	: < -7 °C < 19.4 °F Method: Tag Closed Cup (TCC) Propellant > 95 °C > 203 °F liquid
Evaporation rate	: Test not applicable for this product type
Flammability (solid, gas)	: Sustains combustion
Upper/lower flammability or explosive limits	: Test not applicable for this product type
Vapour pressure	: 2,137 hPa at 70 °C
Vapour density	: No data available
Relative density	: 1.00 g/cm3 at 20 °CCalculated

classification according to Canadian Hazardous Products Regulation

# DISINFECTANT SCRUBBING BUBBLES® BATHROOM CLEANER -FRESH CITRUS SCENT (DIN 02412411)

Version 1.2

Print Date 01/09/2018

Revision Date 01/09/2018

SDS Number 350000021341

ohnson

A FAMILY COMPANY

Solubility(ies)	:	completely soluble		
Partition coefficient: n- octanol/water	:	: Test not applicable for this product type		
Auto-ignition temperature	uto-ignition temperature : not auto-flammable			
Decomposition temperature	:	Test not applicable for this product type		
Viscosity, dynamic	:	Test not applicable for this product type		
Viscosity, kinematic	: Test not applicable for this product type			
Oxidizing properties	:	Test not applicable for this product type		
Volatile Organic Compounds Total VOC (wt. %)*	Compounds *as defined by US Federal and State Consumer Product			
Other information	:	None identified	:	
10. STABILITY AND REACTIVITY				
Reactivity	:	No dangerous reaction known under conditions of normal use.		
Chemical stability	:	Stable under recommended storage conditions.		

classification according to Canadian Hazardous Products Regulation



# DISINFECTANT SCRUBBING BUBBLES® BATHROOM CLEANER -FRESH CITRUS SCENT (DIN 02412411)

Version 1.2

Print Date 01/09/2018

Revision Date 01/09/2018

SDS Number 350000021341

Possibility of hazardous reactions	: If accidental mixing occurs and toxic gas is formed, exit area immediately. Do not return until well ventilated.	
Conditions to avoid	Direct sources of heat.	
Incompatible materials	Do not mix with bleach or any other household cleaners. Strong bases	
Hazardous decomposition products	Thermal decomposition can lead to release of irritating gases and vapours.	

#### **11. TOXICOLOGICAL INFORMATION**

Acute oral toxicity	: LD50 > 5000 mg/kg
Acute inhalation toxicity	: LC50 > 10 mg/L
Acute dermal toxicity	: LD50 > 5000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-

classification according to Canadian Hazardous Products Regulation



# DISINFECTANT SCRUBBING BUBBLES® BATHROOM CLEANER -FRESH CITRUS SCENT (DIN 02412411)

Version 1.2

Print Date 01/09/2018

Revision Date 01/09/2018

SDS Number 350000021341

Serious eye	Category 2B	-
damage/eye irritation		
Skin sensitisation	No classification proposed	-
Respiratory	No classification proposed	-
sensitisation		
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ	No classification proposed	-
toxicity - single		
exposure		
Specific target organ	No classification proposed	-
toxicity - repeated		
exposure		
Aspiration hazard	No classification proposed	-

Aggravated Medical : None known. Condition

#### **12. ECOLOGICAL INFORMATION**

**Product :** The product itself has not been tested.

#### Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

#### Toxicity to fish

Components	End point	Species	Value	Exposure time
Isobutane	LC50 QSAR	Fish	27.98 mg/l	96 h

classification according to Canadian Hazardous Products Regulation

# DISINFECTANT SCRUBBING BUBBLES® BATHROOM CLEANER -FRESH CITRUS SCENT (DIN 02412411)

Version 1.2

Print Date 01/09/2018

Revision Date 01/09/2018

SDS Number 350000021341

ohnson

A FAMILY COMPANY

Diethylene glycol monobutyl ether	static test LC50	Lepomis macrochirus (Bluegill sunfish)	1,300 mg/l	96 h
Tetrasodium ethylene diamine tetraacetate	static test LC50	Lepomis macrochirus	41 mg/l	96 h
	NOEC	Danio rerio (zebra fish)	> 25.7 mg/l	35 d
Alkyl dimethyl benzyl ammonium chloride	LC50 Measured OECD Test Guideline 203	Pimephales promelas (fathead minnow)	0.28 mg/l	96 h
	NOEC	Pimephales promelas (fathead minnow)	0.03 mg/l	34 d
Decyldimethyloctylammonium chloride	No data available			
Dimethyldioctylammonium chloride	No data available			
Didecyldimethylammonium chloride		Pimephales promelas (fathead minnow)	0.19 mg/l	96 h
		Danio rerio (zebra fish)	0.0322 mg/l	34 d

#### Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Isobutane	LC50	Daphnid	16.33 mg/l	48 h

classification according to Canadian Hazardous Products Regulation

# DISINFECTANT SCRUBBING BUBBLES® BATHROOM CLEANER -FRESH CITRUS SCENT (DIN 02412411)

Version 1.2

Print Date 01/09/2018

Revision Date 01/09/2018

SDS Number 350000021341

ohnson

A FAMILY COMPANY

	QSAR			
Diethylene glycol monobutyl ether	static test EC50	Daphnia magna (Water flea)	> 100 mg/l	48 h
Tetrasodium ethylene diamine tetraacetate	EC50	Daphnia magna (Water flea)	140 mg/l	48 h
	NOEC	Daphnia magna	25 mg/l	21 d
Alkyl dimethyl benzyl ammonium chloride	EC50 OECD Test Guideline 202	Daphnia magna (Water flea)	0.016 mg/l	48 h
	NOEC	Daphnia magna	0.0042 mg/l	21 d
Decyldimethyloctylammonium chloride	No data available			
Dimethyldioctylammonium chloride	No data available			
Didecyldimethylammonium chloride	static test EC50	Daphnia magna (Water flea)	0.029 mg/l	48 h
	NOEC	Daphnia magna	0.01 mg/l	21 d

#### Toxicity to aquatic plants

classification according to Canadian Hazardous Products Regulation

# A FAMILY COMPANY

# DISINFECTANT SCRUBBING BUBBLES® BATHROOM CLEANER -FRESH CITRUS SCENT (DIN 02412411)

Version 1.2

Print Date 01/09/2018

Revision Date 01/09/2018

SDS Number 350000021341

Components	End point	Species	Value	Exposure time
Isobutane	EC50 QSAR	Green algae	8.57 mg/l	96 h
Diethylene glycol monobutyl ether	Growth inhibition EC50	Desmodesmus subspicatus (green algae)	> 100 mg/l	96 h
Tetrasodium ethylene diamine tetraacetate	EC50	Desmodesmus subspicatus	1.01 mg/l	72 h
Alkyl dimethyl benzyl ammonium chloride	EC50 OECD Test Guideline 201	Selenastrum capricornutum, Skeletonema costatum	0.026 mg/l	72 h
Decyldimethyloctylammonium chloride	No data available			
Dimethyldioctylammonium chloride	No data available			
Didecyldimethylammonium chloride	EC50	Selenastrum capricornutum, Skeletonema costatum	0.026 mg/l	96 h

#### Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Isobutane	70 %	< 10 d	Readily biodegradable.
Diethylene glycol monobutyl ether	80 - 90 %	28 d	Readily biodegradable.
Tetrasodium ethylene diamine tetraacetate	10 %	28 d	Not readily biodegradable.
Alkyl dimethyl benzyl ammonium chloride	95.5 %	28 d	Readily biodegradable.
Decyldimethyloctylammonium chloride	No data available		

classification according to Canadian Hazardous Products Regulation

# DISINFECTANT SCRUBBING BUBBLES® BATHROOM CLEANER -FRESH CITRUS SCENT (DIN 02412411)

Version 1.2

Print Date 01/09/2018

Revision Date 01/09/2018

SDS Number 350000021341

ohnson

A FAMILY COMPANY

Dimethyldioctylammonium chloride	No data available		
Didecyldimethylammonium chloride	69 %	28 d	Readily biodegradable.

#### **Bioaccumulative potential**

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Isobutane	1.57 - 1.97	2.8
Diethylene glycol monobutyl ether	1.12 estimated	1
Tetrasodium ethylene diamine tetraacetate	1.8 Measured	-3.86
Alkyl dimethyl benzyl ammonium chloride	79 Measured	3.91
Decyldimethyloctylammonium chloride	No data available	No data available
Dimethyldioctylammonium chloride	No data available	No data available
Didecyldimethylammonium chloride	81 Measured	2.58

classification according to Canadian Hazardous Products Regulation

# **DISINFECTANT SCRUBBING BUBBLES® BATHROOM CLEANER -**FRESH CITRUS SCENT (DIN 02412411)

Version 1.2

Print Date 01/09/2018

Revision Date 01/09/2018

SDS Number 35000021341

ohnson

A FAMILY COMPANY

#### Mobility

Component	End point	Value
Isobutane	No data available	
Diethylene glycol monobutyl	No data available	
ether		
Tetrasodium ethylene diamine	Koc	1046 estimated
tetraacetate		
Alkyl dimethyl benzyl	No data available	
ammonium chloride		
Decyldimethyloctylammonium	No data available	
chloride		
Dimethyldioctylammonium	No data available	
chloride		
Didecyldimethylammonium		-
chloride		

#### PBT and vPvB assessment

Component	Results
Isobutane	Not fulfilling PBT and vPvB criteria
Diethylene glycol monobutyl ether	Not fulfilling PBT and vPvB criteria
Tetrasodium ethylene diamine tetraacetate	Not fulfilling PBT and vPvB criteria
Alkyl dimethyl benzyl ammonium chloride	Not fulfilling PBT and vPvB criteria
Decyldimethyloctylammonium chloride	Not fulfilling PBT and vPvB criteria
Dimethyldioctylammonium chloride	Not fulfilling PBT and vPvB criteria
Didecyldimethylammonium chloride	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

classification according to Canadian Hazardous Products Regulation



# DISINFECTANT SCRUBBING BUBBLES® BATHROOM CLEANER -FRESH CITRUS SCENT (DIN 02412411)

Version 1.2

Revision Date 01/09/2018

Print Date 01/09/2018

SDS Number 350000021341

#### 13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist. For disposal information, please read and follow Disposal instructions on the pesticide label. Consumer may discard empty container in trash, or recycle where facilities exist.

#### **14. TRANSPORT INFORMATION**

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

classification according to Canadian Hazardous Products Regulation



# DISINFECTANT SCRUBBING BUBBLES® BATHROOM CLEANER -FRESH CITRUS SCENT (DIN 02412411)

Version 1.2

Print Date 01/09/2018

Revision Date 01/09/2018

SDS Number 350000021341

	Land transport	Sea transport	Air transport
UN number			
	1950	1950	1950
UN proper	UN 1950	UN 1950	UN 1950
shipping name	AEROSOLS,	AEROSOLS,	AEROSOLS,
	Flammable, 2.1, LTD	Flammable, 2.1,	Flammable, 2.1, LTD
	QTY	LTD QTY	QTY
Transport hazard	2.1	2	2.1
class(es)			
Packing group	-	-	-
Environmental	-	-	-
hazards			
Special	Limited quantities	Limited quantities	Limited quantities
precautions for	derogation may be	derogation may be	derogation may be
user	applicable to this	applicable to this	applicable to this
	product, please check	product, please	product, please check
	transport documents.	check transport	transport documents.
		documents.	
Transport in	Product not	Product not	Product not transported
bulk according	transported as bulk.	transported as bulk.	as bulk.
to Annex II of			
MARPOL 73/78			
and the IBC			
Code			

#### 15. REGULATORY INFORMATION

Notification status	:	All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
Notification status	:	All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).

classification according to Canadian Hazardous Products Regulation



# DISINFECTANT SCRUBBING BUBBLES® BATHROOM CLEANER -FRESH CITRUS SCENT (DIN 02412411)

Version 1.2

Print Date 01/09/2018

Revision Date 01/09/2018

SDS Number 350000021341

California Prop. 65	: This product is not subject to the reporting requirements under California's Proposition 65.
Canada Regulations	: This product has been classified in accordance with the hazard criteria of the Hazardous Products Act and Regulations.

#### **16. OTHER INFORMATION**

HMIS Ratings		
Health	2	
Flammability	4	
Reactivity	0	

NFPA Ratings		
Health	2	
Fire	4	
Reactivity	0	
Special	-	

This information is being provided in accordance with Canada's Workplace Hazard Material Information System. The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

#### **Further information**

classification according to Canadian Hazardous Products Regulation



### DISINFECTANT SCRUBBING BUBBLES® BATHROOM CLEANER -FRESH CITRUS SCENT (DIN 02412411)

Version 1.2

Print Date 01/09/2018

Revision Date 01/09/2018

SDS Number 350000021341

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by

SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

	egulations (HPR) WHIMIS 2015			
Da	ate of issue: 10/15/2015	Revision date: 5/15/2018	Version: 2.0	
SECTION 1: Identification				
.1. Product identifier				
Substance name	Dust-Off Compressed Ga	s Duster		
Product code :	3.5 oz., 7 oz., 10 oz., Prof	essional 12 oz., Jumbo 17	oz., Classic and Plus	
.2. Relevant identified uses of the	e substance or mixture a	Ind uses advised against	1	
Ise of the substance/mixture	: Dust Removal			
.3. Details of the supplier of the s	safety data sheet			
alcon Safety Products, Inc.				
25 ImClone Drive Branchburg, NJ 08876 - USA - (908) 707-4900				
.4. Emergency telephone numbe	r			
mergency number	: (800) 498-7192			
SECTION 2: Hazards identificat	ion			
.1. Classification of the substance				
HS-US and GHS-CA classification				
Tam. Aerosol 2				
ress. Gas (Liquified Gas)				
.2. Label elements GHS-US and GHS-CA labelling				
azard pictograms (GHS-US/GHS-CA)		•		
Signal word (GHS-US/GHS-CA) lazard statements (GHS-US/GHS-CA) Precautionary statements (GHS-US/GHS-	-CA) : Keep away from flame or other ig	n heat/sparks/open flames gnition source. Pressurized nlight. Do not expose to te	pressure; may explode if heater /hot surfaces No smoking. D d container: Do not pierce or bu mperatures exceeding 50 °C/1	o not spray on an open urn, even after use.
.3. Other hazards				
Do not store in enclosed vehicle.				
.4. Unknown acute toxicity (GHS	US/GHS CA)			
lot applicable.				
SECTION 3: Composition/inform	mation on ingredien	te		
3.1. Substance	nation on ingredien	15		
Name			Product identifier	%
1,1-Difluoroethane			(CAS No) 75-37-6	100
3.2. Mixture			· · · · · · ·	
lot applicable.				
SECTION 4: First aid measures				
I.1. Description of first aid measures after inhalation	: If breathing is diff	icult, remove victim to fresh a ce/attention if you feel unwell	air and keep at rest in a position c I.	omfortable for breathing.
irst-aid measures after skin contact	: In case of contac	t, immediately flush skin with	, plenty of water. Remove contam ysician if irritation develops and p	
/15/2018	EN (English US)			Page 1

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

First-aid measures after eye contact	: In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.
First-aid measures after ingestion	: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.
.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/injuries after inhalation	: May cause respiratory tract irritation. May cause drowsiness, dizziness and central nervous system depression.
Symptoms/injuries after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause frostbite on contact with the liquid.
Symptoms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. May cause frostbite on contact with the liquid.
Symptoms/injuries after ingestion	: Not a normal route of exposure.
4.3. Indication of any immediate medica	al attention and special treatment needed
Symptoms may not appear immediately. In case o	f accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray, water fog, dry chemical, alcohol resistant foam, carbon dioxide.
Insuitable extinguishing media	: None known.
5.2. Special hazards arising from the su	Ibstance or mixture
Fire hazard	: Flammable aerosol. Products of combustion may include, and are not limited to: oxides of carbon, hydrofluoric acid, carbonyl fluoride.
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
5.3. Advice for firefighters	
Firefighting instructions	: DO NOT fight fire when fire reaches explosives. Evacuate area. Vapors are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapors.
Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).
	protection (SCBA).
SECTION 6: Accidental release mea	protection (SCBA).
SECTION 6: Accidental release mea	protection (SCBA).
SECTION 6: Accidental release mea 6.1. Personal precautions, protective en General measures	protection (SCBA).  Sures  Guipment and emergency procedures  Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.
SECTION 6: Accidental release mea 5.1. Personal precautions, protective en General measures 5.2. Methods and material for containm	protection (SCBA).  Sures  Guipment and emergency procedures  Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.
SECTION 6: Accidental release mea 5.1. Personal precautions, protective ed General measures 5.2. Methods and material for containment	protection (SCBA).  ISURES  Quipment and emergency procedures  Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.  ent and cleaning up
SECTION 6: Accidental release mea 6.1. Personal precautions, protective en General measures 6.2. Methods and material for containme For containment Methods for cleaning up	protection (SCBA).  ISURES  Quipment and emergency procedures  Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.  ent and cleaning up  : Ventilate the area thoroughly, especially low lying areas (basements, workpits etc).
SECTION 6: Accidental release mea 5.1. Personal precautions, protective ed General measures 5.2. Methods and material for containme For containment Methods for cleaning up 5.3. Reference to other sections	protection (SCBA).  ISURES  Quipment and emergency procedures  Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.  ent and cleaning up  : Ventilate the area thoroughly, especially low lying areas (basements, workpits etc).
SECTION 6: Accidental release mea         6.1. Personal precautions, protective ed         Seneral measures         6.2. Methods and material for containmer         For containment         Methods for cleaning up         6.3. Reference to other sections         See section 8 for further information on protective	<ul> <li>protection (SCBA).</li> <li>ISURES</li> <li>iSupport and emergency procedures</li> <li>: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.</li> <li>ent and cleaning up</li> <li>: Ventilate the area thoroughly, especially low lying areas (basements, workpits etc).</li> <li>: Leave the product to evaporate. Provide ventilation.</li> </ul>
SECTION 6: Accidental release mea         6.1. Personal precautions, protective ed         General measures         6.2. Methods and material for containmer         For containment         Methods for cleaning up         6.3. Reference to other sections         See section 8 for further information on protective         SECTION 7: Handling and storage	<ul> <li>protection (SCBA).</li> <li>ISURES</li> <li>iSupport and emergency procedures</li> <li>: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.</li> <li>ent and cleaning up</li> <li>: Ventilate the area thoroughly, especially low lying areas (basements, workpits etc).</li> <li>: Leave the product to evaporate. Provide ventilation.</li> </ul>
General measures         6.2.       Methods and material for containm         For containment         Methods for cleaning up         6.3.       Reference to other sections	<ul> <li>protection (SCBA).</li> <li>ISURES</li> <li>Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.</li> <li>ent and cleaning up <ul> <li>Ventilate the area thoroughly, especially low lying areas (basements, workpits etc).</li> <li>Leave the product to evaporate. Provide ventilation.</li> </ul> </li> <li>we clothing and equipment and section 13 for advice on waste disposal.</li> <li>Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or</li> </ul>
SECTION 6: Accidental release mea 6.1. Personal precautions, protective ed General measures 6.2. Methods and material for containmer For containment Methods for cleaning up 6.3. Reference to other sections See section 8 for further information on protection SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed	<ul> <li>protection (SCBA).</li> <li>ISURES</li> <li>iuipment and emergency procedures</li> <li>: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.</li> <li>ent and cleaning up <ul> <li>: Ventilate the area thoroughly, especially low lying areas (basements, workpits etc).</li> <li>: Leave the product to evaporate. Provide ventilation.</li> </ul> </li> <li>ve clothing and equipment and section 13 for advice on waste disposal.</li> <li>: Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use. Keep away from sources of ignition - No smoking.</li> </ul>
SECTION 6: Accidental release mea 3.1. Personal precautions, protective ed Seneral measures 3.2. Methods and material for containmer For containment Methods for cleaning up 3.3. Reference to other sections See section 8 for further information on protection SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling	<ul> <li>protection (SCBA).</li> <li>ISURES</li> <li>iuipment and emergency procedures</li> <li>: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.</li> <li>ent and cleaning up</li> <li>: Ventilate the area thoroughly, especially low lying areas (basements, workpits etc).</li> <li>: Leave the product to evaporate. Provide ventilation.</li> <li>we clothing and equipment and section 13 for advice on waste disposal.</li> <li>: Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use. Keep away from sources of ignition - No smoking.</li> <li>: Do not spray on an open flame or other ignition source. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Provide local exhaust or general room ventilation. When using do not eat, drink or smoke. Prevent the build-up of electrostatic</li> </ul>
SECTION 6: Accidental release mea 5.1. Personal precautions, protective en Seneral measures 5.2. Methods and material for contain For containment Methods for cleaning up 5.3. Reference to other sections See section 8 for further information on protection SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Additional hazards when processed	<ul> <li>protection (SCBA).</li> <li>ISUITES</li> <li>puipment and emergency procedures</li> <li>Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.</li> <li>ent and cleaning up <ul> <li>Ventilate the area thoroughly, especially low lying areas (basements, workpits etc).</li> <li>Leave the product to evaporate. Provide ventilation.</li> </ul> </li> <li>ve clothing and equipment and section 13 for advice on waste disposal.</li> <li>Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use. Keep away from sources of ignition - No smoking.</li> <li>Do not spray on an open flame or other ignition source. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Provide local exhaust or general room ventilation. When using do not eat, drink or smoke. Prevent the build-up of electrostatic charge. Use non-sparking tools.</li> <li>Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.</li> </ul>
SECTION 6: Accidental release measures         S.1. Personal precautions, protective ed         General measures         S.2. Methods and material for containment         For containment         Methods for cleaning up         S.3. Reference to other sections         See section 8 for further information on protection         SECTION 7: Handling and storage         7.1. Precautions for safe handling         Additional hazards when processed         Precautions for safe handling         Additional hazards when processed         Precautions for safe storage, includ	<ul> <li>protection (SCBA).</li> <li>ISUITES</li> <li>puipment and emergency procedures</li> <li>Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.</li> <li>ent and cleaning up <ul> <li>Ventilate the area thoroughly, especially low lying areas (basements, workpits etc).</li> <li>Leave the product to evaporate. Provide ventilation.</li> </ul> </li> <li>ve clothing and equipment and section 13 for advice on waste disposal.</li> <li>Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use. Keep away from sources of ignition - No smoking.</li> <li>Do not spray on an open flame or other ignition source. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Provide local exhaust or general room ventilation. When using do not eat, drink or smoke. Prevent the build-up of electrostatic charge. Use non-sparking tools.</li> <li>Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.</li> </ul>
SECTION 6: Accidental release mea 6.1. Personal precautions, protective ed General measures 6.2. Methods and material for contain For containment Methods for cleaning up 6.3. Reference to other sections See section 8 for further information on protection SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures	<ul> <li>protection (SCBA).</li> <li>ISUITES</li> <li>quipment and emergency procedures</li> <li>Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.</li> <li>ent and cleaning up <ul> <li>Ventilate the area thoroughly, especially low lying areas (basements, workpits etc).</li> <li>Leave the product to evaporate. Provide ventilation.</li> </ul> </li> <li>ve clothing and equipment and section 13 for advice on waste disposal.</li> <li>Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use. Keep away from sources of ignition - No smoking.</li> <li>Do not spray on an open flame or other ignition source. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Provide local exhaust or general room ventilation. When using do not eat, drink or smoke. Prevent the build-up of electrostatic charge. Use non-sparking tools.</li> <li>Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.</li> </ul>

2/6

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 8: Exposure c	ontrols/personal protection
8.1. Control parameters	
1,1-Difluoroethane (75-37-6)	
ACGIH	Not applicable.
OSHA	Not applicable.
NIOSH	Not applicable.
IDLH	Not applicable.

8.2.	Exposure controls	
Appr	opriate engineering controls	: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.
Hand	d protection	: Wear suitable gloves.
Eye	protection	: Safety glasses with side shields.
Skin	and body protection	: Wear suitable protective clothing.
Resp	piratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Envi	ronmental exposure controls	: Maintain levels below Community environmental protection thresholds.
Othe	er information	: Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

<b>SECTION 9: Physical and chemical</b>	properties
9.1. Information on basic physical and	chemical properties
Physical state	: Gas
Appearance	: Clear
Color	: Colourless
Odor	: Slight, ether-like
Odor threshold	: No data available
рН	: Neutral
Melting point	: No data available
Freezing point	: No data available
Boiling point	: -13 °F (- 25 °C)
Flash point	: < 58 °F (<14.4 °C)
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Flammable
Explosion limits	: 3.9-16.9
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: 5960 kPa at 77 °F (25 °C)
Relative density	: 0.91
Relative vapor density at 20 °C	: 2.4 at 77 °F (25 °C)
Specific gravity / density	: 0.9
Solubility	: Slightly
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	

No additional information available.

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

#### SECTION 10: Stability and reactivity 10.1. Reactivity No dangerous reaction known under conditions of normal use. 10.2. **Chemical stability**

Stable under normal storage conditions. Flammable aerosol. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. **Conditions to avoid** 

Heat. Incompatible materials. Sources of ignition. Do not expose to temperatures exceeding 50 °C/ 122 °F.

10.5. Incompatible materials

Alkali and alkaline earth metals. Powdered metals. Powdered metallic salts.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon, hydrofluoric acid, carbonyl fluoride.

#### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity

: Not classified

Dust Off Compressed Gas Duster		
LD50 oral rat	/kg	
LD50 dermal rabbit	available	
LC50 inhalation rat	om	
Skin corrosion/irritation	n available data, the classification criter	ia are not met.
Serious eye damage/irritation	n available data, the classification criter	ia are not met.
Respiratory or skin sensitization	n available data, the classification criter	ia are not met.
Germ cell mutagenicity	n available data, the classification criter	ia are not met.
Carcinogenicity	n available data, the classification criter	ia are not met.
Reproductive toxicity	n available data, the classification criter	ia are not met.
Specific target organ toxicity (single exposure)	n available data, the classification criter	ia are not met.
Specific target organ toxicity (repeated exposure)	n available data, the classification criter	ia are not met.
Aspiration hazard	n available data, the classification criter	ia are not met.
Symptoms/injuries after inhalation	se respiratory tract irritation. May cause dro on.	wsiness, dizziness and central nervous system
Symptoms/injuries after skin contact	se skin irritation. Symptoms may include re se frostbite on contact with the liquid.	dness, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact	se eye irritation. Symptoms may include dis n, with possible redness and swelling. May	comfort or pain, excess blinking and tear / cause frostbite on contact with the liquid.
Symptoms/injuries after ingestion	mal route of exposure.	

#### **SECTION 12: Ecological information** 12.1. Toxicity

Ecology - general	
-------------------	--

: May cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability			
Dust Off Compressed Gas Duster			
Persistence and degradability Not established.			
12.3. Bioaccumulative potential	12.3. Bioaccumulative potential		
Dust Off Compressed Gas Duster	Dust Off Compressed Gas Duster		
Bioaccumulative potential	Not established.		
12.4. Mobility in soil			
No additional information available.			
12.5. Other adverse effects			
Effect on the global warming	: No known ecological damage caused by this product.		

4/6

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 13: Disposal consideration	S	
13.1. Waste treatment methods		
Waste disposal recommendations	: This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible. Container under pressure. Do not drill or burn even after use.	
Additional information	: Flammable vapors may accumulate in the container.	
SECTION 14: Transport information		
Department of Transportation (DOT)		
In accordance with DOT		
UN-No. (DOT)	: UN1030	
Proper Shipping Name (DOT)	: 1.1-Difluoroethane	
Transport hazard class(es) (DOT)	: 2.1	
Hazard labels (DOT)		
Packaging Exceptions	: Falcon Safety Products has been granted a DOT special permit. A copy of DOT Special Permit SP-11516 can be obtained by calling Falcon Safety Products, Inc. at 908-707-4900.	
Transportation of Dangerous Goods (TDG)		
In accordance with TDG		
UN-No.(TDG)	: UN1030	
Proper Shipping Name (TDG)	: 1,1-Difluoroethane	
Class (TDG)	: 2.1	
Hazard labels (TDG)		
Packaging Exceptions	<ul> <li>TDG Canada: Falcon Safety Products has been granted Equivalency Certificate SU 9211 (ren.</li> <li>1) by the TCSS, TDGD to offer for transport by road, rail and marine.</li> </ul>	
Transport by sea		
UN-No. (IMDG)	: UN1030	
Proper Shipping Name (IMDG)	: 1,1-DIFLUOROETHANE (REFRIGERANT GAS R 152a)	
Class (IMDG)	: 2.1	
Air transport		
UN-No. (IATA)	: UN1030	
Proper Shipping Name (IATA)	: 1,1-Difluoroethane	
Class (IATA)	: 2.1	
Additional information		
Other information	: No supplementary information available.	
Special transport precautions	: Do not handle until all safety precautions have been read and understood.	
SECTION 15: Regulatory information		
15.1. Federal regulations		
All components of this product are listed, or exc Control Act (TSCA) inventory	luded from listing, on the United States Environmental Protection Agency Toxic Substances	
1,1-Difluoroethane (75-37-6)		
Listed on the Canadian DSL (Domestic Sustand	es List)	
15.2. US State regulations		
Dust Off Compressed Gas Duster		
State or local regulations	This product does not contain a chemical known to the State of California to cause cancer,	

5/6

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Dust Off Compressed Gas Duster			
	birth defects or other reproductive harm.		
SECTION 16: Other infor			
SECTION 16. Other Infor	SECTION 16: Other information		
Date of issue	: 10/15/2015		
Revision date	: 5/15/2018		
Other information	: None.		
Mexico Classification:			



Blue = Health Red = Flammability Yellow = Reactivity White = Special Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.



Version 2

# 1. Identification of the Substance/Preparation and of the Company/Undertaking

<u>Product Identifier</u> Product name Chemical name	FAMILY DOLLAR ANTIBACTERIAL DISINFECTANT SPRAY LINEN SCENT 7-7806-2
<u>Other means of identification</u> Product code Synonyms Registration number(s)	FG 426-1675-9 Disinfectant Spray 498-179-40020
Recommended use of the chemical	and restrictions on use
Recommended Use	For disinfection of hard, non-porous, inanimate surfaces.
Uses advised against	Do not spray on varnished, painted or plastic surfaces.
Details of the supplier of the safety	data sheet
Supplier Address	Manufacturer Address
Family Dollar Services, Inc.	Chase Products Co.
10401 Monroe Road	2727 Gardner Road
Matthews, NC 28105 USA	Broadview, IL 60155
	708-273-1121
Emergency Telephone Number Company Phone Number 24 Hour Emergency Phone Number	708-865-1000 1-800-255-3924

2. Hazards Identification

#### **Classification**

Serious eye damage/eye irritation	Category 2A
FLAMMABLE AEROSOLS	Category 2
Gases Under Pressure	liquefied gas

#### Label Elements

#### **EMERGENCY OVERVIEW**

Warning		
<b>hazard statements</b> Causes serious eye irritation Flammable Aerosol		
Contains gas under pressure; may explode	if heated	
Appearance Hazy, yellow liquid	Physical State Aerosol	Odor Perfumed.

**Precautionary Statements - Prevention** 

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves, protective clothing, eye protection and face protection. Keep away from heat, sparks, open flames and hot surfaces. — No smoking Pressurized container: Do not pierce or burn, even after use Do not spray on an open flame or other ignition source

#### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### **Precautionary Statements - Storage**

Protect from sunlight. Store in a well-ventilated place Do not expose to temperatures exceeding 122 °F (50 °C)

#### Hazards not otherwise classified (HNOC)

3. Composition/information on Ingredients

Synonyms Chemical Family Formula Chemical nature Disinfectant Spray. MIXTURES. 7-7806-2 Aqueous solution of alcohol and other active ingredients.

Chemical name	CAS No	weight-%	Trade secret
Water	7732-18-5	45-50	*
Ethyl alcohol	64-17-5	30-35	*
N-Butane	106-97-8	10-15	*
Propane	74-98-6	1-5	*
Chamical Additions See Jabel for active ingradients information			

Chemical Additions

See label for active ingredients information.

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures			
FIRST AID MEASURES			
Eye Contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.		
Skin contact	Wash with soap and water. If irritation develops, consult a physician .		
Inhalation	If overcome by vapor, move person to fresh air.		
Ingestion	Ingestion from an aerosol product is unlikely to occur.		
Most important symptoms and effects, both acute and delayed			
Symptoms	Acute, Deliberate inhalation of concentrated vapor or mist may cause headaches. Prolonged and repeated contact with the eyes may cause mild irritation.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	None needed.		
5. Fire-fighting measures			

#### Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Use water spray or fog; do not use straight streams.

#### Specific hazards arising from the chemical

Containers are under pressure. Temperatures above 130 °F may cause cans to burst.

Hazardous combustion products Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

### Explosion data Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame. Sensitivity to Static Discharge Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

#### Protective equipment and precautions for firefighters

Use personal protective equipment as required.

#### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures **Personal precautions** CONTENTS UNDER PRESSURE. Do not puncture or incinerate cans. **Other Information** Keep out of reach of children. Environmental precautions See Section 12 for additional Ecological Information. **Environmental precautions** Methods and material for containment and cleaning up **Methods for Containment** Provide adequate ventilation to area being treated. Soak up spills with chemically inert, absorbent material. Methods for cleaning up Clean contaminated surface thoroughly. 7. Handling and Storage Precautions for safe handling Avoid getting spray into eyes. Keep out of reach of children. Advice on safe handling Conditions for safe storage, including any incompatibilities Store in a cool, dry place away from heat and open flame. Avoid storing at below-freezing Storage Conditions temperatures. AEROSOL STORAGE LEVEL I (NFPA-30B) . **Incompatible Materials** Avoid heat, open flame and contact with strong oxidizers. 8. Exposure Controls/Personal Protection

#### Control parameters

Exposure guidelines

See occupational exposure limits listed below.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>	IDLH: 3300 ppm TWA: 1000 ppm
		(vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>

#### FG 426-1675-9 FAMILY DOLLAR ANTIBACTERIAL DISINFECTANT SPRAY LINEN SCENT

N-Butane 106-97-8	STEL: 1000 ppm	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	TWA: 800 ppm TWA: 1900 mg/m <sup>3</sup>
Propane	: See Appendix F: Minimal	TWA: 1000 ppm	IDLH: 2100 ppm
74-98-6	Oxygen Content	TWA: 1800 mg/m <sup>3</sup>	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1800 mg/m <sup>3</sup>
		(vacated) TWA: 1800 mg/m <sup>3</sup>	_

#### Appropriate engineering controls

Engineering controls	Use with adequate general or local exhaust ventilation.	
Individual protection measures, such as personal protective equipment		
Eye/face Protection	Conventional eyeglasses to guard against splashing.	
Skin and Body Protection	Household type gloves, if desired.	
Respiratory protection	None required if used in a well-ventilated area .	
General hygiene considerations	None required.	

### 9. Physical and Chemical Properties

#### Information on basic physical and chemical properties

Physical State Appearance Color	Aerosol Hazy, yellow liquid clear	Odor Odor threshold	Perfumed. No information available
Property pH Melting point/freezing point Boiling point/boiling range Flash Point	Values 10.5 +/- 0.5 NA 212 °F/100 °C Not avaliable. This is an aerosol product for which Flame Projection is 6-8 inches without flashback. Temperatures above 120 F may cause cans to burst.	Remarks • Method No information available No information available No information available No information available	
Evaporation Rate Flammability (solid, gas) Flammability Limits in Air Upper flammability limits Lower Flammability Limit Vapor pressure Vapor Density Relative Density Water solubility Solubility in other solvents Partition coefficient Autoignition Temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties	Faster than butyl acetate Not available Not available 0.92 concentrate completely soluble No information available No information available	No information available No information available	
Other Information Softening point Molecular weight VOC content (%) Density Bulk Density	No information available No information available 51.32% No information available 8.33 Lb/gal		

#### **10. Stability and Reactivity**

Reactivity Not applicable

No data available

Chemical stability Stable.

#### Possibility of hazardous reactions

Temperatures above 130 °F may cause cans to burst with force.

hazardous polymerization Hazardous polymerization does not occur.

**Conditions to Avoid** 

Temperatures above 122 °F (50 °C).

#### Incompatible Materials

Avoid heat, open flame and contact with strong oxidizers.

#### Hazardous decomposition products

Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

#### 11. Toxicological Information

#### Information on likely routes of exposure

Product Information	Acute: Prolonged inhalation of concentrated vapor or mist may cause headaches, dizziness and nausea. Prolonged and repeated contact with skin may cause irritation and reddening. Contact with eyes causes irritation.
Inhalation	See data below.
Eye Contact	No data available.
Skin contact	No data available.
Ingestion	This is an aerosol product, ingestion is unlikely to occur. MAY BE HARMFUL IF SWALLOWED.

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	-	-
7732-18-5			
Ethyl alcohol	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat)4 h
64-17-5			
N-Butane	-	-	= 658 g/m³ (Rat)4 h
106-97-8			
Propane	-	-	= 658 mg/L (Rat)4 h
74-98-6			

#### Information on toxicological effects

Symptoms	See information above.
Delayed and immediate effects as w	vell as chronic effects from short and long-term exposure
sensitization Germ cell mutagenicity Carcinogenicity	No information available. No information available. Not known chronic effects based on available information.
Reproductive toxicity	No information available.

STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration Hazard	No information available.

#### Numerical measures of toxicity - Product Information

 Unknown acute toxicity
 0.69% of the mixture consists of ingredient(s) of unknown toxicity

 The following values are calculated based on chapter 3.1 of the GHS document .

 ATEmix (inhalation-gas)
 1000000

 ATEmix (inhalation-vapor)
 16447.4 mg/l

#### 12. Ecological Information

#### ecotoxicity

20.99% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			Microorganisms	
Ethyl alcohol		13400 - 15100: 96 h	EC50 = 34634 mg/L 30 min	10800: 24 h Daphnia magna
64-17-5		Pimephales promelas mg/L	EC50 = 35470 mg/L 5 min	mg/L EC50 9268 - 14221: 48
		LC50 flow-through 100: 96 h	_	h Daphnia magna mg/L
		Pimephales promelas mg/L		LC50 2: 48 h Daphnia
		LC50 static 12.0 - 16.0: 96 h		magna mg/L EC50 Static
		Oncorhynchus mykiss mL/L		
		LC50 static		

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

See information below.

Chemical name	Partition coefficient
Ethyl alcohol	-0.32
64-17-5	
N-Butane	2.89
106-97-8	
Propane	2.3
74-98-6	

Other adverse effects

No information available

#### **13. Disposal Considerations**

#### Waste treatment methods

Disposal of wastesDo not puncture or incinerate container. If empty: Place in trash or offer for recycling if<br/>available. If partly filled: Call your local solid waste agency for disposal instructions.Contaminated packagingPressurized container: Do not pierce or burn, even after use.

Chemical name	California Hazardous Waste Status
Ethyl alcohol	Toxic
64-17-5	Ignitable

#### **14. Transport Information**

DOT UN/ID no

Limited Quantity

Proper Shipping Name	Consumer Commodity
Hazard Class	ORM-D

#### 15. Regulatory information

#### International Inventories TSCA

All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Subtances Control Act (TSCA) Chemical Substance Inventory. All ingredients are listed or are excluded from listing on the DSL.

### DSL

Legend: TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### US Federal Regulations

#### SARA 313

This product does not contain toxic chemicals (above the de minimis level) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

#### SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	No
Fire Hazard	yes
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water			X
7732-18-5			
Ethyl alcohol	Х	X	X
64-17-5			
N-Butane	Х	X	X
106-97-8			
Propane	Х	X	X
74-98-6			
#### U.S. EPA Label information

EPA Pesticide registration number 498-179-40020

#### **EPA Statement**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION: May cause eye irritation. Avoid contact with the eyes and skin. Avoid breathing of spray mist. Avoid contamination of foodstuff.

16. Other information				
<u>NFPA</u>	Health Hazards 1	Flammability 1	Instability 1	Physical and chemical properties Not applicable
<u>HMIS</u>	Health Hazards 1	Flammability 2	Physical hazards 1	<b>Personal Protection</b> A - Eyes protection
Prepared by Issue date Revision note	Regulatory Department 29-Aug-2016			

This SDS supersedes a previous SDS dated September 01, 2015.

**Disclaimer** 

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



# SAFETY DATA SHEET

28-Dec-2016

## **1. IDENTIFICATION**

Product identifier Product Name	Great Value Glass Cleaner
Other means of identification Product UPC Product Code	78742-04960 15403065644
Recommended use of the chemical	and restrictions on use
Recommended Use	Consumer use. Cleaning agent.
Uses advised against	Do not mix with other chemicals
Details of the supplier of the safety Manufacturer Address KIK International LLC 33 Macintosh Blvd. Concord, Ontario Canada L4K 4L5 1-800-479-6603	data sheet Distributor Wal-Mart Stores, Inc. 702 SW 8th ST. Bentonville, AR 72712 1-877-505-2267
Emergency telephone number Emergency Telephone	Poison Control Center (Medical)

Poison Control Center (Medical) : (866) 366-5048 Chemtrec (Transportation) 1-800-424-9300, 703-527-3887

#### 2. HAZARDS IDENTIFICATION

#### **Classification**

#### **OSHA Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### Label elements

#### **Emergency Overview**

The product contains no substances which at their given concentration, are considered to be hazardous to health

Color blue

Physical state liquid

Odor Slight Ammonia

Hazards not otherwise classified (HNOC) Not applicable

Other Information

#### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Mixture

Chemical Name	CAS No.	Weight-%
Ethylene glycol, monobutyl ether acetate	112-07-2	0.5 - 1.5

### 4. FIRST AID MEASURES

#### Description of first aid measures

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water. If symptoms persist, call a physician.
Inhalation	Remove to fresh air.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. If symptoms persist, call a physician.
Most important symptoms and effe	cts, both acute and delayed
Symptoms	No information available.

#### Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media No information available.

#### Specific hazards arising from the chemical

No information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

 
 Personal precautions
 Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas.

Environmental precautions

**Environmental precautions** See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Pick up and transfer to properly labeled containers.		
	7. HANDLING AND STORAGE		
Precautions for safe handling			
Advice on safe handling	Andling Handle in accordance with good industrial hygiene and safety practice. Do not mix with other chemicals.		
Conditions for safe storage, including any incompatibilities			
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.		
Incompatible materials	Chlorine-based bleaching agents.		
8. EXPOSURE CONTROLS/PERSONAL PROTECTION			

#### Control parameters

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethylene glycol, monobutyl ether	TWA: 20 ppm	-	TWA: 5 ppm
acetate			TWA: 33 mg/m <sup>3</sup>
112-07-2			

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962
	(11th Cir., 1992).

#### Appropriate engineering controls

#### **Engineering Controls** Showers Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
eneral Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

#### **General Hygiene Considerations**

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	liquid aqueous solution blue	Odor Odor threshold	Slight Ammonia No information available
<u>Property</u> pH	Values11	Remarks • Method	

Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity
Density
Bulk density
Explosive properties
Oxidizing properties

#### **Other Information**

Softening point Molecular weight VOC Content (%)

No information available Soluble in water No information available No information available

No information available No information available No information available

## **10. STABILITY AND REACTIVITY**

<u>Reactivity</u> No data available <u>Chemical stability</u> Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to avoid

Do not mix with other chemicals. Extremes of temperature and direct sunlight.

#### **Incompatible materials**

Chlorine-based bleaching agents.

#### Hazardous Decomposition Products

None known based on information supplied.

### **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Inhalation	halation Inhalation of vapors in high concentration may cause irritation of respiratory system.			
Eye contactAvoid contact with eyes. May cause slight irritation.				
Skin contact	Avoid contact with skin. Substance may cause slight skin irritation.			
Ingestion	Ingestion may cause irrita	Ingestion may cause irritation to mucous membranes.		
Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	
Ethylene glycol, monobutyl ether	= 1600 mg/kg (Rat)	= 1480 mg/kg (Rabbit)	-	

acetate		
112-07-2		

#### Information on toxicological effects

Symptoms

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	
Germ cell mutagenicity	
Carcinogenicity	

No information available. No information available. The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA	
Ethylene glycol, monobutyl	A3	-	-	-	
ether acetate					
112-07-2					
ACGIH (American Conf	erence of Governmental Ind	lustrial Hygienists)			
A3 - Animal Carcinogen					
Reproductive toxicity	No information available.				
STOT - single exposure	No informatio	No information available.			
STOT - repeated exposu	re No informatio	No information available.			
Chronic toxicity	May cause a	May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects.			
Target Organ Effects		blood, Central nervous system, Eyes, Hematopoietic System, kidney, liver, Respiratory system, Skin.			
Aspiration hazard	No informatio	No information available.			

#### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document  $% \mathcal{A}$  .

ATEmix (inhalation-dust/mist) 112.8 mg/l

### **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Toxic to aquatic life with long lasting effects

0.26245% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Ethylene glycol, monobutyl ether	500: 72 h Desmodesmus	-	37: 48 h Daphnia magna mg/L
acetate	subspicatus mg/L EC50		EC50
112-07-2			

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

#### Mobility

No information available.

Chemical Name	Partition coefficient
Ethylene glycol, monobutyl ether acetate	1.51
112-07-2	

Other adverse effects

No information available

### **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container. Refer to all federal, state and local regulations prior to disposal of container and unused contents by reuse, recycle or disposal.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

#### **14. TRANSPORT INFORMATION**

DOT	Not regulated
TDG	Not regulated
IATA	Not regulated
IMDG	Not regulated

### **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
Ethylene glycol, monobutyl ether acetate - 112-07-2	1.0	
SARA 311/312 Hazard Categories		
Acute health hazard	No	
Chronic Health Hazard	No	
Fire hazard	No	
Sudden release of pressure hazard	No	
Reactive Hazard	No	

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethylene glycol, monobutyl ether	Х	-	Х
acetate			
112-07-2			

#### U.S. EPA Label Information

EPA Pesticide Registration Number This product does not contain any substances regulated as pesticides Difference between SDS and CPSC label

This product is regulated under Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act (16 CFR Part 1500). These requirements differ from the classification criteria and hazard information required for safety data sheets and for workplace product labels.

#### 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Flammability 0

Flammability 0

NFPA

HMIS

Health hazards 0

Health hazards 0

Instability 0 Physical hazards 0 Physical and Chemical Properties -Personal protection X

Prepared By	Regulatory Affairs
Revision Date	28-Dec-2016
Revision Note	No information available
<u>Disclaimer</u>	

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Version 1.0

Revision Date 04/29/2015

Print Date 06/02/2015

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	Hillyard Quick & Clean Super Hil-Aire® Citrus
Material number	:	A00224
Manufacturer or supplier's	s deta	ils
Company	:	Hillyard Industries
Address	:	302 North 4 <sup>th</sup> Street Joseph, MO 64502
Telephone	:	816-233-1321 ext 8285

Emergency telephone numbers		
For SDS Information	:	816-233-1321 ext 8285
For a Medical Emergency	:	
For a Transportation	:	CHEMTREC 800-424-9300
Emergency		

## **SECTION 2. HAZARDS IDENTIFICATION**

#### **Emergency Overview**

Appearance	Aerosol containing a liquefied gas
Colour	colourless, light yellow
Odour	pleasant

## **GHS Classification**

Flammable aerosols Gases under pressure Eye irritation	<ul> <li>Category 2</li> <li>Liquefied gas</li> <li>Category 2A</li> </ul>
GHS Label element	
Hazard pictograms	
Signal word	: Warning
Hazard statements	<ul> <li>H223 Flammable aerosol.</li> <li>H280 Contains gas under pressure; may explode if heated.</li> <li>H319 Causes serious eye irritation.</li> </ul>
Precautionary statements	<ul> <li>Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Pressurized container: Do not pierce or burn, even after use. P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection. Response:</li> </ul>

Version 1.0	Revision Date 04/29/2015	Print Date 06/02/2015
	<ul> <li>P305 + P351 + P338 IF IN EYES for several minutes. Remove conteasy to do. Continue rinsing.</li> <li>P337 + P313 If eye irritation persidattention.</li> <li>Storage:</li> <li>P410 + P412 Protect from sunlightemperatures exceeding 50 °C/ 12</li> <li>Disposal:</li> <li>P501 Dispose of contents/contain regulation.</li> </ul>	tact lenses, if present and ists: Get medical advice/ nt. Do not expose to 22 °F.
Potential Health Effects		
Carcinogenicity:		
IARC	No component of this product preser equal to 0.1% is identified as probab human carcinogen by IARC.	
ACGIH	No component of this product preser equal to 0.1% is identified as a carcin carcinogen by ACGIH.	
OSHA	No component of this product preser equal to 0.1% is identified as a carcin carcinogen by OSHA.	
NTP	No component of this product preser equal to 0.1% is identified as a know by NTP.	

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical Name	CAS-No.	Concentration [%]
ethanol	64-17-5	>= 30 - < 50
butane	106-97-8	>= 10 - < 20
propane	74-98-6	>= 1 - < 5
propan-2-ol	67-63-0	>= 1 - < 5
sodium nitrite	7632-00-0	>= 0.1 - < 1

### **SECTION 4. FIRST AID MEASURES**

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	<ul> <li>If unconscious place in recovery position and seek medical advice.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of skin contact	: If skin irritation persists, call a physician. Wash off immediately with plenty of water for at least 15 minutes.

Version 1.0	Revision Date 04/29/2015	Print Date 06/02/2015
	If on clothes, remove clothes.	
In case of eye contact	<ul> <li>Rinse immediately with plenty of water If eye irritation persists, consult a spec Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsing.</li> </ul>	
If swallowed	<ul> <li>Keep respiratory tract clear.</li> <li>Never give anything by mouth to an ur If symptoms persist, call a physician.</li> <li>DO NOT induce vomiting unless direct physician or poison control center.</li> <li>Take victim immediately to hospital.</li> </ul>	

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	Water spray jet Carbon dioxide (CO2) Alcohol-resistant foam Dry chemical	
Unsuitable extinguishing media	High volume water jet	
Specific hazards during firefighting	Do not allow run-off from fire fighting to enter drains courses.	or water
Hazardous combustion products Specific extinguishing methods	Carbon dioxide (CO2) Carbon monoxide Smoke Use extinguishing measures that are appropriate to lo circumstances and the surrounding environment.	ocal
Further information	Collect contaminated fire extinguishing water separat must not be discharged into drains. Fire residues and contaminated fire extinguishing wa be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be sto separately in closed containments. Use a water spray to cool fully closed containers.	ter must
Special protective equipment for firefighters	Wear self-contained breathing apparatus for firefightine necessary.	ng if

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	<ul> <li>Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.</li> <li>Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.</li> </ul>
Environmental precautions	: Prevent product from entering drains.

Version 1.0	Revision Date 04/29/2015	Print Date 06/02/2015	
	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.		
Methods and materials for containment and cleaning up	: Soak up with inert absorbent mat acid binder, universal binder, saw Sweep up or vacuum up spillage container for disposal.	vdust).	

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Do not breathe vapours or spray mist. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Always replace cap after use.</li> </ul>
Conditions for safe storage	<ul> <li>BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.</li> <li>No smoking.</li> <li>Observe label precautions.</li> <li>Keep in a dry, cool and well-ventilated place.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	: Oxidizing agents

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ethanol	64-17-5	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm	NIOSH REL

Version 1.0 Revision Date 04/29/2015

Print Date 06/02/2015

	1		1,800 mg/m3	
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1
		TWA	400 ppm 980 mg/m3	OSHA P0
		STEL	500 ppm 1,225 mg/m3	OSHA P0

## **Biological occupational exposure limits**

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
PROPAN-2-OL	67-63-0	Acetone	Urine	End of shift at end of workwee	40 mg/l	ACGIH BEI
				k		

### Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection		
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Safety glasses Ensure that eyewash stations and safety showers are close to the workstation location.
Skin and body protection	:	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: colourless, light yellow

Version 1.0	Revision Date 04/29/2015	Print Date 06/02/2015
Odour	: pleasant	
Odour Threshold	: no data available	
рН	: 10 - 11	
Melting point/freezing point	: no data available	
Boiling point	: no data available	
Flash point	:	
	no data available	
Evaporation rate	: no data available	
Flammability (solid, gas)	: Flammable aerosol.	
Upper explosion limit	: no data available	
Lower explosion limit	: no data available	
Vapour pressure	: no data available	
Relative vapour density	: no data available	
Density	: 0.895 g/cm3	
Solubility(ies)		
Water solubility	: soluble	
Solubility in other solvents	: not determined	
Partition coefficient: n- octanol/water	: no data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: no data available	
Viscosity		
Viscosity, kinematic	: no data available	
Heat of combustion	: 24.20 kJ/g	

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Extremes of temperature and direct sunlight. Heat, flames and sparks.
Incompatible materials	: Oxidizing agents Reducing agents
Hazardous decomposition products	: Carbon oxides

Version 1.0

Revision Date 04/29/2015

Print Date 06/02/2015

#### SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity	
Product:	
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:	
ethanol: Acute oral toxicity	: LD50 Oral rat: 7,060 mg/kg
Acute inhalation toxicity	: LC50 rat: 124.7 mg/l Exposure time: 4 h
butane:	
Acute inhalation toxicity	: LC50 mouse: 1,237 mg/l Exposure time: 2 h
	LC50 rat: 1,355 mg/l
<b>propane:</b> Acute inhalation toxicity	: LC50 mouse: 1,237 mg/l Exposure time: 2 h
	LC50 rat: 658 mg/l Exposure time: 4 h
	LC50 rat: 1,355 mg/l
propan-2-ol: Acute oral toxicity	: LD50 Oral rat: 4,396 mg/kg Method: Calculation method
Skin corrosion/irritation	
Product:	
Remarks: May cause skin irrita	tion in susceptible persons.
Serious eve damage/eve irritation	

### Serious eye damage/eye irritation

## Product:

Remarks: Irritating to eyes.

#### Respiratory or skin sensitisation

no data available

### Germ cell mutagenicity

no data available

Version 1.0

Revision Date 04/29/2015

Print Date 06/02/2015

## Carcinogenicity no data available

Reproductive toxicity

no data available

ethanol: butane: propane: propan-2-ol: sodium nitrite:

#### STOT - single exposure

no data available

STOT - repeated exposure

no data available

#### Aspiration toxicity

no data available

#### **Further information**

Product:

Remarks: no data available

### **SECTION 12. ECOLOGICAL INFORMATION**

### Ecotoxicity

no data available Persistence and degradability no data available **Bioaccumulative potential** Product: Partition coefficient: n-: Remarks: no data available octanol/water Components: butane : Partition coefficient: n-: Pow: 2.89 octanol/water Mobility in soil no data available Other adverse effects no data available Product: Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Version 1.0	Revision Date 04/29/2015	Print Date 06/02/2015
Remarks	This product neither contains, n with a Class I or Class II ODS a Clean Air Act Section 602 (40 C + B).	as defined by the U.S.
Additional ecological information	: An environmental hazard canno event of unprofessional handlin aquatic life.	

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Dispose of in accordance with local regulations. Do not contaminate ponds, waterways or ditches with chemical or used container. The product should not be allowed to enter drains, water courses or the soil.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

## SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): This material is not classified.

Transportation Regulation: IMDG (Vessel): This material is not classified.

Transportation Regulation: IATA (Cargo Air): This material is not classified.

Transportation Regulation: IATA (Passenger Air): This material is not classified.

Transportation Regulation: TDG (Canada): This material is not classified.

## SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

**CERCLA Reportable Quantity** 

ersion 1.0	Revision Date 0	4/29/2015	Print Date 06/02/2015
Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium nitrite	7632-00-0	100	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
ammonia, anhydrous	7664-41-7	100	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 I	Hazards :	Fire Hazard Sudden Release of Pressure Hazard Acute Health Hazard
SARA 302	:	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop	65	WARNING! This product contains a chemical known to the State of California to cause cancer.
	biphenyl-2-ol	90-43-7
The components	s of this produ	ct are reported in the following inventories:
TSCA DSL AICS NZIOC PICCS IECSC	This pro Canadi Not in c Not in c Not in c	CA Inventory oduct contains one or several components that are not on the an DSL nor NDSL. compliance with the inventory compliance with the inventory compliance with the inventory compliance with the inventory
Inventory Acron		

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

### **SECTION 16. OTHER INFORMATION**

Version 1.0

Revision Date 04/29/2015

Print Date 06/02/2015

## **Further information**



HMIS III:

HEALTH	3
FLAMMABILITY	3
PHYSICAL HAZARD	2

0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

## **OSHA GHS Label Information:**

Hazard pictograms	
Signal word	: Warning:
Hazard statements	<ul> <li>Flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eve irritation.</li> </ul>
Precautionary statements	
	<b>Prevention:</b> Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Wash skin thoroughly after handling. Wear eye protection/ face protection.
	<b>Response:</b> IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.
	Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.
	Disposal: Dispose of contents/container in accordance with local regulation.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.



Brands That Matter

### MATERIAL SAFETY DATA SHEET

#### MSDS # 59001

#### Section One: Identification

Sanford, L.P. 2707 Butterfield Road Oak Brook, IL 60523 USA 800-323-0749 or 630-481-2000 EMERGENCY MEDICAL NUMBER:

888-786-0972

800-323-0749 or 630-481-2000

Product Name: Liquid Paper Correction Fluid - Water Base

Colors:

New ellRubbermaid, Inc (Sanford L.P.) is a member of The Art and Creative Materials Institute, Inc. This product is certified by the Institute to be labeled in accordance with the voluntary chronic hazard labeling standard ASTMD-4236 and is labeled with the AP Non Toxic Seal. Products bearing the AP Approved Product Seal of The Art and Creative Materials Institute, Inc. are certified in a program of toxicological evaluation by a medical expert, subject to review by the Institute Toxicology Advisory Board, to contain no materials in sufficient quantities to be toxic or injurious to humans, or to cause acute toxicity or chronic health problems.

Office Products Group

#### Section Two: Hazard Identification

White

This product is considered safe under normal use conditions.

Section Three:	Composition
Section mee.	COMPOSITION

Titanium dioxide (13463-67-7), water, polymers, pigments, dispersants, preservatives, fragrances

Section Four:	First Aid Measures
Inhalation:	Not an inhalation hazard.
Skin Contact:	Wash with soap and water.
Eye Contact:	Wash through w ith tap w ater. If irritation persists, consult a physician.
Ingestion:	If a large amount is ingested, gastric irritation may occur. The physician may administer an emetic or mechanically empty stomach. Treat symptomatically.

Section Five:	Fire Fighting Measures	
Flash Point:	None to 200°F	
Flammability Limits (% by vo	olume): Low er: Not applicable	Upper: Not applicable
Extinguishing Media:	Dry chemical, foam, carbon dioxid	e
Special Fire Fighting Measure	es: In fires involving large quantities, u	use self-contained breathing apparatus.

Unusual Fire and Explosion Hazards: May produce hazardous decomposition products.

Section Six:	Accidental Release Measures
In Case of Spill or Ac	cidental Release: Wipe up w ith absorbent material.
Section Seven:	Handling and Storage
Handling:	No special handling requirements.
Storage:	No special storage requirements.
Section Eight:	Exposure Controls and Personal Protection
Eye Protection:	None under normal use conditions.
Clothing:	None under normal use conditions.
Ventilation:	None under normal use conditions.

April 2:2014 ify Timestamp: 2014-04-02 13:47:29 CDT

Page 1 of 2



Brands That Matter

# Office Products Group

IATERIAL SAFET	Y DATA SHEET	MSDS #	59001
Section Nine:	Physical and Chemical Properties		<u> </u>
section nine.	For product unless otherwise specified:		
Boiling Point:	Not available		
Specific Gravity:	1.7		
Vapor Pressure:	Not determined		
Solubility in Water:	Not determined		
Evaporation Rate:	Not determined		
Appearance/Odor:	White fluid; pine odor		
Section Ten:	Stability and Reactivity		
Stability:	Stable		
Conditions to Avoid:	None know n		
Chemical Incompatibili	ty: None know n		
Hazardous Decompos	ition: May produce oxides of carbon, nitrogen, and various hydrocarbo	ns in fire.	
Hazardous Polymeriza	tion: Will not occur		
Section Eleven:	Toxicological Information		
	zard Identification for any hazards		
Section Twelve:	Ecological Information		
Not available			
Section Thirteen:	Disposal Considerations		
Dispose in accordanc	e with Federal, State, and Local Regulations.		
Section Fourteen:	Transport Information		
•	Refer to Shipping Papers, if applicable.		
Section Fifteen:	Regulatory Information		
TSCA:	The product listed on this Material Safety Data Sheet is not listed on the All ingredients used to manufacture this product are listed on the TSCA		tory.
Section Sixteen:	Other Information		
HMIS Cod			
	Now all Public moid Inc. (Sanford L. D.) has been advised I	by Coursel that the OSUA Hazard Ca	mmunicatio
Health	Standard and the Health Canada Workplace Hazardous N	Aaterials Information Standard do not a	apply to the
Flammability	0 product described in this Material Safety Data Sheet. The CFR 1910.1200(b)(6)(ix) as amended Sept 14, 2009 per t		
Reactivity	0 Hazardous Products Act part 12 section (f) as amended J	une 1, 2009. The information contained	ed in this

Hazardous Products Act part 12 section (f) as amended June 1, 2009. The information contained in this MSDS is forw arded to you for your information, but is not meant to imply that the product is covered by nor is this MSDS meant to comply with all requirements of the hazard communication standards.

0=Minimal / 4 = Severe

N/A

Personal Protection

Life Cycle State: Released Iteration: 1.1

Ami2-2014 ify Timestamp: 2014-04-02 13:47:29 CDT

Page 2 of 2

#### Conforms to USDOL OSHA 29CFR 1910.1200 HAZCOM

# SAFETY DATA SHEET



Lysol Disinfecting Wipes - All Scents

# 1. Product and company identification

Product name	: Lysol Disinfecting Wipes - All Scents
Distributed by	: Reckitt Benckiser LLC. Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, New Jersey 07054-0225 +1 973 404 2600
	Reckitt Benckiser (Canada) Inc. 1680 Tech Avenue, Unit #2 Mississauga, Ontario L4W 5S9 CANADA Telephone: +1 905 283 7000
Emergency telephone number (Medical)	: 1-800-338-6167
Emergency telephone number (Transport)	: 1-800-424-9300 (U.S. & Canada) CHEMTREC Outside U.S. and Canada (North America), call Chemtrec:703-527-3887
Website:	: http://www.rbnainfo.com

#### Product use : Surface Disinfectant.

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

SDS #	: D8298990 v2.0
Formulation #:	<ul> <li>Lemon Lime Blossom/Citrus: Fill e0062-340/ 8287832 v1 (PMX. e0038-391A / 8251139 v1 + Non-woven #8269971 v1; expressed Liquid e0038-391A)</li> <li>Cool Wave/Ocean Fresh/Spring Waterfall: Fill 8287833 v1 (PMX. e0069-070A / 8278721 v1 + Non-woven 8269971 v1; expressed liquid e0069-070C)</li> <li>Early Morning Breeze/Lavender: Fill 8287834 v1 (PMX 2096-032B / 8159847 v1+ Non-woven 8269971 v1; expressed liquid 1671-111B)</li> <li>Crisp Linen: Fill 8287835 v1 (PMX 2096-032E / 8159854 v1 + Non-woven 8269971v1; expressed liquid 1671-115A)</li> <li>Citrus Meadows/Citrus: Fill 8287839 v1 (PMX e0065-075A /8169859 v1 + Non-woven 8269971 v1; expressed liquid e0065-041C)</li> <li>Green Apple: Fill 8287841 v1 (PMX e2096-032D / 8159853 v1 + Non-woven 8269971 v1; expressed liquid 1671-114A)</li> <li>Cool Wave Infinity: Fill 8287842 (PMX e0069-080 / 8287871 v1 + Non-woven 8269971 v1; expressed liquid e0069-080)</li> <li>Lemon Infinity: Fill 8287843 v1 (PMX e0038-445A / 8251567 v1 + Non-woven 8269971 v1; expressed liquid e0069-080)</li> </ul>

# 1. Product and company identification

## EPA ID No. DIN #

: 777-114

: 02359014

UPC Code / Sizes

: HDPE Canister and PE cap; Flatpack, laminate pouch

2. Hazards identification		
Classification of the substance or mixture	: Not classified	
GHS label elements		
Hazard pictograms	: Not applicable.	
Signal word	: No signal word.	
Hazard statements	: No known significant effects or critical hazards.	
Precautionary statements		
General	: Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.	
Prevention	: Not applicable.	
Response	: Not applicable.	
Storage	: Not applicable.	
Disposal	: Not applicable.	
Supplemental label elements	: None known.	
Hazards not otherwise classified	: None known.	

# 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	%	CAS number
	1 - 5 0.5 - 1.5 0.1 - 1	64-17-5 132778-08-6 68424-85-1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

## 4. First aid measures

## Description of necessary first aid measures

Eye contact		with plenty of water, occasionally lifting the upper and lower remove any contact lenses. Get medical attention if irritation
Inhalation	emove victim to fresh a edical attention if symp	air and keep at rest in a position comfortable for breathing. Get ptoms occur.
Skin contact		n with plenty of water. Remove contaminated clothing and ention if symptoms occur.

## 4. First aid measures

Ingestion

: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

## Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	: Moderately irritating to eyes.	
Inhalation	No known significant effects or critical hazards.	
Skin contact	: Slightly irritating to the skin.	
Ingestion	No known significant effects or critical hazards.	
Over-exposure signs/symptoms		
Eye contact	No specific data.	
Inhalation	: No specific data.	
Skin contact	No specific data.	
Ingestion	No specific data.	

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

## See toxicological information (Section 11)

# 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: No specific fire or explosion hazard.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# 6. Accidental release measures

## Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ont	ainment and cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# 7. Handling and storage

## Precautions for safe handling

Protective measures		Put on appropriate personal protective equipment (see Section 8).
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# 8. Exposure controls/personal protection

### <u>Control</u>

#### **Occupational exposure limits**

Ingredient name	Exposure limits	
ethanol	ACGIH TLV (United STEL: 1000 ppm 18 OSHA PEL 1989 (U TWA: 1000 ppm 8 TWA: 1900 mg/m <sup>3</sup> NIOSH REL (United TWA: 1000 ppm 10 TWA: 1900 mg/m <sup>3</sup> OSHA PEL (United TWA: 1000 ppm 8 TWA: 1900 mg/m <sup>3</sup>	5 minutes. hited States, 3/1989). hours. 8 hours. States, 10/2013). hours. 10 hours. States, 2/2013). hours.
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker contaminants.	exposure to airborne
Code # : D8298990 (NA)	SDS # : D8298990 v2.0 Date of issue : 15/0	)5/2018 <b>4/13</b>

# 8. Exposure controls/personal protection

Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection meas	<u>ures</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# 9. Physical and chemical properties

<u>Appearance</u>	
Physical state	: Solid. [Presaturated Wipes]
Color	: White.
Odor	: Characteristic.
Odor threshold	: Not available.
рН	: 10.5 [liquid preparations]
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Closed cup: >93.3°C (>199.9°F) [flash point value based on ingredient data]
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: 0.985 [liquid preparations]
Solubility	: Not available.

Code #	: D8298990 (NA)	SDS #	: D8298990 v2.0	Date of issue	: 15/05/2018
--------	-----------------	-------	-----------------	---------------	--------------

# 9. Physical and chemical properties

Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
Viscosity	:	Not available.
Flow time (ISO 2431)	1	Not available.

# 10. Stability and reactivity

_	-
Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: Do not use with other products.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **11. Toxicological information**

## Information on toxicological effects

## Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Ethyl alcohol	LC50 Inhalation Vapor	Rat	124700 mg/m <sup>3</sup>	4 hours
,	LD50 Oral	Rat	7 g/kg	-
*Lysol Disinfecting Wipes	LC50 Inhalation Vapor	Rat	>2.04 mg/l	24 hours
	LD50 Dermal	Rat	>5000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-

**Conclusion/Summary** : Not classified. \*Information is based on toxicity test result of a similar product.

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Ethyl alcohol	Eyes - Moderate irritant	Rabbit	-	0.066666667 minutes 100 milligrams	-
	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	100 microliters	-
	Eyes - Severe irritant	Rabbit	-	500 milligrams	-
	Skin - Mild irritant	Rabbit	-	400 milligrams	-
	Skin - Moderate irritant	Rabbit	-	24 hours 20 milligrams	-
*Lysol Disinfecting Wipes	Skin - Slight irritant Eyes - Cornea opacity	Rabbit Rabbit	1.5 0	-	-
Conclusion/Summary		•	•	•	•

## Skin

: Slightly irritating to the skin. \*Information is based on toxicity test result of a similar product.

# 11. Toxicological information

**Eyes** 

: Moderately irritating to eyes. \* Information is based on toxicity test result of a similar product.

Respiratory

: Based on available data, the classification criteria are not met.

#### **Sensitization**

••••••	Route of exposure	Species	Result
*Lysol Disinfecting Wipes	skin	Guinea pig	Not sensitizing

#### **Conclusion/Summary**

Skin

: Non-sensitizer. \*Information is based on toxicity test result of a similar product.

Respiratory

: Based on available data, the classification criteria are not met.

**Mutagenicity** 

Product/ingredient name	Test	Experiment	Result
Quaternary ammonium compounds, benzyl- C12-16-alkyldimethyl, chlorides	OECD 471 - Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative
	OECD 473 - Mammalian Chromosamal Aberration Test	Experiment: In vitro Subject: Mammalian-Animal	Negative
	OECD 476 - Mammalian Cell Gene Mutation Test	Experiment: In vitro Subject: Mammalian-Animal	Negative

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

### Carcinogenicity

Not available.

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

## **Classification**

Product/ingredient name	OSHA	IARC	NTP
ethanol	-	1	-

### **Reproductive toxicity**

Not available.

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

**Teratogenicity** 

Not available.

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Not available.

#### **Aspiration hazard**

Not available.

Conforms to USDOL OSHA 29CFR 1	910.1200 HAZCOM
D8298990 v2.0	
11. Toxicological	information
Information on the likely routes of exposure	: Not available.
Potential acute health effects	<u>s</u>
Eye contact	: Moderately irritating to eyes.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: Slightly irritating to the skin.
Ingestion	: No known significant effects or critical hazards.
Symptoms related to the phy	vsical, chemical and toxicological characteristics
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Delayed and immediate effect	cts and also chronic effects from short and long term exposure
Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
<u>Long term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health eff	ects
Not available.	
Conclusion/Summary	: Based on available data, the classification criteria are not met.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
	-

## Numerical measures of toxicity

Acute toxicity estimates

Fertility effects

Not available.

: No known significant effects or critical hazards.

# 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
ethanol	Acute EC50 17.921 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Acute EC50 2000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 25500 µg/l Marine water	Crustaceans - Artemia franciscana - Larvae	48 hours
	Acute LC50 42000 µg/l Fresh water	Fish - Oncorhynchus mykiss	4 days
	Chronic NOEC 4.995 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Chronic NOEC 100 ul/L Fresh water	Daphnia - Daphnia magna - Neonate	21 days
Quaternary ammonium compounds, benzyl- C12-16-alkyldimethyl, chlorides	Acute EC50 0.016 mg/l	Daphnia	48 hours
	Acute LC50 64 ppb Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Chronic EC10 0.009 mg/l	Algae	72 hours

#### Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Quaternary ammonium compounds, benzyl- C12-16-alkyldimethyl, chlorides	-	-	Readily

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
ethanol	-0.35	-	low

### Mobility in soil

Soil/water partition : Not available. coefficient (Koc)

Other adverse effects

: No known significant effects or critical hazards.

## 13. Disposal considerations

**Disposal methods** 

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# 14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not Regulated	Not applicable.	Not available.	-		-
TDG Classification	Not Regulated	Not applicable.	Not available.	-		-
Mexico Classification	Not Regulated	Not applicable.	Not available.	-		-
IMDG Class	Not Regulated	Not applicable.	Not available.	-		-
IATA-DGR Class	Not Regulated	Not applicable.	Not available.	-		-

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

L..... DC\* : Dooking grou

## PG\* : Packing group

# 15. Regulatory information

U.S. Federal regulations	: <b>TSCA 4(a) proposed test rules</b> : Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides
	<b>TSCA 8(a) PAIR</b> : 2-(4-tert-butylbenzyl)propionaldehyde; 2-methylpropan-2-ol; octanal; decanal; 2-methylundecanal; α-hexylcinnamaldehyde; cinnamaldehyde; phenylacetaldehyde
	TSCA 8(a) CDR Exempt/Partial exemption: Not determined
	United States inventory (TSCA 8b): All components are listed or exempted.
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Not listed
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed

# 15. Regulatory information

**DEA List II Chemicals** (Essential Chemicals) : Not listed

## SARA 302/304

#### **Composition/information on ingredients**

No products were found.

## SARA 304 RQ : Not applicable.

#### SARA 311/312

Classification : Not applicable.

#### **Composition/information on ingredients**

Name	%	hazard	Sudden release of pressure		(acute) health	Delayed (chronic) health hazard
ethanol Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides		Yes. No.		No. No.	Yes. Yes.	No. No.

## **State regulations**

Massachusetts	: The following components are listed: ETHYL ALCOHOL; DENATURED ALCOHOL
New York	: None of the components are listed.
New Jersey	: The following components are listed: ETHYL ALCOHOL; ALCOHOL
Pennsylvania	: The following components are listed: DENATURED ALCOHOL; ETHANOL

## <u>Canada</u>

Canaua	
WHMIS (Canada)	: Not controlled under WHMIS (Canada).
<u>Canadian lists</u>	
Canadian NPRI	: The following components are listed: Ethanol
CEPA Toxic substances	: None of the components are listed.
Canada inventory	: All components are listed or exempted.
Label elements	
Signal word:	: CAUTION
Hazard statements	: May cause eye irritation.

: Avoid contact with eyes. Wash hands after use.

# 16. Other information

**Precautionary measures** 

Hazardous Material Information System (U.S.A.)	: 		
	Health	*	1
	Flammability		0
	Physical hazards		0
	Personal protection		В

## 16. Other information

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

2

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
Date of issue	: 15/05/2018
Date of previous issue	: 13/10/2017
Version	: 2
Prepared by	: Reckitt Benckiser LLC. SQC - Consumer Safety Department 1 Philips Parkway Montvale, New Jersey 07646-1810 USA. FAX: 201-476-7770

Indicates information that has changed from previously issued version.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

# 16. Other information



RB is a member of the CSPA Product Care Product Stewardship Program.

# SAFETY DATA SHEET



Issuing Date: 16-Jul-2015

Revision Date: 07-Jul-2017

Version 1.02

#### **1. IDENTIFICATION** Mr. Clean Magic Eraser **Product Name** 98969188\_RET\_NG **Product Identifier Product Type:** Finished Product - Consumer (Retail) Use Only **Recommended Use** Cleaning agent. **Restrictions on Use** Use only as directed on label. Details of the supplier of the safety **PROCTER & GAMBLE - Fabric and Home Care Division** Ivorydale Technical Centre data sheet 5289 Spring Grove Avenue Cincinnati, Ohio 45217-1087 USA Procter & Gamble Inc. P.O. Box 355, Station A Toronto, ON M5W 1C5 1-800-331-3774 E-mail Address pgsds.im@pg.com **Emergency Telephone** Transportation (24 HR) CHEMTREC - 1-800-424-9300 (U.S./ Canada) or 1-703-527-3887 Mexico toll free in country: 800-681-9531

## 2. HAZARD IDENTIFICATION

"Consumer Products", as defined by the US Consumer Product Safety Act and which are used as intended (typical consumer duration and frequency), are exempt from the OSHA Hazard Communication Standard (29 CFR 1910.1200). This SDS is being provided as a courtesy to help assist in the safe handling and proper use of the product.

### This product is classifed under 29CFR 1910.1200(d) and the Canadian Hazardous Products Regulation as follows:.

Not Classified.

Signal Word	None
Hazard Statements Hazard pictograms	None
Precautionary Statements	AVOID ACCIDENTS: DO NOT USE ON SKIN OR OTHER PARTS OF THE BODY. USING ON SKIN WILL LIKELY CAUSE ABRASIONS. KEEP OUT OF REACH OF TODDLERS AND PETS TO AVOID ACCIDENTIAL INGESTION.

Precautionary Statements - None Response

Precautionary Statements - Storage None

Precautionary Statements - DisposalNone

Hazards not otherwise classified None (HNOC)

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients are listed according to 29CFR 1910.1200 Appendix D and the Canadian Hazardous Products Regulation

Hazardous ingredients

None.

## 4. FIRST AID MEASURES

First aid measures for different exposure routes			
Eye contact	Rinse with plenty of water. Get medical attention immediately if irritation persists.		
Skin contact	Rinse with plenty of water. Get medical attention if irritation develops and persists.		
Ingestion	If ingested, contact a physician immediately. Blockage of the gastrointestinal tract may occur.		
Inhalation	Move to fresh air. If symptoms persist, call a physician.		
Most important symptoms/effects, acute and delayed	None under normal use conditions.		
Indication of immediate medical attention and special treatment needed, if necessary			

Notes to Physician Treat symptomatically.

## **5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media	Dry chemical, CO <sub>2</sub> , alcohol-resistant foam or water spray.
Unsuitable Extinguishing Media	None.
Special hazard	None known.
Special protective equipment for fire-fighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
Specific hazards arising from the chemical	None.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures
98969188_RET_NG - Mr. Clean Mag	jic Eraser	Revision Date: 07-Jul-2017
Personal precautions	Use personal protective equipment. Do not get in eyes, on sk	in, or on clothing.
Advice for emergency responders	Use personal protective equipment as required.	
Methods and materials for containn	nent and cleaning up	
Methods for containment	Prevent dust cloud. Prevent further leakage or spillage if safe	to do so.
Methods for cleaning up	Sweep up and shovel into suitable containers for disposal. Di local regulations.	spose of in accordance with
	7. HANDLING AND STORAGE	
Precautions for safe handling		
Advice on safe handling	Use personal protective equipment as required. Keep contain Never return spills in original containers for re-use. Keep out	
Conditions for safe storage, includi	ng any incompatibilities	
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilate	ed place.
Incompatible products	None known.	
8. EX	POSURE CONTROLS/PERSONAL PROTECTION	
Control parameters		
Exposure Guidelines	No exposure limits noted for ingredient(s).	
Exposure controls		
Engineering Measures	Distribution, Workplace and Household Settings: Ensure adequate ventilation	
	Product Manufacturing Plant (needed at Product-Product Where reasonably practicable this should be achieved by the ventilation and good general extraction	
Personal Protective Equipment		
Eye Protection	<b>Distribution, Workplace and Household Settings:</b> No special protective equipment required	
	Product Manufacturing Plant (needed at Product-Produc	ing Plant ONLY):
Hand Protection	Distribution, Workplace and Household Settings: No special protective equipment required	
	Product Manufacturing Plant (needed at Product-Product Protective gloves	ing Plant ONLY):
Skin and Body Protection	<b>Distribution, Workplace and Household Settings:</b> No special protective equipment required	
	Product Manufacturing Plant (needed at Product-Product) Wear suitable protective clothing	ing Plant ONLY):

**Respiratory Protection** 

Distribution, Workplace and Household Settings:

No special protective equipment required

Product Manufacturing Plant (needed at Product-Producing Plant ONLY): In case of inadequate ventilation wear respiratory protection

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State @20°C Appearance Odor Odor threshold	Solid white None No information available	
Property	Values	Note
pH value	No information available	
Melting/freezing point	No information available	
Boiling point / boiling range	No information available	
Flash point	No information available	
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limits in Air		
Upper flammability limit	No information available	
Lower Flammability Limit	No information available	
Vapor pressure	No information available	
Vapor density	No information available	
Relative density	No information available	
Water solubility	No information available	
Partition coefficient: n-octanol/wate	erNo information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Viscosity of Product	No information available	
VOC Content (%)	Products comply with US state and federal reproducts.	egulations for VOC content in consumer

### **10. STABILITY AND REACTIVITY**

Reactivity	None under normal use conditions.
Stability	Stable under normal conditions.
Hazardous polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.
Conditions to Avoid	None under normal processing.
Incompatible Materials	Strong oxidizing agents.

Hazardous Decomposition Products None under normal use conditions.

### **11. TOXICOLOGICAL INFORMATION**

#### <u>Product Information</u> Information on likely routes of exposure

Inhalation	No known effect.
Skin contact	No known effect.
Ingestion	No known effect.
Eye contact	No known effect.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity	No known effect.
Skin corrosion/irritation	No known effect.
Serious eye damage/eye irritation	No known effect.
Skin sensitization	No known effect.
Respiratory sensitization	No known effect.
Germ cell mutagenicity	No known effect.
Neurological Effects	No known effect.
Reproductive toxicity	No known effect.
Developmental toxicity	No known effect.
Teratogenicity	No known effect.
STOT - single exposure	No known effect.
STOT - repeated exposure	No known effect.
Target Organ Effects	No known effect.
Aspiration hazard	No known effect.
Carcinogenicity	No known effect.

### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

The product is not expected to be hazardous to the environment.

Persistence and degradability	No information available.
Bioaccumulative potential	No information available.
Mobility	No information available.
Other adverse effects	No information available.

### **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment

Waste from Residues / Unused Products	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.
California Hazardous Waste Codes (non-household setting)	331

#### **14. TRANSPORT INFORMATION**

DOT	Not regulated
IMDG	Not regulated
ΙΑΤΑ	Not regulated

### **15. REGULATORY INFORMATION**

#### U.S. Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### 98969188\_RET\_NG - Mr. Clean Magic Eraser

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### California Proposition 65

This product is not subject to warning labeling under California Proposition 65.

#### **U.S. State Regulations (RTK)**

This product does not contain any substances regulated by state right-to-know regulations.

#### International Inventories

#### **United States** Not applicable.

#### Canada

This product is in compliance with CEPA for import by P&G.

#### <u>Lege</u>nd

United States Toxic Substances Control Act Section 8(b) Inventory (TSCA) **CEPA** - Canadian Environmental Protection Act

### **16. OTHER INFORMATION**

Issuing Date:	16-Jul-2015
Revision Date:	07-Jul-2017
Disclaimer	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS



Latest revision date: 03/31/2016 Version: 1.6

# United States Safety Data Sheet

The Ortho Group P.O. Box 190 Marysville, Ohio 43040 United States 24 h. EMERGENCY TELEPHONE NUMBER CHEMTREC (U.S.) 1-800-424-9300 CHEMTREC (International) 1-703-527-3887 Non-Emergency Calls 1-937-644-0011

### ORTHO HOME DEFENSE MAX ANT & ROACH KILLER

GHS product identifier	:	ORTHO HOME DEFENSE MAX ANT & ROACH KILLER
Product type	:	Pesticide
SDS #	:	32000002531
EPA Registration Number:	:	239-2695

### Relevant identified uses of the substance or mixture and uses advised against

Use only in accordance with label directions.

# Section 2. Hazards identification

This product is regulated by the Environmental Protection Agency (EPA) for label precautionary text see Section 15.

OSHA/HCS	5 status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classificatio mixture	on of the subst	ance or :	FLAMMABLE AEROSOLS - Category 2 GASES UNDER PRESSURE - Liquefied gas
<u>GHS label el</u>	ements		
Hazard pic	ctograms	:	
Signal wor	d	:	Warning
Hazard sta	tements	:	Flammable aerosol. Contains gas under pressure; may explode if heated.
Version:	Report version.Re port version	Date of issue/Dat	ate of revision: Validity date***. Date of previous issue: 12/04/2015

#### **Precautionary statements**

General	:	Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.
Response	:	Not applicable.
Storage	:	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a well-ventilated place.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

# Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Not available.
Other means of identification	:	Not available.

Ingredient name	%	CAS number
Distillates (petroleum), hydrotreated light	>= 1 - < 3	64742-47-8
2-Methyl-1,1'-biphenyl-3-ylmethyl (Z)-3-(2-chloro-3,3,3-	>= 0.1 - < 0.3	82657-04-3
trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate		

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

# There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## **Section 4. First aid measures**

### **Description of necessary first aid measures**

Eye contac	t	upper an	tely flush eyes with pl d lower eyelids. Check to rinse for at least 10 occurs.	for and remove any c	contact lenses.
Inhalation		for breat arrest oc personne	victim to fresh air and hing. If not breathing, curs, provide artificial el. Get medical attention f unconscious, place in	if breathing is irregula respiration or oxygen n if adverse health eff	r or if respiratory by trained ects persist or are
Version	Report version.Re port	Dete of ions (Dete of unision	Volidit, doto***	Data of availant inna	12/04/2015
Version:	version	Date of issue/Date of revision	Validity date***.	Date of previous issue:	12/04/2015

	attention immediately. Maintain an open airway.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated
	clothing and shoes. Get medical attention if symptoms occur. Wash
	clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. If material has been swallowed and the
	exposed person is conscious, give small quantities of water to drink.
	Do not induce vomiting unless directed to do so by medical personnel.
	Get medical attention if adverse health effects persist or are severe.
	Never give anything by mouth to an unconscious person.

### Most important symptoms/effects, acute and delayed

### **Potential acute health effects**

Eye contact Inhalation Skin contact Ingestion Over-exposure signs/symptoms	::	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
<u>ever exposure signs, symptoms</u>		
Eye contact	:	Adverse symptoms may include the following: irritation redness
Inhalation	:	Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical a	ttentio	n and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

# Section 5. Fire-fighting measures

### Extinguishing media

	xtinguishing m e extinguishing		:	Use an ext None know	0 0 0	suitable for the surround	ing fire.
Specific haza	ards arising fr	om the	:	Flammabl	e aerosol. In a fire	e or if heated, a pressure	increase will
	Report						
	version.Re						
	port						
Version:	version	Date of issue	/Dat	e of revision:	Validity date***.	Date of previous issue:	12/04/2015

chemical Hazardous thermal decomposition products	occur and the container may burst, with the risk of a subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Bursting aerosol containers may be propelled from a fire at high speed. Runoff to sewer may create fire or explosion hazard. Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire- fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire- exposed containers cool.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel		onnel :	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary a unprotected personnel from entering. In the case of aerosols being ruptured, care should be taken due to the rapid escape of the pressurized contents and propellant. If a large number of containe are ruptured, treat as a bulk material spillage according to the instructions in the clean-up section. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation inadequate. Put on appropriate personal protective equipment.			nnecessary and erosols being e of the r of containers ag to the valk through es, smoking or Provide en ventilation is
For emerg	ency responde	rs :	If specialis any inform	ed clothing is requi ation in Section 8 c	ired to deal with the spil on suitable and unsuitable on-emergency personne	llage, take note of le materials. See
Environmental precautions :		5 :	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).			
Methods and	l materials for	containment a	nd cleaning	up		
Spill		:	proof tools upwind. Pr confined a	and explosion-proceevent entry into severate sev	re containers from spill of equipment. Approach wers, water courses, bas s into an effluent treatm nd collect spillage with	n release from sements or nent plant or
Version:	Report version.Re port version	Date of issue/Dat	e of revision:	Validity date***.	Date of previous issue:	12/04/2015
		,				, _ ,, <b>_</b> 0_0

combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

#### **Precautions for safe handling**

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Protect from sunlight. Eliminate all ignition sources. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Distillates (petroleum), hydrotreated light	None.
2-Methyl-1,1'-biphenyl-3-ylmethyl (Z)-3-(2-chloro-3,3,3-trifluoro-1- propenyl)-2,2- dimethylcyclopropanecarboxylate	None.

Appropriate engineering controls :

Use only with adequate ventilation. If user operations generate dust,

	Report version.Re				
Version:	port version	Date of issue/Date of revision:	Validity date***.	Date of previous issue:	12/04/2015

Environmental exposure controls	:	fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Protective eyewear is not required, but may be used in situations were
v I		contact is expected.
Skin protection		
Hand protection	:	Protective gloves are not required, but may be used in situations were significant contact is expected.
Body protection	:	Wear long-sleeved shirt, long pants, shoes with socks., Remove and wash contaminated clothing before reuse.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

# Section 9. Physical and chemical properties

### **Appearance**

Physical s Color	state	-	iid [aei ber.	rosol]		
Odor Odor thres pH	hold		t availa t availa			
Version:	Report version.Re port version	Date of issue/Date of re	vision:	Validity date***.	Date of previous issue:	12/04/2015

Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	0.975
Solubility	:	Not available.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	The product is stable.
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Avoid all possible sources of ignition (spark or flame).
Incompatible materials	:	No specific data.
Hazardous decomposition	:	Under normal conditions of storage and use, hazardous decomposition
products		products should not be produced.

# Section 11. Toxicological information

#### **Information on toxicological effects**

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
	LD50 Oral	Rat	> 5,000 mg/kg	-
	LC50 Inhalation	Rat	> 5 mg/l	-
	LD50 Dermal	Rat	> 5,000 mg/kg	-

**Conclusion/Summary** 

**Irritation/Corrosion** 

Report version.Re port Version: version

Date of issue/Date of revision: Validity date\*\*\*.

:

No known significant effects or critical hazards.

Product/ingredient name	Result	Species	Score	Exposure	Observation
	Eyes -	Rabbit	1.0		-
	Redness of				
	the				
	conjunctivae				
	405 Acute				
	Eye				
	Irritation/Cor				
	rosion				
	Skin -	Rabbit	1.0		-
	Erythema/Es				
	char 404				
	Acute				
	Dermal				
	Irritation/Cor				
	rosion				

Conclusion/Summary	
Skin	: Mildly irritating
Eyes	: Not available.
Respiratory	: Not available.

### **Sensitization**

Product/ingredient nam	e Route of exposure	Species	Result
	Skin	Guinea pig	Not sensitizing
Conclusion/Summary Skin Respiratory	<ul><li>Not sensi</li><li>Not available</li></ul>	e	
<b>Mutagenicity</b>			
Conclusion/Summary	: No know	n significant effects or critical	hazards.
<b>Carcinogenicity</b>			
Conclusion/Summary	: No know	n significant effects or critical	hazards.
<b>Reproductive toxicity</b>			
Conclusion/Summary	: No know	n significant effects or critical	hazards.
<b>Teratogenicity</b>			
Conclusion/Summary	: No know	n significant effects or critical	hazards.
Specific target organ to Not available.	<u>xicity (single exposure)</u>		
Report version.Re port <b>Version</b> : version	Date of issue/Date of revision:	Validity date***. Date of	previous issue: 12/04/2015

#### Specific target organ toxicity (repeated exposure) Not available. Aspiration hazard

Name			Result
Distillates (petroleum), hydrotreate	ed lig	ght	
Information on the likely routes of exposure	:	Not available	e.
Potential chronic health effects			
Conclusion/Summary	:	No known sig	gnificant effects or critical hazards.
General	:	No known sig	gnificant effects or critical hazards.
Carcinogenicity	:	No known sig	gnificant effects or critical hazards.
Mutagenicity	:	No known sig	gnificant effects or critical hazards.
Teratogenicity	:	No known sig	nificant effects or critical hazards.
Developmental effects	:	No known sig	nificant effects or critical hazards.
Fertility effects	:	No known sig	gnificant effects or critical hazards.

# Section 12. Ecological information

### **Toxicity**

Conclusion/Summary	:	Not available.
Persistence and degradability		
Conclusion/Summary	:	Not available.
<u>Mobility in soil</u>		
Soil/water partition coefficient (KOC)	:	Not available.
Other adverse effects	:	No known significant effects or critical hazards.

# Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the
Report version. port <b>Version:</b> version	e Date of issue/Date of revision: Validity date***. Date of previous issue: 12/04/2015

requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

# Section 14. Transport information

<u>Regulatory</u> <u>information</u> DOT	<u>UN no.</u> 1950	<u>Proper shipping name</u> Aerosols non-flammable, (each not exceeding 1 L capacity)	<u>Class</u> 2.2	<u>PG*</u> (,)	<u>Note</u> Consumer commodity (ORM-D)
IATA (C)	1950	Aerosols, non-flammable	2.2	(,)	
IATA (P)	1950	Aerosols, non-flammable	2.2	(,)	
IMDG	1950	AEROSOLS	2.2	(,)	
TDG	1950	AEROSOLS non-flammable	2.2	(,)	Consumer commodity
PG* : Packing	group				

# Section 15. Regulatory information

<b>Precautiona</b>	ary statements	<u>8</u>						
Signal wor		:		UTION!				
Emergency	y Overview	:			ach of children.			
					with skin, eyes			
							after handling and b	efore eating,
			drin	king, chev	ving gum, or usi	ng toba	ICCO.	
<u>U.S. Federa</u>	l regulations				ates inventory			
State regula	ations							
<b>California I</b> Not availabl	-							
International	<u>l lists</u>							
National inv	<u>ventory</u>							
Australia			:	At least o	ne component is	s not lis	sted.	
Canada			:		one componen			
China			:	At least	one componen	t is no	t listed.	
Europe			:		one componen			
	Report							
	version.Re							
	port							
Version:	version	Date of issue/	Date	of revision:	Validity date***.		Date of previous issue:	12/04/2015

Malaysia:New Zealand:Philippines:	At least one component is not listed. Not determined. At least one component is not listed. At least one component is not listed. At least one component is not listed. Not determined.
-----------------------------------	--

## Section 16. Other information

National Fire Protection Association (U.S.A.):



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety. Copyright ©2001 National Fire Protection Association, Oningy MA 02269. This warping system is intended

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

#### Procedure used to derive the classification

Classification	Justification
Flam. Aerosol 2, H223	On basis of test data
Press. Gas Liq. Gas, H280	On basis of test data

#### **History**

Date of issue/Date of revision	:	Validity date***.
Version	:	1.6

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution.

Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

1000286701-04 | Released - 03/31/2016 by , Workflow

Report version.Re port **Version:** version **Date of issue/Date of** 

Date of issue/Date of revision: Validity date\*\*\*.

Date of previous issue: 12/04/2015

# SAFETY DATA SHEET



Professional Lysol® Brand Kills 99.9% of Viruses & Bacteria Power Toilet Bowl

Cleaner (Liquid)

# 1. Product and company identification

Product name	<ul> <li>Professional Lysol® Brand Kills 99.9% of Viruses &amp; Bacteria Power Toilet Bowl Cleaner (Liquid)</li> </ul>
Distributed by	: Reckitt Benckiser LLC. Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, New Jersey 07054-0225 +1 973 404 2600
Emergency telephone number (Medical)	: 1-800-338-6167
Emergency telephone number (Transport)	: 1-800-424-9300 (U.S. & Canada) CHEMTREC Outside U.S. and Canada (North America), call Chemtrec:703-527-3887
Website:	: http://www.rbnainfo.com
Product use	: Toilet bowl cleaner Professional use

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

SDS #	: D0102520 v1.0
Formulation #:	: 1544-097 (0259960 v1.0)
EPA ID No.	: 777-81-675
UPC Code / Sizes	: 36241-74278-10 (32 fl oz HDPE bottles)

# 2. Hazards identification

Classification of the substance or mixture	: CORROSIVE TO METALS - Category 1 ACUTE TOXICITY (oral) - Category 4 SKIN CORROSION/IRRITATION - Category 1 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
<u>GHS label elements</u> Hazard pictograms	

# 2. Hazards identification

Signal word	: Danger
Hazard statements	: May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage.
Precautionary statements	
General	<ul> <li>Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.</li> </ul>
Prevention	: Wear protective gloves. Wear eye or face protection. Wear protective clothing. Keep only in original container. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
Response	: Absorb spillage to prevent material damage. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.
Storage	: Store locked up. Store in corrosive resistant container with a resistant inner liner.
Disposal	<ul> <li>Dispose of contents and container in accordance with all local, regional, national and international regulations.</li> </ul>
Supplemental label elements	: None known.
Hazards not otherwise classified	: None known.

# 3. Composition/information on ingredients

Substance/mixture : Mixture		
Ingredient name	%	CAS number
Hydrochloric acid Amines, tallow alkyl, ethoxylated Alcohols, C12-16, ethoxylated	5 - 10 1 - 2.5 1 - 2.5	7647-01-0 61791-26-2 68551-12-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

# 4. First aid measures

Description of necessary first aid measures

Eye contact

: Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

SDS # :

: D0102520 v1.0 Date o

2/13

# 4. First aid measures

Inhalation	: Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Get medical attention immediately. Call a poison center or physician. Wash contaminated skin with soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### Most important symptoms/effects, acute and delayed

Potential acute health effects	
Eye contact :	Causes serious eye damage.
Inhalation :	May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system.
Skin contact :	Causes severe burns.
Ingestion :	Harmful if swallowed. May cause burns to mouth, throat and stomach.
Over-exposure signs/symptor	<u>ns</u>
Eye contact :	Adverse symptoms may include the following: pain watering redness
Inhalation :	No specific data.
Skin contact :	Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion :	Adverse symptoms may include the following: stomach pains
Indication of immediate medica	al attention and special treatment needed, if necessary
Notes to physician :	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

**Specific treatments** : No specific treatment.

# 4. First aid measures

give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.	Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask o self-contained breathing apparatus. It may be dangerous to the person providing aid to
---	---

See toxicological information (Section 11)

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: halogenated compounds
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# 6. Accidental release measures

Personal precautions, protec	tiv	e equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	•	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	nt	ainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Absorb spillage to prevent material

damage. Dispose of via a licensed waste disposal contractor.

## 6. Accidental release measures

Large spill

: Stop leak if without risk. Move containers from spill area. Absorb spillage to prevent material damage. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). The spilled material may be neutralized with sodium carbonate, sodium bicarbonate or sodium hydroxide. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# 7. Handling and storage

### Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from alkalis. Empty containers retain product residue and can be hazardous. Do not reuse container. Absorb spillage to prevent material damage.
Conditions for onfo stores	

**Conditions for safe storage, including any incompatibilities incompatibilities** 

# 8. Exposure controls/personal protection

#### **Control**

**Occupational exposure limits** 

Ingredient name		Exposure limits		
Hydrochloric acid		ACGIH TLV (United States, 4/2014). C: 2 ppm OSHA PEL 1989 (United States, 3/1989). CEIL: 5 ppm CEIL: 7 mg/m <sup>3</sup> NIOSH REL (United States, 10/2013). CEIL: 5 ppm CEIL: 7 mg/m <sup>3</sup> OSHA PEL (United States, 2/2013). CEIL: 5 ppm CEIL: 5 ppm CEIL: 7 mg/m <sup>3</sup>		
ppropriate engineering : ontrols		mes, gas, vapor or mist, use process enclosures, gineering controls to keep worker exposure to commended or statutory limits.		
invironmental exposure : ontrols	they comply with the requirements of	process equipment should be checked to ensure of environmental protection legislation. In some gineering modifications to the process equipment ns to acceptable levels.		
ndividual protection measures	-			
code # : FF0259960 (D0102520) Prof	<b>SDS #</b> : D0102520 v1.0	Date of issue : 23/11/2015. 5/13		

# 8. Exposure controls/personal protection

-	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/ or face shield. If inhalation hazards exist, a full-face respirator may be required instead.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

# 9. Physical and chemical properties

<u>Appearance</u>	
Physical state	: Liquid. [Clear.]
Color	: Blue. [Dark]
Odor	: Wintergreen.
Odor threshold	: Not available.
рН	: <1 [Conc. (% w/w): 100%]
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Closed cup: >93.3°C (>199.9°F)
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: 1.04 to 1.05
Solubility	: Easily soluble in the following materials: cold water and hot water.

# 9. Physical and chemical properties

Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	4	Not available.
Decomposition temperature	1	Not available.
Viscosity	1	Not available.

# 10. Stability and reactivity

-	-
Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Hazardous reactions or instability may occur under certain conditions of storage or use.
Conditions to avoid	: No specific data.
Incompatible materials	<ul> <li>Attacks many metals producing extremely flammable hydrogen gas which can form explosive mixtures with air. Reactive or incompatible with the following materials: alkalis metals</li> </ul>
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# 11. Toxicological information

### Information on toxicological effects

### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
*Professional Lysol® Brand Kills 99.9% of Viruses & Bacteria Power Toilet Bowl Cleaner (Liquid)	LD50 Dermal		>2000 mg/kg	-
	LD50 Oral	Rat	1350 mg/kg	-

**Conclusion/Summary** : Harmful or fatal if swallowed.

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Hydrochloric acid	Eyes - Mild irritant	Rabbit	-	0.5 minutes 5 milligrams	-
	Skin - Mild irritant	Human	-	24 hours 4 Percent	-
Amines, tallow alkyl, ethoxylated	Eyes - Moderate irritant	Rabbit	-	100 milligrams	-
	Eyes - Severe irritant	Rabbit	-	24 hours 100 microliters	-
Alcohols, C12-16, ethoxylated	Eyes - Moderate irritant	Rabbit	-	24 hours 100 microliters	-
*Professional Lysol® Brand Kills 99.9% of Viruses & Bacteria Power Toilet Bowl Cleaner (Liquid)	Skin - Primary dermal irritation index (PDII)	Rat	4.08	-	14 days
	Eyes - Severe irritant	Rabbit	-	-	21 days

### Conclusion/Summary

Code # : FF0259960 (D0102520) Prof SDS # :

: D0102520 v1.0

Date of issue : 23/11/2015.

7/13

# **11. Toxicological information**

### Skin

: Corrosive to skin on contact. Causes burns.

Eyes

: Corrosive to eyes. Causes irreversible eye damage

### **Sensitization**

Not available.

### **Mutagenicity**

Not available.

### **Carcinogenicity**

Not available.

### **Classification**

Product/ingredient name	OSHA	IARC	NTP
Hydrochloric acid	-	3	-

### Reproductive toxicity

Not available.

### Teratogenicity

Not available.

### Specific target organ toxicity (single exposure)

Not available.

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

Information on the likely	: Not available.
routes of exposure	

### Potential acute health effects

Eye contact	: Causes serious eye damage.
Inhalation	: May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system.
Skin contact	: Causes severe burns.
Ingestion	: Harmful if swallowed. May cause burns to mouth, throat and stomach.

### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: Adverse symptoms may include the following: pain watering redness
Inhalation	: No specific data.
Skin contact	Adverse symptoms may include the following: pain or irritation redness blistering may occur

# **11. Toxicological information**

Ingestion

: Adverse symptoms may include the following: stomach pains

: No known significant effects or critical hazards.

Delayed and immediate effect	ts and also chronic effects from short and long term exposure
<u>Short term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effe	ects
Not available.	
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
<b>Developmental effects</b>	: No known significant effects or critical hazards.

### Numerical measures of toxicity

Acute toxicity estimates

Not available.

**Fertility effects** 

# 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
Hydrochloric acid	Acute LC50 240000 µg/l Marine water	Crustaceans - Carcinus maenas - Adult	48 hours
	Acute LC50 282 ppm Fresh water	Fish - Gambusia affinis - Adult	96 hours
Amines, tallow alkyl, ethoxylated	Acute LC50 2.6 µg/l Fresh water	Crustaceans - Thamnocephalus platyurus - Nauplii	48 hours
	Acute LC50 2350 μg/l Fresh water Acute LC50 650 μg/l Fresh water	Daphnia - Daphnia pulex Fish - Oncorhynchus mykiss	48 hours 96 hours

### Persistence and degradability

Not available.

**Bioaccumulative potential** 

SDS # :

: D0102520 v1.0

9/13

# 12. Ecological information

Product/ingredient name	LogPow	BCF	Potential
Hydrochloric acid	0.25	-	low

### Mobility in soil

Soil/water partition	: Not available.
coefficient (Koc)	

Other adverse effects

: Release of large quantities into water may cause a pH-change resulting in danger for aquatic life.

# 13. Disposal considerations

### **Disposal methods**

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# 14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	UN1760	Corrosive liquids, n.o. s. (Hydrochloric acid)	8	11	$\diamondsuit$	Limited quantity
TDG Classification	UN1760	CORROSIVE LIQUID, N.O.S. (Hydrochloric acid)	8	II	$\diamond$	Limited quantity
Mexico Classification	Not applicable	Not applicable.	Not applicable	N/A		Not applicable.
IMDG Class	UN1760	CORROSIVE LIQUID, N.O.S. (Hydrochloric acid). Marine pollutant (Amines, tallow alkyl, ethoxylated, Alcohols, C12-16, ethoxylated)	8	11	$\diamond$	Limited quantity
IATA-DGR Class	UN1760	Corrosive liquid, n.o.s. (Hydrochloric acid)	8	11	R R R R R R R R R R R R R R R R R R R	See DG-List.

# **14. Transport information**

PG\* : Packing group

# 15. Regulatory information

U.S. Federal regulations	<ul> <li>TSCA 8(a) CDR Exempt/Partial exemption: Not determined</li> <li>United States inventory (TSCA 8b): All components are listed or exempted.</li> <li>Clean Water Act (CWA) 311: Hydrochloric acid</li> <li>Clean Air Act (CAA) 112 regulated flammable substances: Hydrochloric acid</li> </ul>
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Listed
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed
DEA List II Chemicals (Essential Chemicals)	: Listed
CADA 202/204	

### SARA 302/304

**Composition/information on ingredients** 

			SARA 302 TPQ		SARA 304 RQ	
Name	%	EHS	(lbs)	(gallons)	(lbs)	(gallons)
Hydrochloric acid	5 - 10	Yes.	500	59940.1	5000	599400.8

### SARA 304 RQ

: 51551.7 lbs / 23404.5 kg [5916.6 gal / 22396.6 L]

### SARA 311/312

**Classification** 

: Reactive

Immediate (acute) health hazard

#### Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Hydrochloric acid	5 - 10	No.	No.	No.	Yes.	No.
Amines, tallow alkyl, ethoxylated	1 - 2.5	No.	No.	No.	Yes.	No.
Alcohols, C12-16, ethoxylated	1 - 2.5	No.	No.	No.	Yes.	No.

#### **SARA 313**

	Product name	CAS number	%
Form R - Reporting requirements	Hydrochloric acid	7647-01-0	9.699
Supplier notification	Hydrochloric acid	7647-01-0	9.699

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

#### **State regulations**

Code # : FF0259960 (D0102520) Prof

#### 15. Regulatory information **Massachusetts** : The following components are listed: HYDROGEN CHLORIDE **New York** : The following components are listed: Hydrochloric acid **New Jersey** : The following components are listed: HYDROGEN CHLORIDE; HYDROCHLORIC ACID Pennsylvania : The following components are listed: HYDROCHLORIC ACID Label elements Signal word: : Danger Hazard statements : Harmful or fatal if swallowed. Harmful if absorbed through the skin. Corrosive Causes irreversible eye damage Corrosive CAUSES SKIN BURNS. **Precautionary measures** : Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/ eye protection/face protection. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash it before reuse. Do not breathe vapor. Keep out of reach of children. Contains Hydrochloric acid.

# 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

# 16. Other information

Key to abbreviations	<ul> <li>ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations</li> </ul>
Date of issue	: 23/11/2015.
Date of previous issue	: 26/05/2010.
Version	: 1
Prepared by	: Reckitt Benckiser LLC. Product Safety Department 1 Philips Parkway Montvale, New Jersey 07646-1810 USA. FAX: 201-476-7770

### **Revision comments** : Update as per US GHS.

✓ Indicates information that has changed from previously issued version.

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



RB is a member of the CSPA Product Care Product Stewardship Program.

#### MSDS # 35878

# Page 1 of 4 SCRUBBING BUBBLES<sup>®</sup> BATHROOM CLEANER

#### Date Issued: 30Jan2006 Supersedes: New US MANUFACTURER: CANADIAN MANUFACTURER: S.C. Johnson and Son, Limited S.C. Johnson & Son, Inc. Phone: (800) 725-6737 Phone: (800) 725-6737 1 Webster Street Racine, Wisconsin 53403-2236 Emergency Phone: (866) 231-5406 Brantford, Ontario N3T 5R1 International Emergency Phone: Transportation Emergency: (952) 852-4647 CANUTEC (collect) (613) 996-6666 Poison Control: (866) 231-5406 HAZARD RATING HMIS HAZARD NFPA DISTRIBUTED IN CANADA BY: ----- S.C. Johnson and Son, Limited 4-Very High1Health1Phone: (800) 725-67373-High4Flammability41Webster Street2-Moderate0Reactivity0Brantford, Ontario N3T 5R11-Slight5Snaglal1 1-Sliqht Special 0-Insignificant ------ SECTION 1 - PRODUCT IDENTIFICATION ------PRODUCT NAME..... SCRUBBING BUBBLES® BATHROOM CLEANER REASON FOR CHANGE..... New. PRODUCT USE..... Household: Disinfectants ------ SECTION 2 - INGREDIENT INFORMATION ------INGREDIENT WEIGHT% EXPOSURE LIMIT/TOXICITY \_\_\_\_\_ \_\_\_\_ Quaternary Ammonium Compound.<.5</th>NOT ESTABLISHEDTetrasodium salt of edta.3-7NOT ESTABLISHED Water (CAS# 7732-18-5)..... 70 - 80 NOT ESTABLISHED ROUTE(S) OF ENTRY..... Eye contact. Skin contact. Inhalation. EFFECTS OF ACUTE EXPOSURE: EYE..... May cause: Mild eye irritation. SKIN..... Prolonged or repeated contact may cause: Mild skin irritation. INHALATION...... None known. INGESTION..... None known. MEDICAL CONDITIONS..... None known. GENERALLY RECOGNIZED AS BEING AGGRAVATED BY EXPOSURE ------ SECTION 4 - FIRST AID MEASURES ------EYE CONTACT.... Flush immediately with plenty of water for at least 15 to 20 minutes. If irritation develops, get medical attention. Flush immediately with plenty of water for at least 15 to 20 SKIN CONTACT..... minutes. If irritation persists, get medical attention.

INHALATION..... If breathing is affected, remove to fresh air. Get medical attention.

INGESTION..... Contact nearest Poison Control Center or physician to determine whether to induce vomiting.

### MSDS # 35878

# Page 2 of 4 SCRUBBING BUBBLES® BATHROOM CLEANER

Date Issued: 30Jan2006

Supersedes: New

SECTION 5 - FI	IRE AND EXPLOSION INFORMATION		
FLASH POINT FLAMMABLE LIMITS AUTOIGNITION TEMPERATURE			
SPECIAL FIREFIGHTING PROCEDURES	<ul> <li>Foam. CO2. Dry chemical. Water fog.</li> <li>Fire fighters should wear self-contained breathing apparatus and protective clothing. Cool and use caution when approaching or handling fire-exposed containers.</li> <li>Aerosol product - Containers may rocket or explode in heat of fire.</li> </ul>		
UNUSUAL FIRE AND EXPLOSION HAZARDS			
SECTION 6 - P	REVENTIVE RELEASE MEASURES		
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED	Eliminate all ignition sources. Absorb with oil-dri or similar inert material. Sweep or scrape up and containerize. Do not let spilled or leaking material enter watercourse.		
SECTION 7 - H	ANDLING AND STORAGE		
PRECAUTIONARY INFORMATION	CAUTION: KEEP OUT OF REACH OF CHILDREN. Avoid contact with eyes. If contact occurs, flush immediately with water. CONTENTS UNDER PRESSURE. Do not puncture or incinerate. Do not use near open fire, flames or heat. Exposure to temperatures above 130 F may		
OTHER HANDLING AND STORAGE CONDITIONS	cause bursting. Keep away from heat and flame. Keep out of reach of children.		
SECTION 8 - SI	PECIAL PROTECTION INFORMATION		
RESPIRATORY PROTECTION.	1 1		
VENTILATION PROTECTIVE GLOVES	<b>-</b>		
EYE PROTECTION			
OTHER PROTECTIVE MEASURES			
SECTION 9 - P	HYSICAL AND CHEMICAL PROPERTIES		
COLOR	Clear		
PRODUCT STATE	Dispensed as a spray mist.		
ODOR			
рН	11.5-12.4		
ODOR THRESHOLD	Not available.		
SOLUBILITY IN WATER SPECIFIC GRAVITY (H2O=1)	Complete ~ 1.00		
VISCOSITY	Not available		
VAPOR DENSITY (AIR=1)	Not available.		
EVAPORATION RATE (BUTYL ACETATE=1)	Not applicable.		
VAPOR PRESSURE (mm HG).	Not available.		
BOILING POINT	Not applicable.		
FREEZING POINT	Not available.		
COEFFICIENT OF	Not available.		
PERCENT VOLATILE BY VOLUME (%)	~ 95		

# Page 3 of 4 SCRUBBING BUBBLES® BATHROOM CLEANER

Date Issued: 30Jan2006

Supersedes: New

MSDS # 35878

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES (continued)			
VOLATILE ORGANIC COMPOUND (VOC)	~ 6 Glycol Ether. Hydrocarbon propellant		
THEORETICAL VOC (LB/GAL)	Not available.		
SECTION 10 - S	STABILITY AND REACTIVITY		
STABILITY	Stable		
STABILITY - CONDITIONS. TO AVOID	None known.		
INCOMPATIBILITY			
PRODUCTS	Produces normal products of combustion.		
HAZARDOUS POLYMERIZATION			
HAZARDOUS POLYMERIZATION - CONDITIONS TO AVOID	None known.		
SECTION 11 - '	TOXICOLOGY INFORMATION (Also See Section 3)		
LD50 (ACUTE ORAL TOX)	Not available.		
LD50 (ACUTE DERMAL TOX)			
LC50 (ACUTE INHALATION. TOX)			
EFFECTS OF CHRONIC EXPOSURE			
SENSITIZATION			
CARCINOGENICITY REPRODUCTIVE TOXICITY			
TERATOGENICITY			
MUTAGENICITY	None known.		
SECTION 12 - 1	ECOLOGICAL INFORMATION		
ENVIRONMENTAL DATA	See label for environmental hazards.		
SECTION 13 - 1	DISPOSAL CONSIDERATIONS		
	If possible, recycle empty aerosol can to nearest steel		
INFORMATION	recycling center. Use up package or give to someone who can.		
SECTION 14 - '	TRANSPORTATION INFORMATION		
US DOT INFORMATION	up-to-date shipping information.		
CANADIAN SHIPPING NAME.			
TDG CLASSIFICATION			
PIN/NIP PACKING GROUP			
EXEMPTION NAME			
	-		
SECTION 15 - ]	REGULATORY INFORMATION		

WHMIS CLASSIFICATION... Not applicable.

# Page 4 of 4 SCRUBBING BUBBLES<sup>®</sup> BATHROOM CLEANER

Date Issued: 30Jan2006

Supersedes: New

### ------ SECTION 15 - REGULATORY INFORMATION (continued) ------

All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

All ingredients in this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).

This product is not subject to the reporting requirements under California's Proposition 65.

----- SECTION 16 - OTHER INFORMATION ------

ADDITIONAL INFORMATION. NFPA 30B Level 1 Aerosol. EPA REGISTRATION #.... Not available.

----- PREPARATION INFORMATION ------

PREPARED BY..... Manufacturer's Technical Support Department. Refer to page 1 (Manufacturer) for contact information.

\_\_\_\_\_

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations. PRINT DATE: 30Jan2006

MSDS # 35878







### 1 - Identification

1 - Identification	
Trade Name: WD-40 Specialist High Performance	Canadian Office:
White Lithium Grease	WD-40 Products [Canada] Ltd.
	P.O. Box 220
Product Use: Cleaner, Lubricant	Toronto, Ontario M9C 4V3
	Information Phone #: (416) 622-9881
Restrictions on Use: None identified	Emergency Phone # 24 hr: Canutec: (613) 996-
	6666 -
SDS Date Of Preparation: November 18, 2016	Designated for use only in the event of chemical
	emergencies involving a spill, leak, fire exposure or
	accident involving chemicals

### 2 – Hazards Identification

WHMIS 2015/GHS Classification: Flammable Aerosol Category 1 Gas Under Pressure: Compressed Gas Aspiration Toxicity Category 1

Note: This product is a consumer product and is labeled in accordance with the Consumer Chemicals and Containers Regulations (CCCR) which take precedence over WHMIS 2015 labeling. The actual container label will not include the label elements below. The labeling below applies to industrial/professional products.

### Label Elements:



# IngredientCAS #Weight PercentWHMIS 2015/ GHS ClassificationPetroleum Solvent (LVP)64742-47-845-65%Aspiration Toxicity Category 164742-88-764742-88-764742-88-764742-88-7

Liquefied Petroleum Gas (n- Butane, Isobutane)	68476-86-8	30-40%	Flammable Gas Category 1 Gas Under Pressure, Compressed Gas
Petroleum Distillates, Hydrotreated Heavy Paraffin	64742-54-7	<10%	Not Hazardous
Calcium Sulfonate	Proprietary	<5%	Not Hazardous
Titanium Dioxide	13463-67-7	<1%	Carcinogen Category 2*

\* Carcinogen classification applies to respirable forms only. Not applicable to this product.

### 4 – First Aid Measures

**Ingestion (Swallowed):** Aspiration Hazard. DO NOT induce vomiting. Call physician, poison control center or the WD-40 Safety Hotline at 1-888-324-7596 immediately.

Eye Contact: Flush thoroughly with water. Get medical attention if irritation persists.

**Skin Contact:** Wash with soap and water. If irritation develops and persists, get medical attention. **Inhalation (Breathing):** If irritation is experienced, move to fresh air. Get medical attention if irritation or other symptoms develop and persist.

**Signs and Symptoms of Exposure:** Harmful or fatal if swallowed. Aspiration into the lungs during ingestion or vomiting may cause lung damage. May cause eye and respiratory irritation. Inhalation may cause coughing, headache and dizziness. Prolonged skin contact may cause drying of the skin.

Indication of Immediate Medical Attention/Special Treatment Needed: Immediate medical attention is needed for ingestion.

### 5 – Fire Fighting Measures

Suitable (and unsuitable) Extinguishing Media: Use water fog, dry chemical, carbon dioxide or foam. Do not use water jet or flooding amounts of water. Burning product will float on the surface and spread fire. Specific Hazards Arising from the Chemical: Extremely flammable aerosol. Contents under pressure. Keep away from ignition sources and open flames. Exposure of containers to extreme heat and flames can cause them to rupture often with violent force. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back. A vapor and air mixture can create an explosion hazard in confined spaces. Combustion will produce oxides of carbon, smoke, and unburned hydrocarbons.

**Special Protective Equipment and Precautions for Fire-Fighters**: Firefighters should always wear positive pressure self-contained breathing apparatus and full protective clothing. Cool fire-exposed containers with water. Use shielding to protect against bursting containers.

### 6 – Accidental Release Measures

**Personal Precautions, Protective Equipment and Emergency Procedures:** Wear appropriate protective clothing (see Section 8). Eliminate all sources of ignition and ventilate area.

**Methods and Materials for Containment/Cleanup:** Leaking cans should be placed in a plastic bag or open pail until the pressure has dissipated. Contain and collect liquid with an inert absorbent and place in a container for disposal. Clean spill area thoroughly. Report spills to authorities as required.

### 7 – Handling and Storage

Precautions for Safe Handling: Avoid contact with eyes and skin. Avoid breathing vapors or aerosols. Use only with adequate ventilation. Keep away from heat, sparks, pilot lights, hot surfaces and open flames. Unplug electrical tools, motors and appliances before spraying or bringing the can near any source of electricity. Electricity can burn a hole in the can and cause contents to burst into flames. To avoid serious burn injury, do not let the can touch battery terminals, electrical connections on motors or appliances or any other source of electricity. Wash thoroughly with soap and water after handling. Keep containers closed when not in use. Keep out of the reach of children. Do not puncture, crush or incinerate containers, even when empty. Intentional misuse by deliberately concentrating vapors and inhaling can be harmful or fatal.
Conditions for Safe Storage: Store in a cool, well-ventilated area, away from incompatible materials Do not store above 120°F or in direct sunlight. U.F.C (NFPA 30B) Level 3 Aerosol. Store away from oxidizers.

### 8 – Exposure Controls/Personal Protection

Chemical	Occupational Exposure limits	
Petroleum Solvent (LVP)	1200 mg/m3 TWA (manufacturer recommended)	
n-Butane	1000 ppm STEL ACGIH TLV	
	800 ppm TWA Canada- Québec	
	800 ppm TWA Canada- Ontario (as Aliphatic Hydrocarbon gases [C1-C4])	
	600 ppm TWA, 750 ppm STEL British Columbia	
Isobutane	1000 ppm STEL ACGIH TLV (as Butane, all isomers)	
	800 ppm TWA Canada- Ontario (as Aliphatic Hydrocarbon gases [C1-C4])	
Petroleum Distillates,	5 mg/m3 (inhalable) TWA ACGIH TLV (as mineral oil)	
Hydrotreated Heavy Paraffin	5 mg/m3 TWA, 10 mg/m3 STEL Canada-Ontario (as oil mist, mineral)	
	5 mg/m3 TWA, 10 mg/m3 STEL Canada-Québec (as oil mist, mineral)	
	1 mg/m3 TWA British Columbia (as Oil mist-mineral, severely refined)	
Calcium Sulfonate	None Established	
Titanium Dioxide	10 mg/m3 TWA ACGIH TLV	
	10 mg/m3 TWA Canada-Ontario	
	10 mg/m3 TWA Canada-Québec	
	10 mg/m3 TWA British Columbia	

The Following Controls are Recommended for Normal Consumer Use of this Product Appropriate Engineering Controls: Use in a well-ventilated area.

Personal Protection:

**Eye Protection:** Avoid eye contact. Always spray away from your face.

Skin Protection: Avoid prolonged skin contact. Chemical resistant gloves recommended for operations where skin contact is likely.

**Respiratory Protection:** None needed for normal use with adequate ventilation.

#### For Bulk Processing or Workplace Use the Following Controls are Recommended

**Appropriate Engineering Controls:** Use adequate general and local exhaust ventilation to maintain exposure levels below that occupational exposure limits.

**Personal Protection:** 

**Eye Protection:** Safety goggles recommended where eye contact is possible.

Skin Protection: Wear chemical resistant gloves.

**Respiratory Protection:** None required if ventilation is adequate. If the occupational exposure limits are exceeded, wear a NIOSH approved respirator. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice. **Work/Hygiene Practices:** Wash with soap and water after handling.

#### 9 – Physical and Chemical Properties

Appearance:	Colorless liquid	Flammable Limits:	LEL: 0.6% UEL: 5%
			(Petroleum Solvent)
Odor:	Petroleum odor	Vapor Pressure:	0.009 kPa (0.07 mm Hg)
			at 20 C
Odor Threshold:	Not established	Vapor Density:	5.3 (Petroleum Solvent)
pH:	Not Applicable	Relative Density:	0.87
Melting/Freezing Point:	Not established	Solubilities:	Insoluble in water
Boiling Point/Range:	221-271°C (430-520°F)	Partition Coefficient; n-	Not established
	(Petroleum Solvent)	octanol/water:	
Flash Point:	<-30°C (-22°F) (CC	Autoignition	Not established
	ASTM D3828)	Temperature:	
Evaporation Rate:	Not established	Decomposition	Not established
		Temperature:	
Flammability (solid, gas):	Flammable Aerosol	Viscosity:	Not established
VOC:	40%	Pour Point:	Not established

### 10 – Stability and Reactivity

Reactivity: Not reactive under normal conditions

Chemical Stability: Stable

Possibility of Hazardous Reactions: May react with strong oxidizers generating heat.

**Conditions to Avoid:** Avoid heat, sparks, flames and other sources of ignition. Do not puncture or incinerate containers.

Incompatible Materials: Strong oxidizing agents, acids and bases.

**Hazardous Decomposition Products:** Carbon monoxide, carbon dioxide, smoke, and unburned hydrocarbons.

### 11 – Toxicological Information

#### Symptoms of Overexposure:

**Inhalation:** Mist or vapor can irritate the throat and lungs. High concentrations may cause nasal and respiratory irritation and central nervous system effects such as headache, dizziness and nausea. Intentional abuse may be harmful or fatal.

**Skin Contact:** May cause skin irritation with short-term exposure with redness, itching and burning of the skin. Prolonged and/or repeated contact may produce defatting and dermatitis.

**Eye Contact:** Contact may be irritating to eyes. May cause redness, stinging, swelling and tearing. **Ingestion:** Swallowing is an unlikely route of exposure for an aerosol product. If swallowed, this material may cause irritation of the mouth, throat and esophagus. Swallowing may cause gastrointestinal irritation, nausea, vomiting, diarrhea, dizziness, drowsiness and other central nervous system effects. This product is an aspiration hazard. If swallowed, can enter the lungs and may cause chemical pneumonitis, severe lung damage and death.

Chronic Effects: None expected.

**Carcinogen Status:** This product contains Titanium dioxide which is listed by IARC as a suspected carcinogen (2B). Titanium dioxide only presents a risk of cancer by inhalation of very fine dust. In this product, the titanium dioxide is incorporated into the grease and is not present as a respirable dust. There is no exposure to respirable titanium dioxide dust in the normal use of this product. None of the other components are listed as a carcinogen or suspected carcinogen by IARC, NTP, ACGIH, or OSHA. **Reproductive Toxicity:** None of the components is considered a reproductive hazard.

#### Numerical Measures of Toxicity:

The oral toxicity of this product is estimated to be greater than 5,000 mg/kg and the dermal toxicity greater than 2,000 mg/kg based on an assessment of the ingredients. This product is not classified as toxic by established criteria. It is an aspiration hazard.

#### 12 – Ecological Information

Ecotoxicity: No specific aquatic toxicity data is currently available. Persistence and Degradability: No data available Bioaccumulative Potential: No data available Mobility in Soil: No data available Other Adverse Effects: None known

#### 13 - Disposal Considerations

Aerosol containers should not be punctured, compacted in home trash compactors or incinerated. Empty containers may be disposed of through normal waste management options. Dispose of all waste product, absorbents, and other materials in accordance with applicable Federal, state and local regulations.

#### 14 – Transportation Information

DOT Surface Shipping Description: UN1950, Aerosols, 2.1 Ltd. Qty (Note: Shipping Papers are not required for Limited Quantities unless transported by air or vessel – each package must be marked with the Limited Quantity Mark) Canadian TDG Classification: Limited Quantity IMDG Shipping Description: UN1950, Aerosols, 2.1, LTD QTY ICAO Shipping Description: UN1950, Aerosols, flammable, 2.1 NOTE: WD-40 Company does not test aerosol cans to assure that they meet the pressure and other requirements for transport by air. We do not recommend that our aerosol products be transported by air.

#### 15 – Regulatory Information

**National Pollutant Release Inventory (NPRI):** This product contains the following chemicals that are listed on the NPRI Substance List: Petroleum Solvent (LVP) (64742-47-8, 64742-88-7) 45-65%, Liquefied Petroleum Gas (n-Butane, Isobutane) 30-40%

**Canadian Environmental Protection Act:** All of the ingredients are listed on the Canadian Domestic Substances List or exempt from notification.

### 16 – Other Information

HMIS Hazard Rating:

Health – 1 (slight hazard), Fire Hazard – 4 (severe hazard), Physical Hazard – 0 (minimal hazard)

Revision Date: November 18, 2016

Supersedes: January 23, 2015

Prepared by: Industrial Health & Safety Consultants, Inc. Shelton, CT, USA

Reviewed by: I. Kowalski

Regulatory Affairs Department

3025100/No.0052002