

Safety Data Sheets

IT



Bldg D, Bisbee

11/25/2019



Safety Data Sheet Index
Binder: Bldg D, Bisbee - IT

Product Name	CAS Number	Manufacturer	Version Date	Page
21 GLASS CLEANER CONCENTRATE - 21 GLASS CLEANER CONCENTRATE		WAXIE SANITARY SUPPLY	09/06/2013	4
3m brand carpet spot remover & upholstery cleaner - 3m brand carpet spot remover & upholstery cleaner		3M - Home & Commercial Care	12/18/1996	6
ACE Hardware 50 Year Silicone Sealant – Fed Spec - ACE Hardware 50 Year Silicone Sealant – Fed Spec		Red Devil, Inc.	02/28/2007	12
CLEANING WIPES - 100 COUNT PRE-MOISTENED WIPES; 40 COUNT PRE-MOISTENED WIPES - CLEANING WIPES - 100 COUNT PRE-MOISTENED WIPES; 40 COUNT PRE-MOISTENED WIPES		Office Depot Inc	10/01/2000	14
CLOROX DISINFECTANT WIPES - CLOROX DISINFECTANT WIPES		The Clorox Company	07/01/2006	16
COLORPLACE RUST CONTROL Spray Paint - COLORPLACE RUST CONTROL Spray Paint		WAL-MART STORES INC	06/08/2004	17
Dust-Off Compressed Gas Duster - Dust-Off Compressed Gas Duster		Falcon Safety Products, Inc	05/15/2018	23
Febreze Air Effects Aerosol Air Refresher - Aerosol Air Refresher		The Procter & Gamble Company, P and G Household Care	03/01/2014	29
Fellowes Powershred Shredder Lubricant 35250 - 35250 Fellowcs Powershred Shredder Lubricant	120962-03-0	Fellowes, Inc.	02/10/2012	35
Goo Gone- 4 oz. - Goo Gone		Goo Gone	11/28/2017	38
Great Value Disinfecting Wipes - Great Value Disinfecting Wipes		U.S. Nonwovens Corp.	06/16/2010	43
KENSINGTON PHONE GUARDIAN WIPES #31420 - KENSINGTON PHONE GUARDIAN WIPES #31420		ACL, Inc.	05/13/1999	44
Lysol Brand (Kills 99.9% of Viruses & Bacteria) Disinfecting Wipes, All Scents space - Lysol Brand (Kills 99.9% of Viruses & Bacteria) Disinfecting Wipes, All Scents space		Reckitt Benckiser	07/09/2010	47
Poli-Kleen Wax Polish - Poli-Kleen Wax Polish		WAXIE SANITARY SUPPLY	08/29/2012	54
PURELL Hand Sanitizer - PURELL Hand Sanitizer		GOJO Industries, Inc.	03/19/2015	60
PURELL Sanitizing Wipes - PURELL Sanitizing		GOJO Industries, Inc.	03/19/2015	75

Product Name	CAS Number	Manufacturer	Version Date	Page
Wipes				
Screen Wipes, 100ct SKU 775488 (model 16982) [STP08002] - Screen Wipes, 100ct SKU 775488 (model 16982) [STP08002]		Systemcare Products Ltd	01/01/2011	87
SCRUBS Hand Sanitizer Wipes - SCRUBS Hand Sanitizer Wipes	64-17-5	Dymon - ITW	02/13/2009	94
Staples Screen Cleaner 8 oz - Staples Screen Cleaner 8 oz		Systemcare Products Ltd	10/01/2008	97
Surface Disinfectant and Deodorant (STP-18481)(BPR223A16) - Surface Disinfectant and Deodorant (STP-18481)(BPR223A16)		Staples Contract & Commercial, Inc.	08/31/2010	101
WD-40 Aerosol - WD-40-Aerosol		WD-40 Company	12/28/2017	108
Wet and Dry - Wet and Dry		Advantus Corporation	01/01/2008	113



29 CFR 1910.1200

OMB No. 1218-0072

Identity # 950321; 950322

Name 21 GLASS CLEANER CONCENTRATE

Section 1

Manufactured For - Waxie Sanitary Supply
Address - 9353 Waxie Way Emergency Phone (Chem-Tel) 1-(800) 255-3924
City - San Diego State - CA 92123-1036 Phone - (800) 995-4466

Date Prepared- 9/6/2013

Section 2 - Hazardous Ingredients/Identity Information

Hazardous Components	CAS#	OSHA PEL	ACGIH TLV	Weight% (Optional)
Isopropanol	67630	400PPM	400PPM	
2-Butoxy Ethanol *	111762	25PPM	25PPM	
Ammonia Hydroxide *	1336216	35PPM	35PPM	

Note: * A SARA 313 Chemical

VOC Content- 59.4 g/L

Section 3 - Physical/Chemical Characteristics

Boiling Point- >212 F	Specific Gravity- 0.990
Vapor Pressure - Not Tested	Melting Point - Not Tested
Vapor Density - Not Tested	Evaporation Rate - Not Tested
Solubility In Water- 100%	
Appearance and Odor- BLUE/AMMONIA ODOR	

Section 4 - Fire and Explosion Hazard Data

Flash Point- >212 F	Flammable Limits - Not Tested
LEL- None	UEL- None
pH- 10.0-11.0	
DOT# NONE	
NFPA Hazard Rating - H F R S	HMIS Hazard Rating - H F R
(0- Least, 4- Extreme) 1 0 0 0	1 0 0
Extinguishing Media- CO2, DRY FOAM	
Special Fire Fighting Procedures NONE	
Unusual Fire and Explosion Hazards NONE	

Section 5 - Reactivity Data

Stability - Stable

Conditions to Avoid - None

Incompatible Materials to Avoid- Strong Oxidizers, Heat, Flames

Hazardous Decomposition or Byproducts- CO, CO2

Hazardous Polymerization- NONE

Conditions to Avoid- None

Routes of Entry

Inhalation? - Possible

Skin? - Possible

Ingestion? - Possible

Health Hazards - Same as Signs and Symptoms of Exposures

Note - All Chemicals in this Product are Found on the TSCA Inventory List.

OSHA Carcinogenicity? - None; NTP? - None; IARC Monographs? - None.

Signs and symptoms of overexposure:

Eyes - Burning Sensation.

Skin- Irritant

Ingestion- Irritant, Nausea

Inhalation- Irritation

Medical Conditions Generally Aggravated by Exposure - Same as Signs and Symptoms of Over Exposure.

Emergency and First Aid Procedures

Eyes -

Skin- Wash Off With Soap & Water, If Irritation Persists, Call Physician

Ingestion- Drink Large Amounts of Water, Call Physician

Inhalation- Get Person to Fresh Air If Unconscious, Call Physician

Section 7 - Precautions For Safe Handling and Use.

Steps to be taken in case material is released or spilled - Contain with an inert, absorbent material. Collect in an approved container and place in a proper waste disposal container.

Waste Disposal Method - Dispose of in accordance with state and local regulations.

Precautions To Be Taken In Handling and Storing - Store in a cool, dry place, out of direct sunlight. Do not freeze, less than or equal to 32 F, or heat above 110 F.

Other Precautions - Keep out of reach of children. Follow directions on the container for proper use of this product.

Section 8 - Control Measures

Respiratory Protection - Open all doors and windows. "If" there is an exposure, and it is above the TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CFR 1910.134, is required.

Ventilation	Local Exhaust - If Available	Special - None
	Mechanical - If Available	Other - None

Protective Gloves- Plastic or Rubber, Chemical Resistant

Eye Protection- Glasses, Goggles

Other Protective Clothing or Equipment- None

Hygienic Work Practices - Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

Other Special Requirements

Note: Waxie believes the data set forth are accurate, Waxie makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion

MATERIAL SAFETY DATA SHEET
 3M
 3M Center
 St. Paul, Minnesota
 55144-1000
 (612) 733-1110

Copyright, 1996, Minnesota Mining and Manufacturing Company.
 All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that:

- 1) the information is copied in full with no changes unless prior agreement is obtained from 3M, and
- 2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

DIVISION: HOME AND COMMERCIAL CARE DIVISION

TRADE NAME:

3M Brand CARPET SPOT REMOVER & UPHOLSTERY CLEANER

ID NUMBER/U.P.C.:

61-5000-0319-1 00-48011-08114-4 61-5000-6133-0 00-48011-14003-2
 FZ-0100-0469-0 - - - FZ-0100-0472-4 - - -
 XN-1014-3527-1 - - -

ISSUED: December 18, 1996
 SUPERSEDES: August 22, 1996
 DOCUMENT: 10-2821-6

1. INGREDIENT	C.A.S. NO.		PERCENT
WATER.....	7732-18-5	60	- 90
PROPANE.....	74-98-6	3	- 7
2-BUTOXYETHANOL.....	111-76-2	1	- 5
SODIUM OLEYLMETHYLTAURIDE.....	137-20-2	1	- 5
MALEIC ANHYDRIDE-STYRENE COPOLYMER AMMONIUM SALT.....	26022-09-3	1	- 5
ISOBUTANE.....	75-28-5	0.5	- 1.5

IN CASE OF EMERGENCY: THE NUMBER AT THE TOP OF THIS PAGE PROVIDES 24 HOUR RESPONSE FROM ANY PHONE FOR ALL EMERGENCIES WITH THIS PRODUCT.

This product contains the following toxic chemical or chemicals subject to the reporting requirements of Section 313 of Title III of the Emergency Planning and Community Right-To-Know Act of 1986 and 40 CFR Part 372:
 2-BUTOXYETHANOL

2. PHYSICAL DATA

BOILING POINT:..... ca. 212 F
 VAPOR PRESSURE:..... N/D
 VAPOR DENSITY:..... N/D
 EVAPORATION RATE:..... N/D
 SOLUBILITY IN WATER:..... complete
 SPECIFIC GRAVITY:..... ca. 1 Water=1
 PERCENT VOLATILE:..... ca. 90 %

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: 3M Brand CARPET SPOT REMOVER & UPHOLSTERY CLEANER
December 18, 1996

PAGE 2

2. PHYSICAL DATA (continued)

pH:..... ca. 9.2
VISCOSITY:..... N/D
MELTING POINT:..... N/D

APPEARANCE AND ODOR:

Aerosol, liquid, clear, mild odor

3. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:..... N/A
FLAMMABLE LIMITS - LEL:..... N/D
FLAMMABLE LIMITS - UEL:..... N/D
AUTOIGNITION TEMPERATURE:..... N/D

EXTINGUISHING MEDIA:

Water spray, Carbon dioxide, Dry chemical, Foam

SPECIAL FIRE FIGHTING PROCEDURES:

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

Closed containers exposed to heat from fire may build pressure and explode.

NFPA HAZARD CODES: HEALTH: 1 FIRE: 1 REACTIVITY: 0
UNUSUAL REACTION HAZARD: none

4. REACTIVITY DATA

STABILITY: Stable

INCOMPATIBILITY - MATERIALS/CONDITIONS TO AVOID:

Heat.

HAZARDOUS POLYMERIZATION: Hazardous polymerization will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS:

Carbon Monoxide and Carbon Dioxide.

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: 3M Brand CARPET SPOT REMOVER & UPHOLSTERY CLEANER
December 18, 1996

PAGE 3

5. ENVIRONMENTAL INFORMATION

SPILL RESPONSE:

Refer to other sections of this MSDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment. In the U.S.A., call (612) 733-1110 or (612) 733-6100 for 24-hour spill assistance. Ventilate area. Collect spilled material. Clean up residue with water. Place in a U.S. DOT-approved container.

RECOMMENDED DISPOSAL:

Flush spent solutions and small quantities (less than 5 gal.(19 L)) to a wastewater treatment system. Reduce discharge rate if foaming occurs. Incinerate in a permitted hazardous waste incinerator in the presence of a combustible material. Do not puncture or burn cans in a household incinerator. Facility must be capable of handling aerosol cans. Dispose of empty cans in a sanitary landfill.

ENVIRONMENTAL DATA:

Not determined.

REGULATORY INFORMATION:

Volatile Organic Compounds: 60 - 70 gms/liter South Coast Air Quality Mgmt Dist Method Rule 443.1, calculated.
VOC Less H₂O & Exempt Solvents: N/D.

Since regulations vary, consult applicable regulations or authorities before disposal. U.S. EPA Hazardous Waste Number = None (Not U.S. EPA Hazardous).

All chemicals used in the manufacture of this material are listed on the following chemical inventories: AICS (Australia), CDSL (Canada), EINECS (Europe), Korea, TSCA (U.S.)

EPCRA HAZARD CLASS:

FIRE HAZARD: No PRESSURE: Yes REACTIVITY: No ACUTE: Yes CHRONIC: No

6. SUGGESTED FIRST AID

EYE CONTACT:

Immediately flush eyes with large amounts of water. Get immediate medical attention.

SKIN CONTACT:

Flush skin with large amounts of water. If irritation persists, get medical attention.

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: 3M Brand CARPET SPOT REMOVER & UPHOLSTERY CLEANER
December 18, 1996

PAGE 4

6. SUGGESTED FIRST AID (continued)

INHALATION:

If signs/symptoms occur, remove person to fresh air. If signs/symptoms continue, call a physician.

IF SWALLOWED:

Do not induce vomiting. Drink two glasses of water. Call a physician.

7. PRECAUTIONARY INFORMATION

EYE PROTECTION:

Avoid eye contact.

SKIN PROTECTION:

Avoid prolonged or repeated skin contact.

RECOMMENDED VENTILATION:

Use in a well-ventilated area.

RESPIRATORY PROTECTION:

Avoid prolonged breathing of spray or mists.

PREVENTION OF ACCIDENTAL INGESTION:

Do not ingest.

RECOMMENDED STORAGE:

Store at temperatures below 120 degrees F (49 degrees C). Keep out of the reach of children.

FIRE AND EXPLOSION AVOIDANCE:

Aerosol container contains flammable gas under pressure. Do not pierce or burn container, even after use.

EXPOSURE LIMITS

INGREDIENT	VALUE	UNIT	TYPE	AUTH	SKIN*
WATER.....	NONE	NONE	NONE	NONE	
PROPANE.....	1000	PPM	TWA	OSHA	
PROPANE.....	NONE	NONE	NONE	ACGIH	
	Simple asphyxiant				
2-BUTOXYETHANOL.....	25	PPM	TWA	ACGIH	Y
2-BUTOXYETHANOL.....	25	PPM	TWA	OSHA	Y
SODIUM OLEYLMETHYLTAURIDE.....	NONE	NONE	NONE	NONE	
MALEIC ANHYDRIDE-STYRENE COPOLYMER AMMONIUM SALT.....	NONE	NONE	NONE	NONE	
ISOBUTANE.....	NONE	NONE	NONE	NONE	

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: 3M Brand CARPET SPOT REMOVER & UPHOLSTERY CLEANER
December 18, 1996

PAGE 5

EXPOSURE LIMITS (continued)

INGREDIENT	VALUE	UNIT	TYPE	AUTH	SKIN*
------------	-------	------	------	------	-------

* SKIN NOTATION: Listed substances indicated with 'Y' under SKIN refer to the potential contribution to the overall exposure by the cutaneous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption.

SOURCE OF EXPOSURE LIMIT DATA:

- ACGIH: American Conference of Governmental Industrial Hygienists
- OSHA: Occupational Safety and Health Administration
- NONE: None Established

8. HEALTH HAZARD DATA

EYE CONTACT:

Mild Eye Irritation: signs/symptoms can include redness, swelling, pain, and tearing.

SKIN CONTACT:

Mild Skin Irritation (after prolonged or repeated contact): signs/symptoms can include redness, swelling, and itching.

May be absorbed through the skin and produce effects similar to those caused by inhalation and/or ingestion.

INHALATION:

Irritation (upper respiratory): signs/symptoms can include soreness of the nose and throat, coughing and sneezing.

IF SWALLOWED:

Ingestion may cause:

Irritation of Gastrointestinal Tissues: signs/symptoms can include pain, vomiting, abdominal tenderness, nausea, blood in vomitus, and blood in feces.

SECTION CHANGE DATES

HEADING	SECTION CHANGED SINCE	ISSUE
	August 22, 1996	

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: 3M Brand CARPET SPOT REMOVER & UPHOLSTERY CLEANER
December 18, 1996

PAGE 6

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.

Material Safety Data Sheet

Series:
 #11315, 11316, 11959, 11960,
 11961, 18407, 1213222,
 1002617, 1063494, 1063502,
 1213214, 1213230, 1213263,
 1213271, 1213404, 1213487

MSDS # 0081

NFPA Rating: 1-0-0
HMIS Rating: 1-0-0-B

SECTION I

EMERGENCY TELEPHONE NO.

TRADE NAME (IF NONE, PUT CHEMICAL) ACE Hardware 50 Year Silicone Sealant – Fed Spec

(918) 825-5744 (24 Hrs.)

MANUFACTURER'S NAME AND TELEPHONE NO. Red Devil, Incorporated (918) 825-5744

ADDRESS (Number, Street, City, State, Zip Code) 4175 Webb Street, Pryor, Oklahoma 74361

SECTION II - HAZARDOUS INGREDIENTS

%	TLV	PEL	UNITS
---	-----	-----	-------

Silica** [7631-86-9] (as Amorphous silica, total dust)	11	20	20	mg/m3
Dimethylsiloxane, hydroxy-terminated (70131-67-8)	< 60	NE	NE	
Ethyltriacetoxysilane*** (17689-77-9)	2	NE	NE	
Methyltriacetoxysilane*** [4253-34-3]	2	10	10	ppm
Polydimethylsiloxane (63148-62-9)	1 - 5	10	10	ppm
Titanium dioxide** (in white product only) - (as nuisance particulate, total) [13463-67-7]	2	10	15	mg/m3
Non-hazardous ingredients*	>75	NA	NA	

*Unlisted ingredients are not considered hazardous under the OSHA Hazard Communication Standard (29 CFR 1910).
 **Inhalation of particulates unlikely due to product's physical state
 ***Observe limits for acetic acid, formed during curing on exposure to water or humid air. VOC: 3.1%/wt, CARB Compliant: YES, Prop 65: NONE

SECTION III - PHYSICAL DATA

BOILING POINT (°F)	NE	SPECIFIC GRAVITY (H₂O=1)	1.03
VAPOR PRESSURE (MM Hg.)	NE	PERCENT VOLATILES BY VOLUME (%)	1.0 to 1.5 by wt.
VAPOR DENSITY (AIR=1)	>1	pH	NE
SOLUBILITY IN WATER	Insoluble	EVAPORATION RATE	NA

APPEARANCE AND ODOR Thick liquid/sealant consistency; slight vinegar odor

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method used)	>200°F	FLAMMABLE LIMITS	LEL	NE	UEL	NE
EXTINGUISHING MEDIA	Carbon dioxide or foam					
SPECIAL FIRE FIGHTING PROCEDURES	No special procedures required.					
UNUSUAL FIRE AND EXPLOSION HAZARDS	None known					

NA - Not Applicable

NE - Not Established

UN - Unavailable

SECTION V - HEALTH HAZARD INFORMATION

SYMPTOM/EFFECTS OR OVEREXPOSURE

Eye, nose and throat irritation. Possible skin irritation.

FIRST AID

EYES

Immediately flush eyes with large amounts of water while holding the eyelids open. Get medical attention if irritation persists.

SKIN

Wipe material from skin with cloth or paper towel, then wash exposed area with soap and water. Get medical help if irritation persists.

INHALATION

Move victim to fresh air. Get medical help if irritation persists.

INGESTION

Contact local poison control center or physician IMMEDIATELY!

SECTION VI - REACTIVITY DATA

STABILITY

Normally stable. Avoid extreme heat

INCOMPATIBLE MATERIALS

Moisture will release acetic acid vapor

HAZARDOUS DECOMPOSITION PRODUCTS

Silicon dioxide, Carbon monoxide, Carbon dioxide, traces of formaldehyde

SECTION VII - SPILL OR LEAK PROCEDURES

PROCEDURES

Wear personal protective equipment (See Section VIII). Clean up with absorbent material.

WASTE DISPOSAL METHOD

Dispose of according to Local, State, and Federal regulations.

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY

Not normally required. If TLV is exceeded, or for symptoms of overexposure, wear a NIOSH-approved respirator for organic vapors.

EYEWEAR Wear safety glasses.

CLOTHING/GLOVES

Not normally required; in situations of extended skin contact, neoprene or other chemical resistant gloves are recommended.

VENTILATION

Local exhaust may be necessary under some handling/use conditions.

SECTION IX - SPECIAL PRECAUTIONS

Store in a closed container in dry area. NOTE: Do not wear contact lenses while applying this material, as acetic acid vapor may become trapped under lenses. This product does not contain ingredients listed in Section 313 of SARA Title III and 40 CFR 372.65. This product does not contain carcinogens (at 0.1% or greater) as defined by IARC, NTP or OSHA. PROPER SHIPPING NAME: N/A, HAZARD CLASS: N/A, UN/NA NUMBER: N/A, PACKING GROUP: N/A.

Reviewed By Larry G. Brandon VP Technology & General Manager February 28, 2007
NAME TITLE Date

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.



2200 Old Germantown Road ■ Delray Beach, Florida 33445
Phone: 561-272-5745

MATERIAL SAFETY DATA SHEET

Date: 10/00

I. PRODUCT IDENTIFICATION

Product Name: **CLEANING WIPES**
100 COUNT Pre-Moistened Wipes
40 COUNT Pre-Moistened Wipes
Chemical Description: Nonwoven wipes impregnated with a cleaning solution.

II. COMPOSITION

<u>Ingredients:</u>	<u>Q/O by Wt:</u>	<u>Hazard:</u>
Isopropanol	<10	Flammable
1-methoxy-2-propanol	<0.8	Flammable
Morpholine	<0.5	Skin Irritant

III. PHYSICAL DATA

Specific Gravity: NA	Boiling Point: N.D.
Vapor Density: N.D.	Vapor Pressure: N.D.
Appearance: Clear liquid.	Odor: Mild ammonia
Solubility in Water: Appreciable	pH: NA
Other:	

IV. HEALTH HAZARD DATA

Toxicity: Very low toxicity.

Effects of Overexposure: Moderately irritating to skin and eyes.

Emergency and First Aid Procedures:

Inhalation: Not a hazard for casual exposure.

Ingestion: Drink two glasses of water – no harmful effects are expected.

Skin Contact: Not perceived as a hazard for casual exposure.

Eye Contact: Flush with cold water for 5 minutes – consult a physician.



2200 Old Germantown Road ■ Delray Beach, Florida 33445
Phone: 561-272-5745

V. REACTIVITY DATA

Stability	Conditions to Avoid:
Stable X	Excessive heat.
Unstable	Conditions to Avoid:
Hazardous Polymerization: May Occur Will Not Occur X	

VI. FLAMMABILITY/EXPLOSIVE PROPERTIES

Flash Point:
>200° F

Flammable Limits in Air (% by volume)

Extinguishing Media: Water fog, foam, dry chemical or carbon dioxide.

Special Fire Fighting Procedures: None

Unusual Fire and Explosion Hazards: None

VII. SPILL OR LEAK PROCEDURES

Steps to be taken in case of spill or leak: Eliminate all ignition sources and ground any equipment. Take up with an absorbent material and place in secure containers.

Waste Disposal Method: Dispose of in accordance with local, state and federal regulations.

VIII. SHIPPING REGULATIONS

Type or Class:	DOT ORM-D
	IATA
Proper Shipping Name:	DOT Consumer Commodity
	IATA

NA = Not Applicable

N.D. = No Date



The Clorox Company
 1221 Broadway
 Oakland, CA 94612
 Tel. (510) 271-7000

Material Safety Data Sheet

I Product: CLOROX® DISINFECTING WIPES	
Description: FRAGRANCED, MOISTENED TOWELETTE	
Other Designations	Distributor
EPA Reg. No. 5813-58	Clorox Sales Company 1221 Broadway Oakland, CA 94612
Emergency Telephone Nos.	
For Medical Emergencies call: (800) 446-1014 For Transportation Emergencies Chemtrac (800) 424-9300	

II Health Hazard Data	III Hazardous Ingredients												
<p><u>Eye Contact:</u> Can cause moderate eye irritation.</p> <p><u>Ingestion:</u> Liquid should be practically non-toxic if ingested.</p> <p><u>Skin Contact:</u> Prolonged skin contact may produce minor irritation.</p> <p>FIRST AID: EYES- Flush with plenty of water. Call a physician if irritation persists. IF SWALLOWED- Drink a glassful of water. Call a physician or poison control center. SKIN- Wash thoroughly with soap and water after handling. INHALATION- If breathing is affected, move to fresh air.</p> <p>Under normal consumer use conditions the likelihood of any adverse health effects are low.</p>	<table border="1"> <thead> <tr> <th>Ingredient</th> <th>Concentration</th> <th>Worker Exposure Limit</th> </tr> </thead> <tbody> <tr> <td>n-Alkyl (C14, 60%; C16, 30% C12, 5%; C18, 5%) dimethylbenzyl ammonium chloride</td> <td>0.145%</td> <td>Not established</td> </tr> <tr> <td>n-Alkyl (C12, 68%, C14, 32%) Dimethyl Ethylbenzyl ammonium chloride</td> <td>0.145%</td> <td>Not established</td> </tr> <tr> <td>Isopropanol CAS #67-63-0</td> <td>1- 5%</td> <td>400 ppm/500 ppm¹ 400 ppm²</td> </tr> </tbody> </table> <p>¹1998 ACGIH, TLV-TWA/STEL TLV-TWA- Threshold Limit Value-Time Weighted Average. STEL- Short Term Exposure Limit ²PEL- OSHA Permissible Exposure Limit</p> <p>None of the ingredients in this product are on the IARC, NTP or OSHA carcinogen lists.</p>	Ingredient	Concentration	Worker Exposure Limit	n-Alkyl (C14, 60%; C16, 30% C12, 5%; C18, 5%) dimethylbenzyl ammonium chloride	0.145%	Not established	n-Alkyl (C12, 68%, C14, 32%) Dimethyl Ethylbenzyl ammonium chloride	0.145%	Not established	Isopropanol CAS #67-63-0	1- 5%	400 ppm/500 ppm ¹ 400 ppm ²
Ingredient	Concentration	Worker Exposure Limit											
n-Alkyl (C14, 60%; C16, 30% C12, 5%; C18, 5%) dimethylbenzyl ammonium chloride	0.145%	Not established											
n-Alkyl (C12, 68%, C14, 32%) Dimethyl Ethylbenzyl ammonium chloride	0.145%	Not established											
Isopropanol CAS #67-63-0	1- 5%	400 ppm/500 ppm ¹ 400 ppm ²											

IV Special Protection and Precautions	V Transportation and Regulatory Data
<p>No special protection or precautions have been identified for using this product under directed consumer use conditions.</p> <p>The following recommendations are given for production facilities and for other conditions and situations where there is increased potential for accidental, large-scale or prolonged exposure.</p> <p><u>Hygienic Practices:</u> Wear safety glasses. Use rubber or nitrile gloves if in contact liquid, especially for prolonged periods.</p> <p><u>Engineering Controls:</u> Use general ventilation to minimize exposure to vapor or mist.</p> <p><u>Work Practices:</u> Avoid eye and skin contact and inhalation of vapor or mist. Avoid contact with food. Not for personal cleansing.</p> <p>KEEP OUT OF THE REACH OF CHILDREN</p>	<p><u>U.S. DOT, IATA, IMG Hazard Class:</u> Not restricted.</p> <p><u>U.S. DOT Proper Shipping Name:</u> None</p> <p><u>EPA- SARA Title III/CERCLA:</u> Product may be regulated under Sections 311/312. This product contains no chemicals regulated under Section 304/CERCLA or Section 313.</p> <p><u>TSCA/DSL:</u> All chemicals in this product are listed on the TSCA Inventory. The DSL status for some components has not been determined.</p>

VI Spill Procedures/Waste Disposal	VII Reactivity Data
<p><u>Spill Procedures:</u> Absorb and containerize. Wash residual down to sanitary sewer. Contact the sanitary treatment facility in advance to assure ability to process washed down material.</p> <p><u>Waste Disposal:</u> Disposal must be made in accordance with applicable federal, state and local regulations.</p>	<p><u>Stability:</u> Mixing with sodium hypochlorite may release small amounts of formaldehyde gas.</p> <p><u>Storage/Disposal:</u> Do not use or store near heat or open flame.</p>

VIII Fire and Explosion Data	IX Physical Data
<p>Flashpoint: >119°F Method: Closed cup. Unusual Fire and Explosion Hazards: None</p>	<p>Flashpoint..... >119°F Specific Gravity..... 0.99 g/cc. pH..... 5.0-6.0 Solubility in Water..... Liquid is completely dispersible</p>

MATERIAL SAFETY DATA SHEET

21096
01 00

Section 1 -- PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NUMBER	21096	HMIS CODES	
		Health	2*
		Flammability	4
		Reactivity	0
PRODUCT NAME	COLORPLACE* RUST CONTROL Spray Paint		
MANUFACTURER'S NAME	Distributed by WAL-MART Stores Inc. Bentonville, AR 72716		
EMERGENCY TELEPHONE NO.	(216) 566-2917		
DATE OF PREPARATION	08-JUN-04	INFORMATION TELEPHONE NO.	(216) 566-2902

Section 2 -- COMPOSITION/INFORMATION ON INGREDIENTS

% by WT	CAS No.	INGREDIENT	UNITS	VAPOR PRESSURE
15	74-98-6	Propane		
		ACGIH TLV	2500 ppm	760 mm
		OSHA PEL	1000 ppm	
15	106-97-8	Butane		
		ACGIH TLV	800 ppm	760 mm
		OSHA PEL	800 ppm	
4	64742-89-8	Lt. Aliphatic Hydrocarbon Solvent		
		ACGIH TLV	100 ppm	53 mm
		OSHA PEL	100 ppm	
6	64742-89-8	V. M. & P. Naphtha		
		ACGIH TLV	300 ppm	12 mm
		OSHA PEL	300 ppm	
		OSHA PEL	400 ppm STEL	
16	108-88-3	Toluene		
		ACGIH TLV	50 ppm (Skin)	22 mm
		OSHA PEL	100 ppm (Skin)	
		OSHA PEL	150 ppm (Skin) STEL	
0.1	100-41-4	Ethylbenzene		
		ACGIH TLV	100 ppm	7.1 mm
		ACGIH TLV	125 ppm STEL	
		OSHA PEL	100 ppm	
		OSHA PEL	125 ppm STEL	
1	111-76-2	2-Butoxyethanol		
		ACGIH TLV	20 ppm (Skin)	0.88 mm
		OSHA PEL	20 ppm (Skin)	
19	67-64-1	Acetone		
		ACGIH TLV	500 ppm	180 mm
		ACGIH TLV	750 ppm STEL	
		OSHA PEL	1000 ppm	
6	14807-96-6	Talc		
		ACGIH TLV	2 mg/m3 as Resp. Dust	
		OSHA PEL	2 mg/m3 as Resp. Dust	

Continued on page 2

5 13463-67-7 Titanium Dioxide
ACGIH TLV 10 mg/m3 as Dust
OSHA PEL 10 mg/m3 Total Dust
OSHA PEL 5 mg/m3 Respirable Fraction

Section 3 -- HAZARDS IDENTIFICATION

ROUTES OF EXPOSURE

INHALATION of vapor or spray mist.

EYE or SKIN contact with the product, vapor or spray mist.

EFFECTS OF OVEREXPOSURE

EYES: Irritation.

SKIN: Prolonged or repeated exposure may cause irritation.

INHALATION: Irritation of the upper respiratory system.

May cause nervous system depression. Extreme overexposure may result in unconsciousness and possibly death.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

Headache, dizziness, nausea, and loss of coordination are indications of excessive exposure to vapors or spray mists.

Redness and itching or burning sensation may indicate eye or excessive skin exposure.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

None generally recognized.

CANCER INFORMATION

For complete discussion of toxicology data refer to Section 11.

Section 4 -- FIRST AID MEASURES

EYES: Flush eyes with large amounts of water for 15 minutes.
Get medical attention.

SKIN: Wash affected area thoroughly with soap and water.
Remove contaminated clothing and launder before re-use.

INHALATION: If affected, remove from exposure. Restore breathing.
Keep warm and quiet.

INGESTION: Do not induce vomiting.
Get medical attention immediately.

Section 5 -- FIRE FIGHTING MEASURES

FLASH POINT LEL UEL
Propellant < 0 F 0.9 12.8

EXTINGUISHING MEDIA

Carbon Dioxide, Dry Chemical, Foam

UNUSUAL FIRE AND EXPLOSION HAZARDS

Containers may explode when exposed to extreme heat.

Application to hot surfaces requires special precautions.

During emergency conditions overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent. Obtain medical attention.

Continued on page 3

=====

SPECIAL FIRE FIGHTING PROCEDURES

Full protective equipment including self-contained breathing apparatus should be used.

Water spray may be ineffective. If water is used, fog nozzles are preferable. Water may be used to cool closed containers to prevent pressure build-up and possible autoignition or explosion when exposed to extreme heat.

Section 6 -- ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Remove all sources of ignition. Ventilate the area.
Remove with inert absorbent.

Section 7 -- HANDLING AND STORAGE

STORAGE CATEGORY

Not Available

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE

Keep away from heat, sparks, and open flames. Vapors will accumulate readily and may ignite explosively.

During use and until all vapors are gone: Keep area ventilated - Do not smoke - Extinguish all flames, pilot lights, and heaters - Turn off stoves, electric tools and appliances, and any other sources of ignition.

Consult NFPA Code. Use approved Bonding and Grounding procedures.

Contents under pressure. Do not puncture, incinerate, or expose to temperature above 120F. Heat from sunlight, radiators, stoves, hot water, and other heat sources could cause container to burst. Do not take internally. Keep out of the reach of children.

Section 8 -- EXPOSURE CONTROLS/PERSONAL PROTECTION

PRECAUTIONS TO BE TAKEN IN USE

Use only with adequate ventilation.

Avoid contact with skin and eyes. Avoid breathing vapor and spray mist.

Wash hands after using.

This coating may contain materials classified as nuisance particulates (listed "as Dust" in Section 2) which may be present at hazardous levels only during sanding or abrading of the dried film. If no specific dusts are listed in Section 2, the applicable limits for nuisance dusts are ACGIH TIV 10 mg/m³ (total dust), 3 mg/m³ (respirable fraction), OSHA PEL 15 mg/m³ (total dust), 5 mg/m³ (respirable fraction).

Removal of old paint by sanding, scraping or other means may generate dust or fumes that contain lead. Exposure to lead dust or fumes may cause brain damage or other adverse health effects, especially in children or pregnant women. Controlling exposure to lead or other hazardous substances requires the use of proper protective equipment, such as a properly fitted respirator (NIOSH approved) and proper containment and cleanup. For more information, call the National Lead Information Center at 1-800-424-LEAD (in US) or contact your local health authority.

VENTILATION

Local exhaust preferable. General exhaust acceptable if the exposure to materials in Section 2 is maintained below applicable exposure limits. Refer to OSHA Standards 1910.94, 1910.107, 1910.108.

Continued on page 4

=====

RESPIRATORY PROTECTION

If personal exposure cannot be controlled below applicable limits by ventilation, wear a properly fitted organic vapor/particulate respirator approved by NIOSH/MSHA for protection against materials in Section 2.

When sanding or abrading the dried film, wear a dust/mist respirator approved by NIOSH/MSHA for dust which may be generated from this product, underlying paint, or the abrasive.

PROTECTIVE GLOVES

None required for normal application of aerosol products where minimal skin contact is expected. For long or repeated contact, wear chemical resistant gloves.

EYE PROTECTION

Wear safety spectacles with unperforated sideshields.

OTHER PRECAUTIONS

Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

=====

Section 9 -- PHYSICAL AND CHEMICAL PROPERTIES

PRODUCT WEIGHT	6.44 lb/gal	771 g/l
SPECIFIC GRAVITY	0.77	
BOILING POINT	<0 - 343 F	<-18 - 172 C
MELTING POINT	Not Available	
VOLATILE VOLUME	90 %	
EVAPORATION RATE	Faster than ether	
VAPOR DENSITY	Heavier than air	
SOLUBILITY IN WATER	N.A.	
pH	7.0	
VOLATILE ORGANIC COMPOUNDS (VOC Theoretical)		
Volatile Weight 59.41 % Less Water and Federally Exempt Solvents		

Section 10 -- STABILITY AND REACTIVITY

STABILITY -- Stable

CONDITIONS TO AVOID

None known.

INCOMPATIBILITY

None known.

HAZARDOUS DECOMPOSITION PRODUCTS

By fire: Carbon Dioxide, Carbon Monoxide

HAZARDOUS POLYMERIZATION

Will not occur

Continued on page 5

=====
 Section 11 -- TOXICOLOGICAL INFORMATION
 =====

CHRONIC HEALTH HAZARDS

Ethylbenzene is classified by IARC as possibly carcinogenic to humans (2B) based on inadequate evidence in humans and sufficient evidence in laboratory animals. Lifetime inhalation exposure of rats and mice to high ethylbenzene concentrations resulted in increases in certain types of cancer, including kidney tumors in rats and lung and liver tumors in mice. These effects were not observed in animals exposed to lower concentrations. There is no evidence that ethylbenzene causes cancer in humans.

Prolonged overexposure to solvent ingredients in Section 2 may cause adverse effects to the liver, urinary, blood forming, cardiovascular and reproductive systems.

Rats exposed to titanium dioxide dust at 250 mg./m³ developed lung cancer, however, such exposure levels are not attainable in the workplace.

Reports have associated repeated and prolonged overexposure to solvents with permanent brain and nervous system damage.

 =====
 TOXICOLOGY DATA

CAS No.	Ingredient Name				
74-98-6	Propane	LC50	RAT	4HR	Not Available
		LD50	RAT		Not Available
106-97-8	Butane	LC50	RAT	4HR	Not Available
		LD50	RAT		Not Available
64742-89-8	Lt. Aliphatic Hydrocarbon Solvent	LC50	RAT	4HR	Not Available
		LD50	RAT		Not Available
64742-89-8	V. M. & P. Naphtha	LC50	RAT	4HR	Not Available
		LD50	RAT		Not Available
108-88-3	Toluene	LC50	RAT	4HR	4000 ppm
		LD50	RAT		5000 mg/kg
100-41-4	Ethylbenzene	LC50	RAT	4HR	Not Available
		LD50	RAT		3500 mg/kg
111-76-2	2-Butoxyethanol	LC50	RAT	4HR	Not Available
		LD50	RAT		470 mg/kg
67-64-1	Acetone	LC50	RAT	4HR	Not Available
		LD50	RAT		5800 mg/kg
14807-96-6	Talc	LC50	RAT	4HR	Not Available
		LD50	RAT		Not Available
13463-67-7	Titanium Dioxide	LC50	RAT	4HR	Not Available
		LD50	RAT		Not Available

Continued on page 6

=====
Section 12 -- ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION
No data available.

=====
Section 13 -- DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Do not incinerate. Depressurize container. Dispose of in accordance with Federal, State/Provincial, and Local regulations regarding pollution.

=====
Section 14 -- TRANSPORT INFORMATION

No data available.

=====
Section 15 -- REGULATORY INFORMATION

SARA 313 (40 CFR 372.65C) SUPPLIER NOTIFICATION

CAS No.	CHEMICAL/COMPOUND	% by WT	% Element
108-88-3	Toluene	16	
100-41-4	Ethylbenzene	0.1	
	Glycol Ethers	1	

CALIFORNIA PROPOSITION 65

WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

TSCA CERTIFICATION

All chemicals in this product are listed, or are exempt from listing, on the TSCA Inventory.

=====
Section 16 -- OTHER INFORMATION

This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.



Dust-Off Compressed Gas Duster

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Date of issue: 10/15/2015

Revision date: 5/15/2018

Version: 2.0

SECTION 1: Identification

1.1. Product identifier

Substance name : Dust-Off Compressed Gas Duster
Product code : 3.5 oz., 7 oz., 10 oz., Professional 12 oz., Jumbo 17 oz., Classic and Plus

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Dust Removal

1.3. Details of the supplier of the safety data sheet

Falcon Safety Products, Inc.
25 ImClone Drive
Branchburg, NJ 08876 - USA
T (908) 707-4900

1.4. Emergency telephone number

Emergency number : (800) 498-7192

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture


GHS-US and GHS-CA classification

Flam. Aerosol 2
Press. Gas (Liquified Gas)

2.2. Label elements

GHS-US and GHS-CA labelling

Hazard pictograms (GHS-US/GHS-CA) :



Signal word (GHS-US/GHS-CA) : Warning
Hazard statements (GHS-US/GHS-CA) : Flammable aerosol. Contains gas under pressure; may explode if heated.
Precautionary statements (GHS-US/GHS-CA) : Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a well-ventilated place.

2.3. Other hazards

Do not store in enclosed vehicle.

2.4. Unknown acute toxicity (GHS US/GHS CA)

Not applicable.

SECTION 3: Composition/information on ingredients

3.1. Substance

Name	Product identifier	%
1,1-Difluoroethane	(CAS No) 75-37-6	100

3.2. Mixture

Not applicable.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact : In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists. May cause frostbite.

Dust Off Compressed Gas Duster

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

- First-aid measures after eye contact : In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.
- First-aid measures after ingestion : If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : May cause respiratory tract irritation. May cause drowsiness, dizziness and central nervous system depression.
- Symptoms/injuries after skin contact : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause frostbite on contact with the liquid.
- Symptoms/injuries after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. May cause frostbite on contact with the liquid.
- Symptoms/injuries after ingestion : Not a normal route of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Water spray, water fog, dry chemical, alcohol resistant foam, carbon dioxide.
- Unsuitable extinguishing media : None known.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Flammable aerosol. Products of combustion may include, and are not limited to: oxides of carbon, hydrofluoric acid, carbonyl fluoride.
- Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

5.3. Advice for firefighters

- Firefighting instructions : DO NOT fight fire when fire reaches explosives. Evacuate area. Vapors are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapors.
- Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.

6.2. Methods and material for containment and cleaning up

- For containment : Ventilate the area thoroughly, especially low lying areas (basements, workpits etc).
- Methods for cleaning up : Leave the product to evaporate. Provide ventilation.

6.3. Reference to other sections

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use. Keep away from sources of ignition - No smoking.
- Precautions for safe handling : Do not spray on an open flame or other ignition source. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Provide local exhaust or general room ventilation. When using do not eat, drink or smoke. Prevent the build-up of electrostatic charge. Use non-sparking tools.
- Hygiene measures : Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Proper grounding procedures to avoid static electricity should be followed.
- Storage conditions : Keep out of the reach of children. Keep container dry and in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Keep in fireproof place. Store in original container. Do not store in enclosed vehicle.

7.3. Specific end use(s)

Not available.

Dust Off Compressed Gas Duster

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

1,1-Difluoroethane (75-37-6)	
ACGIH	Not applicable.
OSHA	Not applicable.
NIOSH	Not applicable.
IDLH	Not applicable.

8.2. Exposure controls

Appropriate engineering controls	: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.
Hand protection	: Wear suitable gloves.
Eye protection	: Safety glasses with side shields.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Environmental exposure controls	: Maintain levels below Community environmental protection thresholds.
Other information	: Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Gas
Appearance	: Clear
Color	: Colourless
Odor	: Slight, ether-like
Odor threshold	: No data available
pH	: Neutral
Melting point	: No data available
Freezing point	: No data available
Boiling point	: -13 °F (- 25 °C)
Flash point	: < 58 °F (<14.4 °C)
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Flammable
Explosion limits	: 3.9-16.9
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: 5960 kPa at 77 °F (25 °C)
Relative density	: 0.91
Relative vapor density at 20 °C	: 2.4 at 77 °F (25 °C)
Specific gravity / density	: 0.9
Solubility	: Slightly
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available.

Dust Off Compressed Gas Duster

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under normal storage conditions. Flammable aerosol. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

Heat. Incompatible materials. Sources of ignition. Do not expose to temperatures exceeding 50 °C/ 122 °F.

10.5. Incompatible materials

Alkali and alkaline earth metals. Powdered metals. Powdered metallic salts.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon, hydrofluoric acid, carbonyl fluoride.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Dust Off Compressed Gas Duster	
LD50 oral rat	1500 mg/kg
LD50 dermal rabbit	No data available
LC50 inhalation rat	64000 ppm

Skin corrosion/irritation	: Based on available data, the classification criteria are not met.
Serious eye damage/irritation	: Based on available data, the classification criteria are not met.
Respiratory or skin sensitization	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Reproductive toxicity	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (single exposure)	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (repeated exposure)	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: May cause respiratory tract irritation. May cause drowsiness, dizziness and central nervous system depression.
Symptoms/injuries after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause frostbite on contact with the liquid.
Symptoms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. May cause frostbite on contact with the liquid.
Symptoms/injuries after ingestion	: Not a normal route of exposure.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

Dust Off Compressed Gas Duster	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Dust Off Compressed Gas Duster	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available.

12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

Dust Off Compressed Gas Duster

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 13: Disposal considerations

13.1. Waste treatment methods

- Waste disposal recommendations : This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible. Container under pressure. Do not drill or burn even after use.
- Additional information : Flammable vapors may accumulate in the container.

SECTION 14: Transport information

Department of Transportation (DOT)

- In accordance with DOT
- UN-No. (DOT) : UN1030
- Proper Shipping Name (DOT) : 1,1-Difluoroethane
- Transport hazard class(es) (DOT) : 2.1
- Hazard labels (DOT) :



- Packaging Exceptions : Falcon Safety Products has been granted a DOT special permit. A copy of DOT Special Permit SP-11516 can be obtained by calling Falcon Safety Products, Inc. at 908-707-4900.

Transportation of Dangerous Goods (TDG)

- In accordance with TDG
- UN-No.(TDG) : UN1030
- Proper Shipping Name (TDG) : 1,1-Difluoroethane
- Class (TDG) : 2.1
- Hazard labels (TDG) :



- Packaging Exceptions : TDG Canada: Falcon Safety Products has been granted Equivalency Certificate SU 9211 (ren. 1) by the TCSS, TDGD to offer for transport by road, rail and marine.

Transport by sea

- UN-No. (IMDG) : UN1030
- Proper Shipping Name (IMDG) : 1,1-DIFLUOROETHANE (REFRIGERANT GAS R 152a)
- Class (IMDG) : 2.1

Air transport

- UN-No. (IATA) : UN1030
- Proper Shipping Name (IATA) : 1,1-Difluoroethane
- Class (IATA) : 2.1

Additional information

- Other information : No supplementary information available.
- Special transport precautions : Do not handle until all safety precautions have been read and understood.

SECTION 15: Regulatory information

15.1. Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

1,1-Difluoroethane (75-37-6)

Listed on the Canadian DSL (Domestic Substances List)

15.2. US State regulations

Dust Off Compressed Gas Duster

State or local regulations : This product does not contain a chemical known to the State of California to cause cancer,

Dust Off Compressed Gas Duster

Safety Data Sheet


according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Dust Off Compressed Gas Duster	
	birth defects or other reproductive harm.

SECTION 16: Other information

Date of issue : 10/15/2015
Revision date : 5/15/2018
Other information : None.

Mexico Classification:



Blue = Health Red = Flammability Yellow = Reactivity White = Special

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.



The Procter & Gamble Company
P&G Household Care
Fabric & Home Care Innovation Center
5299 Spring Grove Avenue
Cincinnati, OH 45217-1087

MATERIAL SAFETY DATA SHEET

Issue Date: Mar 2014

SECTION I - PRODUCT IDENTIFICATION

Identity: AEROSOL AIR REFRESHER **Finished Product**
Brands: FEBREZE AIR EFFECTS (all scents, including seasonal scents)
P&G Telephone Number: 1-800-308-EASY (1-800-308-3279) or call Local Poison Control Center or your physician.
Emergency (24 hour) Telephone Number: CHEMTREC 1-800-424-9300 – in the U.S. and Canada 1-703-527-3887 - for calls originating elsewhere

SECTION II - HAZARDS IDENTIFICATION

Potential Health Hazards (Acute and Chronic): (See Section 11 for more information)
Ingestion: None
Eye Contact: Mild eye irritant
Skin: None
Inhalation: None
Signs and Symptoms of Exposure:
Ingestion: Possible mild gastrointestinal irritation with nausea, vomiting, and/or diarrhea.
Eye Contact: Do not spray toward face. If eye contact occurs, rinse well with water.
Skin Contact: Prolonged skin contact or instillation into the eye may result in transient, superficial effects similar to those produced by mild toilet soap.
Inhalation: Intentional misuse by deliberately concentrating and inhaling pressurized product may be harmful or fatal. Inhalation of high concentrations of ethanol vapor may cause irritation of the eyes and respiratory tract, drowsiness and fatigue.
Medical Conditions Generally Known to be Aggravated by Exposure: None
Potential Environmental Effects: (See Section 12 for more information)

SECTION III - COMPOSITION AND INGREDIENTS

Ingredients/Chemical Name: Water, alcohol, odor eliminator derived from corn, fragrance, non-flammable natural propellant, quality control ingredients. Contents under pressure with nitrogen.
Hazardous Ingredients as defined by OSHA, 29 CFR 1910.1200. and/or WHMIS under the HPA:

<u>Chemical Name</u>	<u>Common Name</u>	<u>CAS No.</u>	<u>Composition Range</u>	<u>LD50/LC50</u>
Ethanol	Alcohol	64-17-5	3-7%	7.06 g/kg rat, oral

SECTION IV – FIRST AID INFORMATION

First Aid Procedures:

Ingestion: Dilute with fluids and treat symptomatically.

Eye Contact: Rinse well with water for at least 15 minutes.

Skin Contact: Rinse with water.

Inhalation: Remove to fresh air.

Note to Physician: (if applicable)

Other: Consumer product package has the following precautionary statement:

US Product Package:

FRONT PANEL: **CAUTION: CONTENTS UNDER PRESSURE.** Read back panel carefully.

BACK PANEL: **CAUTION:** Intentional misuse by deliberately concentrating and inhaling pressurized product may be harmful or fatal. **KEEP OUT OF REACH OF CHILDREN.** Do not spray towards face. If eye contact occurs, rinse well with water. If irritation persists, get medical attention. Do not expose to heat or open flame or store at room temperatures above 120F. Dispose properly. Do not puncture or incinerate container.

Canadian Product Package:

FRONT PANEL: **CAUTION: CONTENTS UNDER PRESSURE.**

BACK PANEL: **CAUTION: CONTAINER MAY EXPLODE IF HEATED.** Do not puncture. Do not burn. Store away from heat. Some hard surfaces may become damp when sprayed. Avoid slips or falls. **KEEP OUT OF REACH OF CHILDREN.** Do not spray towards face. If eye contact occurs, rinse well with water.

SECTION V - FIRE FIGHTING INFORMATION

Flash Point (Method Used): 125-140°F (cc)/ 51.66- 60°C Although this product has a flashpoint below 200°F (closed cup), it is an aqueous solution (>50% water) that does **not** sustain combustion.

Aerosol was tested per the appropriate tests in the UN Manual of Tests and Criteria to classify as Aerosols 2.2.

Flammable Properties: Mixture and propellant are not flammable.

Upper Flammable Limit: N/A

Lower Flammable Limit: N/A

Explosive Limits: UEL: N/A LEL: N/A

Auto-ignition Temperature: N/K

Hazardous Combustion Products: N/K

Explosion Data (Sensitivity to Mechanical Impact): N/A

Explosion Data (Sensitivity to Static Discharge): N/A

Extinguishing Media:

Suitable: CO₂, water or dry chemical may be used.

Unsuitable: N/K

Protection of Firefighters:

Specific Hazards Arising from the Material: N/K

Protective Equipment and Precautions for Firefighters: Normal fire-fighting gear.

SECTION VI - ACCIDENTAL RELEASE MEASURES

Personal Precautions: None

Environmental Precautions: Disposal is to be performed in compliance with federal, state/provincial and local regulations. Aerosol cans, when disposed as waste, are regulated as D003 reactive hazardous waste in some US states because of their potential to explode when heated. Check with your State/provincial environmental agency for guidance. Do not landfill liquid. Incinerate all expelled liquid.

Methods for Containment: Use water spray to dilute and/or wash away spills to avoid exposure and to protect persons working to stop/repair leak. Any spills are to be prevented from entering waterways. Sorbents may be used.

Methods for Cleanup: For individual cans, expel liquid, collect, incinerate, puncture container and send as scrap metal for recycling.

Other Information: (if applicable): N/A

SECTION VII – HANDLING AND STORAGE

Precautions For Safe Handling

For Household Setting: Keep out of reach of children. Do not expose to heat or open flame or store at room temperatures above 120F. Dispose properly. Do not puncture or incinerate container.

For Non – Household Setting: Avoid puncturing or otherwise damaging aerosol containers and packaging when using forklifts or other material handling equipment.

Conditions for Safe Storage: Do not expose to heat or flame.

For Household Setting: Pressurized container. Store at room temperature. Do not expose to temperatures above 43°C / 110°F.

For Non-Household Use: Pressurized container. Store at room temperature. Do not expose to temperatures above 43°C / 110°F. Store in accordance with local requirements for NFPA Aerosol Level 1 products.

SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

Ethanol (CAS# 64-17-5) ACGIH-TLV 1000 ppm
OSHA Z-1 PEL 1000 ppm

Engineering Controls: N/A

Personal Protective Equipment (PPE):

Eye/Face Protection: None required for normal consumer use.

Industrial setting: If a splash of solution is likely, chemical goggles may be needed.

Skin Protection: None required for normal consumer use.

Industrial setting: Minimize skin contact with protective gloves (rubber or neoprene).

Respiratory Protection: None required with normal consumer use.

Industrial setting: Use ventilation to minimize exposure to vapor or mist (ethanol).

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Appearance (color, physical form, shape): Clear liquid. **Flash Point (Method Used):** 125-140°F (cc)/ 51.66- 60°C. Although this product has a flashpoint below 200°F (closed cup), it is an aqueous solution (>50% water) that does **not** sustain combustion.

Odor: Perfume **Solubility in Water:** Soluble

Odor Threshold: N/A **Decomposition Temperature:** N/A

Physical State: liquid **Evaporation Rate (nBuOAc=1):** N/K

Vapor Pressure (mm Hg): N/A **Specific Gravity/Density (H₂O=1):** ~ 1.0

Vapor Density (Air=1): N/A **Melting/Freezing Point:** N/A

Boiling Point: 212°F / ~100°C **Reserve Alkalinity:** N/A

Partition Coefficient (n-octanol/water): N/A **pH (neat):** 4.0-5.0

pH (neat): 7.0 (Pet Odor Eliminator, Pure Refreshment and Clean Citrus)

Volatile Organic Compound (VOC): Product complies with State and Federal regulations for VOC content.

SECTION X - STABILITY AND REACTIVITY

Chemical Stability: Stable.

Conditions to Avoid: Avoid extreme heat.

Incompatible Materials: N/K

Hazardous Decomposition Products: N/K

Possibility of Hazardous Reactions: N/K

SECTION XI – TOXICOLOGICAL INFORMATION

Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
LD50 (rats oral) – estimated >5000 mg/kg

Chronic Effects: No chronic health effects reported.

Target Organs: No target organs reported.

Carcinogenicity: This finished consumer product is not carcinogenic.
NTP: No
IARC: No

SECTION XII - ECOLOGICAL INFORMATION

This product is intended for dispersive use. The ingredients do not pose a significant hazard to aquatic organisms and will not cause any long-term adverse effects in the environment at environmentally relevant concentrations. The container is compatible with municipal solid waste systems and will not pose a hazard to the environment when properly handled.

SECTION XIII - DISPOSAL CONSIDERATIONS

Waste Disposal Method: Disposal is to be performed in compliance with federal, state/provincial and local regulations. Aerosol cans, when disposed as waste, are regulated as D003 reactive hazardous waste in some States because of their potential to explode when heated. Check with your State/provincial environmental agency for guidance. Do not landfill liquid. Incinerate all expelled liquid.

Non-Household Setting (federal): For individual bottles, expel liquid, collect and incinerate. Puncture container and send as scrap metal for recycling.

Non-Household Setting (California): Hazardous, in accordance with 22 CCR 66261.20 through 22 CCR 66261.24

Household Use: Consumer may discard empty container in trash, or recycle where facilities exist.

SECTION XIV - TRANSPORT INFORMATION

Transportation Information – Products covered by this MSDS, in their original form, are regulated for transportation.

For finished packaged product transported by ground (US DOT): **Consumer Commodity ORM-D.**

For finished packaged product transported by sea (IMDG): **UN1950, Aerosols, 2.2**

For finished packaged product transported by air (IATA): **ID8000 Consumer Commodity, 9**

SECTION XV - REGULATORY INFORMATION

UNITED STATES - FEDERAL

All intentionally-added components of this product are listed on the US TSCA Inventory.

EPA Registration Number: Not Applicable

SARA chemicals: This product contains the following SARA 313/302/304/311/312 chemicals: NONE

STATES:

This product is not subject to warning labeling under California Proposition 65.

State Right-to-Know and CERCLA:

The following ingredients present in the finished product are listed on state right-to-know lists or state worker exposure lists:

Ingredient	CAS#	Level	States					CERCLA RQ
			IL	MA	NJ	PA	RI	
Ethanol	64-17-5	3-7%	X	X	X	X	X	100 lbs

Canada

All ingredients are CEPA approved for import to Canada by Procter & Gamble. This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and this MSDS contains all information required by the Controlled Products Regulations.

SECTION XVI - OTHER INFORMATION

Perfumes contained within the products covered by this MSDS comply with appropriate IFRA guidance.

P&G Hazard Rating:	Health:	1	4=EXTREME
	Flammability:	1	3=HIGH
	Reactivity:	0	2=MODERATE
			1=SLIGHT
			0=NOT SIGNIFICANT

*N/A. - Not Applicable

*N/K. - Not Known

Data supplied is for use only in connection with occupational safety and health.

DISCLAIMER: This MSDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Procter & Gamble to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Procter & Gamble assumed no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.



SECTION 1: COMPANY AND PRODUCT IDENTIFICATION

Fellowes, Inc.
1789 Norwood Avenue
Itasca, IL 60143-1095
USA
Telephone: 630.893.1600
Fax: 630.893.1648
Toll Free: 800.945.4545

Product Name: 35250 Fellowes Powershred Shredder Lubricant
Description: Lubricant

SECTION 2: HAZARD IDENTIFICATION

Inhalation: May cause slight irritation.
Eyes: May cause slight irritation.
Skin: May cause slight irritation.
Ingestion: May cause gastrointestinal discomfort.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical Name:</u>	<u>CAS No.</u>	<u>EINECS No.</u>	<u>Maximum Weight :</u>
Canola Oil	120962-03-0		>99%

SECTION 4: FIRST AID MEASURES

Inhalation: Move to fresh air.
Eyes: Flush with water.
Skin: Wash with soap and water.
Ingestion: Do not induce vomiting. Seek medical attention.

SECTION 5: FIREFIGHTING MEASURES

Flash Point: >500F (260C) Closed Cup
Flammability Limits in Air by volume: **Lower:** Not explosive **Upper:** Not explosive
Extinguishing Media: Do not use water jet. Use dry chemical, halon, carbon dioxide, water spray, fog, or foam.
Special Firefighting Measures: None
Unusual Hazards: None



SECTION 6: ACCIDENTAL RELEASE MEASURES

Use absorbent material and dispose of appropriately. For large spills, keep product out of sewers and advise authorities if product has entered sewers. Surfaces may become slippery after spillage.

SECTION 7: HANDLING AND STORAGE

Handling: Keep away from heat and sources of ignition.
Storage: Do not store near heat or flame. Store away from strong oxidizers.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Eyes and Face: None necessary when product is used as intended.
Clothing: No special protective clothing when used as intended.
Respiratory: None necessary when product is used as intended.
Ventilation: Normal ventilation is adequate.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: >575F
Evaporation Rate: Not available
Specific Gravity: 0.92 g/ml (7.67 lb/gal) @ 25C
Solubility in Water: Not soluble
Appearance/Odor: Yellow to amber liquid; faint fatty odor.

SECTION 10: STABILITY AND REACTIVITY

Stable: Stable under normal conditions.
Conditions to Avoid: Keep away from heat and open flame. Avoid strong oxidizing agents.
Chemical Incompatibility: Strong oxidizers
Hazardous Decomposition: Combustion produces carbon monoxide, carbon dioxide, along with thick smoke.
Polymerization: Will not occur

SECTION 11: TOXICOLOGICAL INFORMATION

Not listed on NTP, OSHA, or IARC.



SECTION 12: ECOLOGICAL INFORMATION

This product is biodegradable.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal Methods: Dispose in accordance with Federal, State, and Local Regulations.

Additional Information: "Empty" containers should be completely drained.

SECTION 14: TRANSPORT INFORMATION

DOT: Not regulated as a hazardous material.

IATA: Not regulated as a hazardous material.

IMO: Not regulated as a hazardous material.

SECTION 15: REGULATORY INFORMATION

United States: The components used in this product are listed on the Toxic Substances Control Act.

Canada: All components are listed on the Canadian DSL.

EU: Currently not classified according to EEC Directives.

Additional: None

SECTION 16: OTHER INFORMATION

According to 29 CFR 1910.1200(b)(6)(ix) of the Code of Federal Regulations, amended July 1, 2007, the Fellowes product described in this Material Safety Data Sheet is exempt from the Hazard Communication Standard. The information contained in this MSDS is not meant to imply that this Fellowes product is covered by the OSHA Hazard Communication Standard nor meant to comply with the OSHA Hazard Communication Standard.

HMIS RATING	
Health	0
Flammability	1
Physical Hazard	0
Personal Protection	N/A

February 10, 2012

SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012

GOO GONE.

Product: Goo Gone- 2028, 2030, 2030A, 2050, 2053, 2082, 2086, 2087, 2089, 2090, 2092, 2035CLIP, 2095CLIP, 2129, 2139B, 2166D, 2221D

Revision Date: 28-Nov-2017

SECTION 1 – IDENTIFICATION

Product Identifier

Product Name: Goo Gone

Product Code: 2028, 2030, 2030A, 2050, 2053, 2082, 2086, 2087, 2089, 2090, 2092, 2035CLIP, 2095CLIP, 2129, 2139B, 2166D, 2221D

Recommended Use of the Chemical and Restrictions for Use

Recommended Use: Cleaner

Restrictions for Use: Use only as directed.

Details of the Supplier

Manufacturer: Goo Gone
755 Tri-State Parkway
Gurnee, IL 60031
855-364-8135

Emergency Phone Number

24-Hour Number: 1-800-535-5053

International: 1-352-323-3500

SECTION 2 – HAZARDS IDENTIFICATION

Classification

Hazard Class	Category
Flammable Liquid	4
Skin Sensitization	1
Aspiration Hazard	1

Label Elements

Hazard Symbols(s):



Signal Word(s): Danger

Hazard Statement(s): Combustible liquid. May cause an allergic skin reaction. May be fatal if swallowed and enters airways.

Precautionary Statement(s): Keep away from flames and hot surfaces. No smoking. Avoid breathing fume/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If on skin: Wash with plenty of water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents and container in accordance with all local, regional, national and international regulations.

Other Hazards

None known

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Wt %
Petroleum distillates, hydrotreated light	64742-47-8	60-100
D-Limonene	5989-27-5	1-5
Orange, sweet, extract	8028-48-6	0.5-1.5

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012

**GOO
GONE.**

Product: Goo Gone- 2028, 2030, 2030A, 2050, 2053, 2082, 2086, 2087, 2089, 2090, 2092, 2035CLIP, 2095CLIP, 2129, 2139B, 2166D, 2221D

Revision Date: 28-Nov-2017

SECTION 4 – FIRST AID MEASURES

First Aid Measures

Inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

Eye Contact: Rinse immediately with water for at least 15 minutes. Remove contact lenses, if worn. If irritation persists, seek medical attention immediately.

Ingestion: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

Skin: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash with soap and water. If irritation persists, seek medical attention.

Most Important Symptoms and Effects (Acute and Delayed)

Inhalation: May cause respiratory track irritation.

Eye Contact: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.

Ingestion: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

Skin: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause sensitization by skin contact.

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physician: Treat symptomatically.

SECTION 5 – FIRE FIGHTING MEASURES

Extinguishing Media

Suitable: Treat for surrounding material.

Unsuitable: None known.

Specific Hazards Arising from Chemical

Products of combustion include but are not limited to: oxides of carbon.

Protective Equipment and Precautions for Firefighters

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Personal Precautions: Use personal protective equipment as required.

Environmental Precautions: See Section 12 for ecological information.

Methods and Material for Containment and Cleaning Up

Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE). For cleaning up scoop up material and place in a disposal container. Provide ventilation.

SECTION 7 – HANDLING AND STORAGE

Precautions for Safe Handling

Handling: Keep away from sources of ignition. No smoking. Avoid contact with skin and eyes. Avoid breathing fume/mist/vapors/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.

General Hygiene Advice: Launder contaminated clothing before use. Wash hands before eating, drinking, or smoking.

SAFETY DATA SHEET

Conforms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012

Product: Goo Gone- 2028, 2030, 2030A, 2050, 2053, 2082, 2086, 2087, 2089, 2090, 2092, 2035CLIP, 2095CLIP, 2129, 2139B, 2166D, 2221D

Revision Date: 28-Nov-2017

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Keep container closed when not in use. Store in a dry, cool, and well-ventilated area. Keep out of reach of children.

Incompatible Materials: None known.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Exposure Guidelines:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates, hydrotreated light (64742-47-8)	200 mg/m ³	100 ppm	Not available
D-Limonene (5989-27-5)	Not available	Not available	Not available
Orange, sweet, extract (8028-48-6)	Not available	Not available	Not available

Appropriate Engineering Controls

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

Individual Protection Measures

Respiratory Protection: None required under normal use conditions. In case of insufficient ventilation, wear suitable respiratory equipment.

Skin and Body Protection: Wear suitable protective clothing.

Eye/Face Protection: Safety glasses or goggles are recommended when using product.

General Work/Hygienic Practices: Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Yellow clear liquid

Odor: Citrus

Odor threshold: Not determined

pH: Not determined

Melting point/freezing point: Not determined

Initial boiling point and boiling range: Not determined

Flash point: 85°C (185°F) TCC

Evaporation rate: Not determined

Flammability (solid, gas): Flammable

Upper/lower flammability or explosive limits: Not determined

Vapor pressure: Not determined

Vapor density: Not determined

Relative density: 0.80

Solubility(ies): Not determined

Partition coefficient (n-octanol/water): Not determined

Auto-ignition temperature: Not determined

Decomposition temperature: Not determined

Viscosity: Not determined

SECTION 10 – STABILITY AND REACTIVITY

Reactivity: Not reactive under normal conditions.

Chemical stability: Stable under recommended storage conditions.

Document No.: 130529-5
Release Date: 1/10/2014

Page 3 of 5

SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012

Product: Goo Gone- 2028, 2030, 2030A, 2050, 2053, 2082, 2086, 2087, 2089, 2090, 2092, 2035CLIP, 2095CLIP, 2129, 2139B, 2166D, 2221D

Revision Date: 28-Nov-2017

Possibility of hazardous reactions: None under normal use.

Conditions to avoid: Heat. Incompatible materials. Sources of ignition.

Incompatible materials: None known.

Hazardous decomposition products: May include and are not limited to: oxides of carbon.

SECTION 11 - TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Likely Routes of Exposure: Inhalation, skin contact, eye contact, ingestion

Information Related to Physical, Chemical, and Toxicological Effects

See section 4 of this SDS.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity: NTP: No IARC: No OSHA: No

Numerical Measures of Toxicity

Product	
ATE (oral)	>2000 mg/kg, rat
ATE (dermal)	>2000 mg/kg, rabbit
ATE (inhalation)	Not available

Component Information:

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates, hydrotreated light (64742-47-8)	>5000 mg/kg, rat	>2000 mg/kg, rabbit	>5.2 mg/l/4h, rat
D-Limonene (5989-27-5)	4400 mg/kg, rat	>5000 mg/kg, rabbit	Not available
Orange, sweet, extract (8028-48-6)	>5000 mg/kg, rat	>5000 mg/kg, rabbit	Not available

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity: Not established

Persistence and degradability: Not established

Bioaccumulative potential: Not established

Mobility in soil: No additional information available

Other adverse effects: No additional information available.

SECTION 13 – DISPOSAL CONSIDERATIONS

See section 8 of this SDS for exposure controls and personal protection.

Dispose of the product and container in accordance with all applicable local, state, and federal regulations.

SECTION 14 – TRANSPORT INFORMATION

Note: Classification changes based on quantity, packaging, and method of shipment. See current shipping paper for most up to date shipping information.

DOT (Ground): Not Regulated- See 49 CFR 173.150(f)(2) as the product is not bulk packaged.

IATA (Air): Not Regulated

IMDG (Vessel): Not Regulated

SECTION 15 – REGULATORY INFORMATION

All ingredients in this product are listed or are excluded from listing on the US Toxic Substances Act (TSCA) Chemical Substance Inventory.

SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Product: Goo Gone- 2028, 2030, 2030A, 2050, 2053, 2082, 2086, 2087, 2089, 2090, 2092, 2035CLIP, 2095CLIP, 2129, 2139B, 2166D, 2221D

Revision Date: 28-Nov-2017

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration (OSHA) applicable to this Safety Data Sheet differ from the requirements of the CPSC and as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

SECTION 16 – OTHER INFORMATION

Issue Date: 23-Aug-2017

Revision Date: 28-Nov-2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designed and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

MATERIAL SAFETY DATA SHEET

Section 1. Chemical Product and Company Information

Product Name: Great Value Disinfecting Wipes
Chemical Family: Quaternary Ammonium Chlorides
Product Use: Disinfecting Wipes
Distributor Name: WalMart Inc.
Distributor Address: 702 SW 8th Street
 Bentonville, AR 72716
Emergency Phone #: 631-952-0100 / 1-888-401-5450
Date: 6-16-2010

Prepared/Updated:

Hazardous Material Information System (HMIS)

Health: 2
Fire Hazard: 1
Reactivity: 0
Precautionary Label: Caution
Statements:

Section 2. Composition and Information on Ingredients

Ingredients	CAS#	%	Exposure Limits
Water	7732-18-5	99.768	N/A
Quaternary Ammonium Chloride Sol	N/A	0.093	N/A

Section 3. Hazards Identification

Route of Entry: Eyes, Skin, Ingestion
Potential Acute Health Effects: None known

Section 4. First Aid Measures

Eye Contact: Flush immediately with water for 15-30 minutes being careful to flush behind the eyelids.
Contact: Seek medical attention if irritation persists or develops.
Inhalation: Move to air. Seek medical attention.
Skin Contact: Wash with soap and water. Seek medical attention if irritation persists or develops.
Contact: Prolonged or repeated contact may dry skin and cause irritation.
Ingestion: Immediately drink plenty of water. Seek medical attention.

Section 5. Fire Fighting Measures

Flashpoint: >200 F **Method:** Tag Open Cup
Fire Fighting Media and Instructions: Extinguish with water spray or carbon dioxide; dry chemical powder or appropriate foam. Normal fire fighting procedure may be used.
Unusual Fire and Explosion Hazards: None Known

Section 6. Accidental Release Measures

Personal Precautions: Put on appropriate personal protective equipment (see section 8).
Environmental Precautions: In the event of major spillage: Use appropriate containment to avoid environmental contamination. Collect spilled material. Place in suitable clean, dry containers for disposal by approved methods.

Section 7. Handling and Storage

Handling: Avoid contact with eyes. Use appropriate hygiene methods when handling product. For industrial use only.
Storage: Store in a cool well ventilated area. Protect from freezing. Keep out of reach of children.

Section 8. Exposure Controls & Personal Protection:

Engineering Controls: None usually needed. General room ventilation is adequate.
Personal Protection:
Eyes: N/A
Hands: N/A
Respiratory: N/A
Additional Measures: N/A
Listed Carcinogen: No ingredients listed by NTP, IARC or OSHA Subpart Z.
Medical Condition Aggravated: Persons with pre-existing skin disorders may be susceptible to irritating effects.

Section 9. Physical and Chemical Properties

Fragrance: Lemon or Fresh
Physical State: Wipes-Impregnated material
Color: N/A
pH: 9.5-10.5
Specific Gravity: 1.00
% Volatile by Weight: -79%
Freezing Point: 32 F
Solubility in Water: N/A

Section 10. Stability and Reactivity

Stability and Reactivity: Stable
Conditions of Instability: None Known
Incompatibility with Various Substances: None Known

Decomposition Products Hazardous

Polymerization: When exposed to fire: Produces normal products of combustion. NH₃, NO₂, CO, CO₂

Section 11. Toxicological Information

Effects of Chronic Exposure: None Known

Section 12. Ecological Information: None Known

Section 13. Disposal Considerations: Dispose of all wastes according to all federal, state and local legislation.

Section 14. Transport Information

DOT: NOI Non-Hazardous Consumer Commodity

Classification:

Section 15. Regulatory Information

Reporting in this section is based on ingredients disclosed in Section 2

U.S. Regulation: Not Regulated.

Federal: Not Regulated.

State: Not Regulated.

Registered Product Information: EPA Registered. 6836-313-41348

Sara Section 312:

Immediate (Acute) Health

Sara Section 313: Toxic Release Inventory Reporting

Registered Product Information: N/A

Section 16. Other Information: None reported.

Other Special Considerations:

None reported.

Manufacturer: U.S. Nonwovens

Address: 100 Emjay Blvd.
 Brentwood, NY 11717

Version: 1

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and must comply with all federal, state, Provincial and Local Laws and Regulations.

Great Value Disinfecting Wipes

MATERIAL SAFETY DATA SHEET

SECTION I - MATERIAL IDENTIFICATION AND USE

Material Name: KENSINGTON PHONE GUARDIAN
WIPES #31420

ACL, Inc.

1960 E. Devon Ave.
Elk Grove Village, IL 60007 U.S.A.

Phone: (847) 981-9212
Fax: (847) 981-9278
Emergency: (800) 332-3073

Chemical Name: Proprietary

Chemical Family: Organic Salts & Solvents

Chemical Formula: Proprietary

Molecular Weight: Not Available

Synonym(s): None

Material Use: Cleaner & Antistatic Agent

SECTION II - HAZARDOUS INGREDIENTS

Hazardous Ingredients	Approximate Concentration %	C.A.S., N.A., or U.N. Numbers	Exposure Limits	LD ₅₀ /LC ₅₀ (Species and Route)
Isopropanol	58 – 63 est.	67 - 63 - 0	400 ppm - OSHA	Rabbit (dermal) 16,000 mg/kg

SECTION III - PHYSICAL DATA

Physical State	Solid	Boiling Point (°C)	Liquid = 80
Evaporation Rate	Greater than water	Freezing Point (°C)	Unknown
Odor Threshold (ppm)	Unknown	Solubility in Water (20°C)	Miscible
Specific Gravity	Unknown	% Volatile (by Volume)	Less than 5 est.
Vapor Pressure (mm)	20°C = 35 est.	Coefficient of Water/Oil Distribution	Unknown
Vapor Density (air = 1)	2.1 est.	Density (g/ml)	Unknown

Odor & Appearance	Moist towelette with pleasant odor, in foil packet.	pH	Unknown
-------------------	---	----	---------

SECTION IV - FIRE AND EXPLOSION HAZARD

Flammable: Yes No If package is opened, the contents will burn.

Means of Extinction: Foam, Carbon Dioxide, Water, Sand.

Special Procedures: Keep fire exposed containers cool with water. Use normal procedures for fighting chemical fires.

TDG Flammability Classification	Flammable	Sensitivity to Static Discharge	Fumes will ignite.
Explosion Data (Sensitivity to Chemical Impact)	Unknown	Rate of Burning	Rapid
Auto Ignition Temperature (°C)	Unknown	Explosive Power	Unknown

Flashpoint (°C) & Method	20 - Penske Martens	Upper Explosion Limit (% by Volume)	12	Lower Explosion Limit (% by Volume)	2
--------------------------	---------------------	-------------------------------------	----	-------------------------------------	---

Hazardous Combustion Products	Carbon Oxides, Nitrogen Oxides
-------------------------------	--------------------------------

SECTION V - REACTIVITY DATA

Chemical Stability: Yes.

Incompatibility to Other Substances: Yes - Strong Acids, Strong Bases, Oxidizing Agents.

Reactivity and Under What Conditions: Hazardous fumes may be generated on contact with above substances.

Hazardous Decomposition Products: Unknown.

Material Name: KENSINGTON PHONE GUARDIAN WIPES #31420

SECTION VI - TOXICOLOGICAL PROPERTIES OF PRODUCT

Route of Entry: X Skin Contact X Skin Absorption X Eye Contact X Inhalation Acute Inhalation Chronic X Ingestion

Effects of Acute Exposure to Product: Isopropanol may dry skin, irritate eyes, may cause headaches, dizziness and nausea if excessively inhaled and fatal if swallowed.

Effects of Chronic Exposure to Product: Unknown.

— — — —

Synergistic Materials	Unknown	LD ₅₀ of Product (Species and Route)	Unknown
Exposure Limits	Unknown	LC ₅₀ of Product (Species and Route)	Unknown

Irritancy	Non-irritating under normal usage	Sensitization	Unknown
-----------	-----------------------------------	---------------	---------

Carcinogenicity Reproductive Effects Teratogenicity Mutagenicity

Effects of above are unknown.

SECTION VII - PREVENTIVE MEASURES

Personal Protective Equipment: With proper usage, none is required.

Gloves	None	Footwear	None
Respiratory	None	Clothing	None
Eye	Glasses	Other	None

Engineering Controls: Normal room ventilation.

Leak and Spill Procedure: Package concept precludes spillage problems.

Waste Disposal: Normal disposal for used wipes.

Handling Procedures and Equipment: No special requirements.

Storage Requirements: Store in cool, dry place out of direct sun.

Special Shipping Information. None required. Material is not regulated by D.O.T.

SECTION VIII - FIRST AID MEASURES

Skin: Flush with water, wash with soap.

Eye: Irrigate with water. Contact a physician if necessary.

Inhalation: Remove to fresh air and contact physician.

Ingestion: Drink copious amounts of water/milk and contact physician.

General Advice: Do not smoke while using, keep away from children, wash hands after using.

SECTION IX - PREPARATION OF M.S.D.S.

Flammability 3

Reactivity	0
Health	1
Other	0

Additional Information/Comments: est. = estimate

Sources Used: "Hazardous Products Act" - SOR/88-64
"Dangerous Properties of Industrial Materials" - Sax

Prepared By: ACL, Inc.

Phone Number: 847-981-9212

Original Release Date: 6/1/92


Revision Date:05/13/99

1. Product and Company Identification

Product Name Lysol Brand® (Kills 99.9% of Viruses & Bacteria) Disinfecting Wipes, All Scents
UPC CODES Refer to Section 16
CAS # Mixture
Product use Disinfectant
Distributed by Reckitt Benckiser
 Morris Corporate Center IV
 399 Interpace Parkway
 P.O. Box 225
 Parsippany, NJ 07054-0225
 In Case of Emergency: 1-800-228-4722
 Transportation Emergencies: 24 Hour Number:
 North America: CHEMTREC: 1-800-424-9300
 Outside North America: 1-703-527-3887

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	/ 1
Flammability	0
Physical Hazard	0
Personal Protection	B



2. Hazards Identification

Emergency overview

This product is regulated by the US EPA as a disinfectant.

PRECAUTIONARY STATEMENTS: Hazards to humans and domestic animals.

CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

KEEP OUT OF REACH OF CHILDREN.

Potential short term health effects

Routes of exposure	Eye, Skin contact, Inhalation, Ingestion.
Eyes	May irritate eye.
Skin	Non-irritating to the skin.
Inhalation	None expected.
Ingestion	Not orally toxic.
Target organs	Blood. Eyes. Liver. Respiratory system. Skin.
Chronic effects	The finished product is not expected to have chronic health effects.
Signs and symptoms	Symptoms may include redness, edema, drying, defatting and cracking of the skin.

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Ethanol	64-17-5	2.5 - 10
Alkyl (50%C14, 40%C12, 10%C16) dimethyl benzyl ammonium chlorides	Not Applicable	0.1 - 1

4. First Aid Measures

First aid procedures

Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Skin contact	In keeping with good hygienic practices, wash exposed areas thoroughly with soap and water.
Inhalation	None required under recommended use conditions. Remove to fresh air.
Ingestion	Rinse mouth with water. Contact a physician or poison control center if symptoms develop. NEVER give an unconscious person anything to ingest.

Notes to physician

Symptoms may be delayed.

General advice

Keep away from sources of ignition. No smoking. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Flammable properties	Not flammable by OSHA criteria.
Extinguishing media	
Suitable extinguishing media	Water spray. Foam. Dry chemical.
Unsuitable extinguishing media	Not available
Protection of firefighters	
Specific hazards arising from the chemical	Not available
Protective equipment for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.
Hazardous combustion products	May include and are not limited to: Oxides of carbon. Oxides of nitrogen.
Explosion data	
Sensitivity to mechanical impact	Not available
Sensitivity to static discharge	Not available

6. Accidental Release Measures

Personal precautions	Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.
Methods for containment	Do not allow product to enter sewer or waterways.
Methods for cleaning up	Remove sources of ignition. Never return spills in original containers for re-use.
Other information	Pick up and discard towel.

7. Handling and Storage

Handling	CAUTION May cause eye irritation. Avoid contact with eyes. Wash hands after handling and before eating. Use good industrial hygiene practices in handling this material. DO NOT PUSH FINGER THROUGH OPENING. Use according to package label instructions.
Storage	Store in original container in a cool, secure area inaccessible to children and pets. Do not store at temperatures above 120°F (49°C). Store in a closed container away from incompatible materials. Food contact surfaces must be rinsed with potable water. Unplug small appliances before cleaning. Not recommended for polished or bare wood floors. Not intended for personal hygiene. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

8. Exposure Controls / Personal Protection

Exposure limits

Ingredient(s)	Exposure Limits
Alkyl (50%C14, 40%C12, 10%C16) dimethyl benzyl ammonium chlorides	ACGIH-TLV Not established OSHA-PEL Not established
Ethanol	ACGIH-TLV TWA: 1000 ppm STEL: 1000 ppm OSHA-PEL TWA: 1000 ppm

Engineering controls

General ventilation normally adequate.

Personal protective equipment

Eye / face protection

Avoid contact with eyes.
 Emergency responders should wear full eye and face protection.

Hand protection

Wash hands after use.
 Emergency responders should wear impermeable gloves.

Skin and body protection

As required by employer code.
 Emergency responders should wear impermeable clothing and footwear when responding to a situation where contact with the liquid is possible.

Respiratory protection

Not normally required under normal use conditions.
 Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid inhalation of vapours generated by this product during a spill or other clean-up operations.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.
 When using do not eat or drink.
 Washing with soap and water after use is recommended as good hygienic practice to prevent possible eye irritation from hand contact.

9. Physical and Chemical Properties

Appearance	Liquid saturated on wipe
Color	clear liquid
Form	Pre-moistened towelette.
Odor	Various
Odor threshold	Not available
Physical state	Not available
pH	6 - 8.5 (Liquid)
Freezing point	Not available
Pour point	Not available
Boiling point	Not available
Flash point	> 200 °F (> 93.33 °C) (Liquid) Tagliabue
Evaporation rate	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapor pressure	Not available
Vapor density	Not available
Specific gravity	0.97 (Liquid)
Octanol/water coefficient	Not available
Solubility (H2O)	Wipe is not soluble
Auto-ignition temperature	Not available

10. Stability and Reactivity

Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	DO NOT MIX WITH BLEACH or use in conjunction with other household products. Heat, open flames, static discharge, sparks and other ignition sources.
Incompatible materials	Oxidizers.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon. Oxides of nitrogen.
Possibility of hazardous reactions	Hazardous polymerization does not occur.

11. Toxicological Information

Component analysis - LC50

Ingredient(s)	LC50
Alkyl (50%C14, 40%C12, 10%C16) dimethyl benzyl ammonium chlorides	Not available
Ethanol	31623 ppm rat

Component analysis - Oral LD50

Ingredient(s)	LD50
Alkyl (50%C14, 40%C12, 10%C16) dimethyl benzyl ammonium chlorides	426 mg/kg rat
Ethanol	3450 mg/kg mouse; 7060 mg/kg rat

Effects of acute exposure

Eye May irritate eye.

Skin Non-irritating to the skin.

Inhalation None expected.

Ingestion Not orally toxic.

Sensitization The finished product is not expected to have chronic health effects.

Chronic effects The finished product is not expected to have chronic health effects.

Carcinogenicity The finished product is not expected to have chronic health effects.

ACGIH - Threshold Limit Values - Carcinogens

Ethanol 64-17-5 A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans

Mutagenicity The finished product is not expected to have chronic health effects.

Reproductive effects The finished product is not expected to have chronic health effects.

Teratogenicity The finished product is not expected to have chronic health effects.

Synergistic Materials Not available

12. Ecological Information

Ecotoxicity Components of this product have been identified as having potential environmental concerns.

Ecotoxicity - Freshwater Fish Species Data

Ethanol 64-17-5 96 Hr LC50 Oncorhynchus mykiss: 12.0-16.0 ml/L [static]; 96 Hr LC50 Pimephales promelas: >100 mg/L [static]; 96 Hr LC50 Pimephales promelas: 13400-15100 mg/L [flow-through]

Ecotoxicity - Water Flea Data

Ethanol 64-17-5 48 Hr LC50 Daphnia magna: 9268 - 14221 mg/L; 24 Hr EC50 Daphnia magna: 10800 mg/L; 48 Hr EC50 Daphnia magna: 2 mg/L [Static]

Environmental effects Not available

Aquatic toxicity Not available

Persistence / degradability Not available

Bioaccumulation / accumulation Not available

Partition coefficient Not available

Mobility in environmental media Not available

Chemical fate information Not available

13. Disposal Considerations

Waste codes	Not available
Disposal instructions	Do not reuse empty container. Rinse container and offer for recycling where facilities exist. Review federal, state/provincial, and local government requirements prior to disposal. Discard with solid waste.
Waste from residues / unused products	Not available
Contaminated packaging	Not available

14. Transport Information

UN/ID N.o.	Not applicable
U.S. Department of Transportation (DOT): Classification:	Not regulated
Proper shipping name	Not applicable
U.S. DOT Hazard Class	Not applicable
Subsidiary Risk	Not applicable
Packing group	Not applicable
DOT RQ (lbs)	Not applicable
ERG NO	Not applicable

Transportation of Dangerous Goods (TDG - Canada): Classification: Not regulated

Proper shipping name	Not applicable
Status	Not applicable
Packing group	Not applicable

IMDG (Marine Transport): Classification: Not regulated

Proper shipping name	Not applicable
Class	Not applicable
Subsidiary Risk	Not applicable
Packing group	Not applicable
IMDG Page	Not applicable
Marine pollutant	Not applicable
EMS	Not applicable
MFAG	Not applicable
Maximum Quantity	Not applicable

IATA/ICAO (Air): Classification: Not regulated
Proper shipping name Not applicable
Class Not applicable
Subsidiary Risk: Not applicable
Packing group Not applicable
Maximum Quantity Not applicable

15. Regulatory Information

US Federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
 CERCLA/SARA Hazardous Substances - Not applicable.

Product Registration: Registered with EPA, EPA Reg. No. 777-68

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical Yes

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
 Delayed Hazard - No
 Fire Hazard - No
 Pressure Hazard - No
 Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical Yes

Clean Air Act (CAA) Not available

Clean Water Act (CWA) Not available

State regulations This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

U.S. - Massachusetts - Right To Know List

Ethanol 64-17-5 Teratogen

U.S. - Minnesota - Hazardous Substance List

Ethanol 64-17-5 Present

U.S. - New Jersey - Right to Know Hazardous Substance List

Ethanol 64-17-5 sn 0844

U.S. - Pennsylvania - RTK (Right to Know) List

Ethanol 64-17-5 Present

U.S. - Rhode Island - Hazardous Substance List

Ethanol 64-17-5 Toxic; Flammable

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer

This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Further information

19200-81145-3 - LYSOL® Brand (Kills 99.9% of Viruses & Bacteria) Disinfecting Wipes, All Scents - 35 ct - Citrus - 0059368

19200-77182-5 - LYSOL® Brand (Kills 99.9% of Viruses & Bacteria) Disinfecting Wipes, All Scents - 80 ct - Citrus - 0059368

19200-81360-0 - LYSOL® Brand (Kills 99.9% of Viruses & Bacteria) Disinfecting Wipes, All Scents - 2x35 ct. - Citrus - 0059368

19200-80296-3 - LYSOL® Brand (Kills 99.9% of Viruses & Bacteria) Disinfecting Wipes, All Scents - 2x80 ct - Citrus - 0059368

19200-78849-6- LYSOL® Brand (Kills 99.9% of Viruses & Bacteria) Disinfecting Wipes, All Scents - 110 ct - Citrus - 0059368

19200-81146-0 - LYSOL® Brand (Kills 99.9% of Viruses & Bacteria) Disinfecting Wipes, All Scents - 35 ct - Spring Waterfall - 0059302

19200-77925-8 - LYSOL® Brand (Kills 99.9% of Viruses & Bacteria) Disinfecting Wipes, All Scents - 80 ct - Spring Waterfall - 0059302

Issue date

09-Jul-2010

Effective date

15-Jun-2010

Prepared by

Reckitt Benckiser Regulatory Department 800-333-3899

Other information

For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.

MATERIAL SAFETY DATA SHEET

Poli-Kleen Wax Polish

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: Poli-Kleen Wax Polish
Product Number: A00136
Product Use: Polishing wax.
Manufacturer/Supplier: Waxie Sanitary Supply
9353 Waxie Way
San Diego, CA 92193-1036
Phone Number: 1-800-995-4466
D.O.T. Emergency Phone: 1-800-255-3924 CHEMTEL 24 HR
Date of Preparation: August 29, 2012 **Revision #:** 2.0

Section 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

HMIS: See Section 15

CAUTION

MAY CAUSE EYE IRRITATION. MAY CAUSE SKIN IRRITATION. CONTENTS UNDER PRESSURE. CONTAINER MAY EXPLODE IF HEATED. HARMFUL: MAY CAUSE LUNG DAMAGE IF SWALLOWED.

Potential Health Effects: See Section 11 for more information.

Likely Routes of Exposure: Skin contact, eye contact, inhalation, and ingestion.

Eye: May cause eye irritation.
Skin: May cause skin irritation.
Ingestion: Not a normal route of exposure. Harmful: may cause lung damage if swallowed.
Inhalation: May cause respiratory tract irritation. This product may be aspirated into the lungs and cause chemical pneumonitis.

Chronic Effects: Prolonged or repeated contact may dry skin and cause irritation.

Signs and Symptoms: Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. Handling can cause dry skin.

Medical Conditions Aggravated By Exposure: Asthma. Allergies.

Target Organs: Skin, eyes, gastrointestinal tract, respiratory system.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Potential Environmental Effects: May cause long-term adverse effects in the aquatic environment. See Section 12 for more information.

Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	CAS #	Wt. %
Distillates (petroleum), hydrotreated light	64742-47-8	5 - 10
Isobutane	75-28-5	1 - 5
Propane	74-98-6	1 - 5
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	0.1 - 1
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	0.1 - 1

MATERIAL SAFETY DATA SHEET

Poli-Kleen Wax Polish

Section 4: FIRST AID MEASURES

- Eye Contact:** In case of contact, immediately flush eyes with plenty of water. If easy to do, remove contact lenses, if worn.
- Skin Contact:** In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.
- Inhalation:** If breathed in, move person into fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.
- Ingestion:** If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.
- General Advice:** In case of accident or if you feel unwell, seek medical advice immediately (show the label or MSDS where possible).
- Note to Physicians:** Symptoms may not appear immediately.

Section 5: FIRE FIGHTING MEASURES

- Flammability:** Not flammable by OSHA criteria.
- Means of Extinction:**
- Suitable Extinguishing Media:** Powder, foam, carbon dioxide.
 - Unsuitable Extinguishing Media:** Water.
- Products of Combustion:** May include, and are not limited to: oxides of carbon.
- Explosion Data:**
- Sensitivity to Mechanical Impact:** Not available.
 - Sensitivity to Static Discharge:** Not available.
- Protection of Firefighters:** Containers may explode when heated. Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

Section 6: ACCIDENTAL RELEASE MEASURES

- Personal Precautions:** Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. Ruptured cylinders may rocket.
- Environmental Precautions:** Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.
- Methods for Containment:** Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
- Methods for Clean-Up:** Vacuum or sweep material and place in a disposal container. Allow gas to dissipate harmlessly into the atmosphere.
- Other Information:** Not available.

MATERIAL SAFETY DATA SHEET

Poli-Kleen Wax Polish

Section 7: HANDLING AND STORAGE

Handling:

Keep away from sources of ignition. No smoking. Avoid contact with skin and eyes. Do not swallow. Do not breathe gas/fumes/vapor/spray. Use only in well-ventilated areas. Handle container with care. When using do not eat or drink. Wash hands before eating, drinking, or smoking.

Storage:

Keep out of the reach of children. Do not store at temperatures above 49 °C / 120 °F.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Ingredient	Exposure Limits	
	OSHA-PEL	ACGIH-TLV
Distillates (petroleum), hydrotreated light	100 ppm	200 mg/m ³
Isobutane	Not available.	1000 ppm
Propane	1000 ppm	1000 ppm
Distillates (petroleum), hydrotreated light naphthenic	5 mg/m ³ (mist)	5 mg/m ³ (mist)
Distillates (petroleum), hydrotreated heavy naphthenic	5 mg/m ³ (mist)	5 mg/m ³ (mist)

Engineering Controls: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

Personal Protective Equipment:

HMIS: See Section 15

Eye/Face Protection: Wear eye/face protection.

Hand Protection: Wear suitable gloves.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment.

General Hygiene Considerations: Handle according to established industrial hygiene and safety practices.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Opaque.
Colour:	White.
Odour:	Lemon.
Odour Threshold:	Not available.
Physical State:	Gas/Pressurized Liquid.
pH:	9-11
Viscosity:	Not available.
Freezing Point:	Not available.
Boiling Point:	Not available.
Flash Point:	Not available.
Evaporation Rate:	< 1 (Water = 1)
Lower Flammability Limit:	Not available.
Upper Flammability Limit:	Not available.

MATERIAL SAFETY DATA SHEET

Poli-Kleen Wax Polish

Vapor Pressure:	Not available.
Vapor Density:	Not available.
Specific Gravity:	0.972 (Concentrate only)
Solubility in Water:	Not available.
Coefficient of Water/Oil Distribution:	Not available.
Auto-ignition Temperature:	Not available.
Percent Volatile, wt. %:	Not available.
VOC content, wt. %:	7.2% (US federal/CARB/OTC/LADCO)
VOC content, g/L:	Not available.

Section 10: STABILITY AND REACTIVITY

Stability: Stable under normal storage conditions. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn. Keep in a cool place.

Conditions of Reactivity: Heat. Incompatible materials.

Incompatible Materials: Oxidizers.

Hazardous Decomposition Products: May include, and are not limited to: oxides of carbon.

Possibility of Hazardous Reactions: No dangerous reaction known under conditions of normal use.

Section 11: TOXICOLOGY INFORMATION

EFFECTS OF ACUTE EXPOSURE

Component Analysis

Ingredient	LD₅₀ (oral)	LC₅₀
Distillates (petroleum), hydrotreated light	> 5000 mg/kg, rat	> 5.2 mg/L 4hr, rat
Isobutane	Not available.	658 mg/L 4hr, rat
Propane	Not available.	658 mg/L 4hr, rat
Distillates (petroleum), hydrotreated light naphthenic	> 5000 mg/kg, rat	2.18 mg/L 4hr, rat
Distillates (petroleum), hydrotreated heavy naphthenic	> 5000 mg/kg, rat	> 5.0 mg/L 4hr, rat

Eye: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

Skin: May cause skin irritation. Handling can cause dry skin.

Ingestion: Not a normal route of exposure. Harmful: may cause lung damage if swallowed.

Inhalation: May cause respiratory tract irritation. This product may be aspirated into the lungs and cause chemical pneumonitis.

EFFECTS OF CHRONIC EXPOSURE

Target Organs: Not available.

Chronic Effects: Not hazardous by OSHA criteria.

Carcinogenicity: Not hazardous by OSHA criteria.

MATERIAL SAFETY DATA SHEET

Poli-Kleen Wax Polish

Ingredient	Chemical Listed as Carcinogen or Potential Carcinogen *
Distillates (petroleum), hydrotreated light	Not listed.
Isobutane	Not listed.
Propane	Not listed.
Distillates (petroleum), hydrotreated light naphthenic	Not listed.
Distillates (petroleum), hydrotreated heavy naphthenic	Not listed.

* See Section 15 for more information.

Mutagenicity: Not hazardous by OSHA criteria.

Reproductive Effects: Not hazardous by OSHA criteria.

Developmental Effects:

Teratogenicity: Not hazardous by OSHA criteria.

Embryotoxicity: Not hazardous by OSHA criteria.

Respiratory Sensitization: Not hazardous by OSHA criteria.

Skin Sensitization: Not hazardous by OSHA criteria.

Toxicologically Synergistic Materials: Not available.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity: May cause long-term adverse effects in the aquatic environment.

Persistence / Degradability: Not available.

Bioaccumulation / Accumulation: Not available.

Mobility in Environment: Not available.

Section 13: DISPOSAL CONSIDERATIONS

Disposal Instructions:

This material must be disposed of in accordance with all local, state, provincial, and federal regulations.

Section 14: TRANSPORTATION INFORMATION

DOT Classification

ORM-D, Limited Quantity

Section 15: REGULATORY INFORMATION

Federal Regulations

US: MSDS prepared pursuant to the Hazard Communication Standard (29 CFR 1910.1200).

SARA Title III

Ingredient	Section 302 (EHS) TPQ (lbs.)	Section 304 EHS RQ (lbs.)	CERCLA RQ (lbs.)	Section 313
Distillates (petroleum), hydrotreated light	Not listed.	Not listed.	Not listed.	Not listed.
Isobutane	Not listed.	Not listed.	Not listed.	Not listed.
Propane	Not listed.	Not listed.	Not listed.	Not listed.
Distillates (petroleum), hydrotreated light naphthenic	Not listed.	Not listed.	Not listed.	Not listed.
Distillates (petroleum), hydrotreated heavy naphthenic	Not listed.	Not listed.	Not listed.	Not listed.

MATERIAL SAFETY DATA SHEET

Poli-Kleen Wax Polish

State Regulations

California Proposition 65:

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

Global Inventories

Ingredient	USA TSCA
Distillates (petroleum), hydrotreated light	Yes.
Isobutane	Yes.
Propane	Yes.
Distillates (petroleum), hydrotreated light naphthenic	Yes.
Distillates (petroleum), hydrotreated heavy naphthenic	Yes.

HMIS - Hazardous Materials Identification System

Health - 2 Flammability - 2 Physical Hazard - 0 PPE – B

NFPA - National Fire Protection Association:

Health - 2 Fire - 2 Reactivity - 0

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

OSHA (O) Occupational Safety and Health Administration.

ACGIH (G) American Conference of Governmental Industrial Hygienists.

A1 - Confirmed human carcinogen.

A2 - Suspected human carcinogen.

A3 - Animal carcinogen.

A4 - Not classifiable as a human carcinogen.

A5 - Not suspected as a human carcinogen.

IARC (I) International Agency for Research on Cancer.

1 - The agent (mixture) is carcinogenic to humans.

2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.

2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.

3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.

4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.

NTP (N) National Toxicology Program.

1 - Known to be carcinogens.

2 - Reasonably anticipated to be carcinogens.

Section 16: OTHER INFORMATION

Disclaimer:

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Prepared by: Nexreg Compliance Inc.

Prepared for: Waxie Sanitary Supply
1-800-995-4466



PURELL® Hand Sanitizer

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

SECTION 1. IDENTIFICATION

Product name : PURELL® Hand Sanitizer

Manufacturer or supplier's details

Company name of supplier : GOJO Industries, Inc.

Address : One GOJO Plaza, Suite 500
Akron OH 44311

Telephone : 1 (330) 255-6000

Emergency telephone : 1-800-424-9300 CHEMTREC

Recommended use of the chemical and restrictions on use

Recommended use : Hand Sanitizer

Restrictions on use : This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Flammable liquids : Category 3

Eye irritation : Category 2A

GHS Label element

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H226 Flammable liquid and vapor.
H319 Causes serious eye irritation.


PURELL® Hand Sanitizer

Version 1.2 Revision Date: 03/19/2015 MSDS Number: 46955-00003 Date of last issue: 02/10/2015
 Date of first issue: 01/13/2015

Precautionary Statements : **Prevention:**
 P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
 P233 Keep container tightly closed.
 P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
 P242 Use only non-sparking tools.
 P243 Take precautionary measures against static discharge.
 P264 Wash skin thoroughly after handling.
 P280 Wear protective gloves/ eye protection/ face protection.
Response:
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337 + P313 If eye irritation persists: Get medical advice/ attention.
Storage:
 P403 + P235 Store in a well-ventilated place. Keep cool.
Disposal:
 P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Ethanol	64-17-5	>= 50 - < 70
Propan-2-ol	67-63-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
 Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.
 Get medical attention if symptoms occur.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
 If easy to do, remove contact lens, if worn.

**PURELL® Hand Sanitizer**

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Dry chemical
Carbon dioxide (CO₂)

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire fighting : Do not use a solid water stream as it may scatter and spread fire.
Flash back possible over considerable distance.
Vapors may form explosive mixtures with air.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.
Use personal protective equipment.
Follow safe handling advice and personal protective equipment recommendations.

Environmental precautions : Discharge into the environment must be avoided.



PURELL® Hand Sanitizer

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.
Soak up with inert absorbent material.
Suppress (knock down) gases/vapors/mists with a water spray jet.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use with local exhaust ventilation.
Use only in an area equipped with explosion proof exhaust ventilation.

Advice on safe handling : Do not breathe vapors or spray mist.
Do not swallow.
Do not get in eyes.
Avoid prolonged or repeated contact with skin.
Handle in accordance with good industrial hygiene and safety practice.
Non-sparking tools should be used.
Keep container tightly closed.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.
Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.
Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

PURELL® Hand Sanitizer

Version 1.2 Revision Date: 03/19/2015 MSDS Number: 46955-00003 Date of last issue: 02/10/2015
 Date of first issue: 01/13/2015

Organic peroxides
 Flammable solids
 Pyrophoric liquids
 Pyrophoric solids
 Self-heating substances and mixtures
 Substances and mixtures which in contact with water emit flammable gases
 Explosives
 Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m ³	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m ³	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m ³	NIOSH REL
		ST	500 ppm 1,225 mg/m ³	NIOSH REL
		TWA	400 ppm 980 mg/m ³	OSHA Z-1

Biological occupational exposure limits

Ingredients	CAS-No.	Control parameters	Biological specimen	Sam-pling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work-week	40 mg/l	ACGIH BEI

Engineering measures : Minimize workplace exposure concentrations.
 Use only in an area equipped with explosion proof exhaust ventilation.
 Use with local exhaust ventilation.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and

**PURELL® Hand Sanitizer**

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

- Hand protection
- Material : Impervious gloves
- Material : Flame retardant gloves
- Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
- Eye protection : Wear the following personal protective equipment:
Safety goggles
- Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Wear the following personal protective equipment:
Flame retardant antistatic protective clothing.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
- Hygiene measures : Ensure that eye flushing systems and safety showers are located close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Color : clear, Colorless to pale yellow
- Odor : citrus
- Odor Threshold : No data available
- pH : 6.0 - 9.2
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available

PURELL® Hand Sanitizer

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

Flash point	:	25 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	0.89 g/cm ³
Solubility(ies)		
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	The substance or mixture is not classified self-reactive.
Viscosity		
Viscosity, kinematic	:	1,000 - 35,000 mm ² /s (20 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

PURELL® Hand Sanitizer

Version 1.2 Revision Date: 03/19/2015 MSDS Number: 46955-00003 Date of last issue: 02/10/2015
Date of first issue: 01/13/2015

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Ingredients:**Ethanol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 124.7 mg/l
Exposure time: 4 h
Test atmosphere: vapor

Propan-2-ol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 72.6 mg/l
Exposure time: 4 h
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Ingredients:**Ethanol:**

Species: Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation

Propan-2-ol:

Species: Rabbit
Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Ingredients:

PURELL® Hand Sanitizer

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

Ethanol:

Species: Rabbit
 Result: Irritation to eyes, reversing within 21 days
 Method: OECD Test Guideline 405

Propan-2-ol:

Species: Rabbit
 Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information.
 Respiratory sensitization: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Ingredients:**Ethanol:**

Test Type: Local lymph node assay (LLNA)
 Routes of exposure: Skin contact
 Species: Mouse
 Result: negative

Propan-2-ol:

Test Type: Buehler Test
 Routes of exposure: Skin contact
 Species: Guinea pig
 Method: OECD Test Guideline 406
 Result: negative

Germ cell mutagenicity

Not classified based on available information.

Ingredients:**Ethanol:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
 Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)
 Species: Mouse
 Application Route: Ingestion
 Result: negative

Propan-2-ol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cyto-genetic assay)
 Species: Mouse
 Application Route: Intraperitoneal injection
 Result: negative


PURELL® Hand Sanitizer

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

Carcinogenicity

Not classified based on available information.

Ingredients:
Propan-2-ol:

Species: Rat

Application Route: inhalation (vapor)

Exposure time: 104 weeks

Method: OECD Test Guideline 451

Result: negative

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Ingredients:
Ethanol:

Effects on fertility

: Test Type: Two-generation reproduction toxicity study
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative

Propan-2-ol:

Effects on fertility

: Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on fetal development

: Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative

STOT-single exposure

Not classified based on available information.

Ingredients:
Propan-2-ol:

Assessment: May cause drowsiness or dizziness.

PURELL® Hand Sanitizer

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity**Ingredients:****Ethanol:**

Species: Rat
 NOAEL: 2,400 mg/kg
 Application Route: Ingestion
 Exposure time: 2 y

Propan-2-ol:

Species: Rat
 NOAEL: 5000 ppm
 Application Route: inhalation (vapor)
 Exposure time: 104 w
 Method: OECD Test Guideline 413

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Ingredients:****Ethanol:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	:	EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
Toxicity to bacteria	:	EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h

Propan-2-ol:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 24 h
Toxicity to algae	:	ErC50 (Scenedesmus quadricauda (Green algae)): > 1,800 mg/l


PURELL® Hand Sanitizer

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

Exposure time: 8 d

Toxicity to bacteria : EC50 (*Pseudomonas putida*): > 1,050 mg/l
Exposure time: 16 h

Persistence and degradability
Ingredients:
Ethanol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 84 %
Exposure time: 20 d

Propan-2-ol:

Biodegradability : Result: rapidly degradable

Bioaccumulative potential
Ingredients:
Ethanol:

Partition coefficient: n-octanol/water : log Pow: -0.35

Propan-2-ol:

Partition coefficient: n-octanol/water : log Pow: 0.05

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS
Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION
International Regulation
UNRTDG

UN number : UN 1987
Proper shipping name : ALCOHOLS, N.O.S.


PURELL® Hand Sanitizer

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

(Ethanol, Propan-2-ol)

Class : 3
Packing group : III
Labels : 3

IATA-DGR

UN/ID No. : UN 1987
Proper shipping name : Alcohols, n.o.s.
(Ethanol, Propan-2-ol)

Class : 3
Packing group : III
Labels : Flammable Liquids
Packing instruction (cargo aircraft) : 366
Packing instruction (passenger aircraft) : 355

IMDG-Code

UN number : UN 1987
Proper shipping name : ALCOHOLS, N.O.S.
(Ethanol, Propan-2-ol)

Class : 3
Packing group : III
Labels : 3
EmS Code : F-E, S-D
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation
49 CFR

UN/ID/NA number : UN 1987
Proper shipping name : ALCOHOLS, N.O.S.

Class : 3
Packing group : III
Labels : FLAMMABLE LIQUID
ERG Code : 127
Marine pollutant : no

SECTION 15. REGULATORY INFORMATION
EPCRA - Emergency Planning and Community Right-to-Know
CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard


PURELL® Hand Sanitizer

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

Propan-2-ol	67-63-0	3.013 %
-------------	---------	---------

US State Regulations
Pennsylvania Right To Know

Ethanol	64-17-5	50 - 70 %
Water	7732-18-5	30 - 50 %
Propan-2-ol	67-63-0	1 - 5 %

New Jersey Right To Know

Ethanol	64-17-5	50 - 70 %
Water	7732-18-5	30 - 50 %
Propan-2-ol	67-63-0	1 - 5 %

California Prop 65 This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:


AICS : All ingredients listed or exempt.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

PURELL® Hand Sanitizer

Version 1.2 Revision Date: 03/19/2015 MSDS Number: 46955-00003 Date of last issue: 02/10/2015
 Date of first issue: 01/13/2015

SECTION 16. OTHER INFORMATION
Further information
NFPA:

HMIS III:

HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
 2 = Moderate, 3 = High
 4 = Extreme, * = Chronic

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	: STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA Z-1 / TWA	: 8-hour time weighted average

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 03/19/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8

PURELL® Sanitizing Wipes

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	36329-00003	Date of first issue: 12/11/2014

SECTION 1. IDENTIFICATION

Product name : PURELL® Sanitizing Wipes

Manufacturer or supplier's details

Company name of supplier : GOJO Industries, Inc.

Address : One GOJO Plaza, Suite 500
Akron OH 44311

Telephone : 1 (330) 255-6000

Emergency telephone : 1-800-424-9300 CHEMTREC

Recommended use of the chemical and restrictions on use

Recommended use : Human hygiene biocidal products

Restrictions on use : This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Eye irritation : Category 2A

GHS Label element

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H319 Causes serious eye irritation.

Precautionary Statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P280 Wear eye protection/ face protection.



PURELL® Sanitizing Wipes

Version 1.2 Revision Date: 03/19/2015 MSDS Number: 36329-00003 Date of last issue: 02/10/2015
 Date of first issue: 12/11/2014

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Benzalkonium chloride	8001-54-5	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
 Get medical attention if symptoms occur.
- In case of skin contact : Wash with water and soap as a precaution.
 Get medical attention if symptoms occur.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
 If easy to do, remove contact lens, if worn.
 Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
 Get medical attention if symptoms occur.
 Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.
- Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES



PURELL® Sanitizing Wipes

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	36329-00003	Date of first issue: 12/11/2014

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Dry chemical
Carbon dioxide (CO₂)
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : No hazardous combustion products are known
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice and personal protective equipment recommendations.
- Environmental precautions : Discharge into the environment must be avoided.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
-

SECTION 7. HANDLING AND STORAGE



PURELL® Sanitizing Wipes

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	36329-00003	Date of first issue: 12/11/2014

-
- | | | |
|-----------------------------|---|---|
| Technical measures | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. |
| Local/Total ventilation | : | Use only with adequate ventilation. |
| Advice on safe handling | : | Avoid inhalation of vapor or mist.
Do not swallow.
Do not get in eyes.
Avoid prolonged or repeated contact with skin.
Handle in accordance with good industrial hygiene and safety practice.
Take care to prevent spills, waste and minimize release to the environment. |
| Conditions for safe storage | : | Keep in properly labeled containers.
Store in accordance with the particular national regulations. |
| Materials to avoid | : | Do not store with the following product types:
Strong oxidizing agents |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Hazardous components without workplace control parameters

Ingredients	CAS-No.
Benzalkonium chloride	8001-54-5

- | | | |
|-----------------------------|---|---|
| Engineering measures | : | Ensure adequate ventilation, especially in confined areas.
Minimize workplace exposure concentrations. |
|-----------------------------|---|---|

Personal protective equipment

- | | | |
|------------------------|---|---|
| Respiratory protection | : | No personal respiratory protective equipment normally required. |
|------------------------|---|---|

- | | | |
|-----------------|---|-------------------|
| Hand protection | : | |
| Material | : | Impervious gloves |

- | | | |
|---------|---|---|
| Remarks | : | Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. |
|---------|---|---|

- | | | |
|----------------|---|---|
| Eye protection | : | Wear the following personal protective equipment:
Safety goggles |
|----------------|---|---|

- | | | |
|--------------------------|---|--|
| Skin and body protection | : | Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure |
|--------------------------|---|--|



PURELL® Sanitizing Wipes

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	36329-00003	Date of first issue: 12/11/2014

potential.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Hygiene measures : Ensure that eye flushing systems and safety showers are located close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: clear, Colorless to pale yellow
Odor	: citrus
Odor Threshold	: No data available
pH	: 5.5 - 8.5
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: 99 °C
Flash point	: > 100 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Density	: 1.0 g/cm ³
Solubility(ies)	
Water solubility	: soluble
Partition coefficient: n-octanol/water	: Not applicable
Autoignition temperature	: No data available
Decomposition temperature	: The substance or mixture is not classified self-reactive.
Viscosity	



PURELL® Sanitizing Wipes

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	36329-00003	Date of first issue: 12/11/2014

Viscosity, kinematic	:	75 mm ² /s (25 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
 Skin contact
 Ingestion
 Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute inhalation toxicity	:	Acute toxicity estimate: > 10 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method

Ingredients:

Benzalkonium chloride:

Acute oral toxicity	:	LD50 (Rat): 344 mg/kg Remarks: Based on data from similar materials
Acute inhalation toxicity	:	LC50 (Rat): 0.25 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Remarks: Based on data from similar materials

**PURELL® Sanitizing Wipes**

Version 1.2 Revision Date: 03/19/2015 MSDS Number: 36329-00003 Date of last issue: 02/10/2015
Date of first issue: 12/11/2014

Acute dermal toxicity : LD50 (Rabbit): 3,412 mg/kg
Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Ingredients:**Benzalkonium chloride:**

Species: Rabbit

Result: Corrosive after 3 minutes to 1 hour of exposure

Remarks: Based on data from similar materials

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Result: Irritation to eyes, reversing within 21 days

Ingredients:**Benzalkonium chloride:**

Species: Rabbit

Result: Irreversible effects on the eye

Remarks: Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information.

Respiratory sensitization: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Ingredients:**Benzalkonium chloride:**

Test Type: Buehler Test

Routes of exposure: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: negative

Remarks: Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Ingredients:**Benzalkonium chloride:**

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative



PURELL® Sanitizing Wipes

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	36329-00003	Date of first issue: 12/11/2014

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
 Species: Mouse
 Application Route: Ingestion
 Method: OECD Test Guideline 474
 Result: negative
 Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Ingredients:

Benzalkonium chloride:

Species: Rat
 Application Route: Ingestion
 Exposure time: 2 Years
 Method: OECD Test Guideline 453
 Result: negative
 Remarks: Based on data from similar materials

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Ingredients:

Benzalkonium chloride:

Effects on fertility : Test Type: Two-generation study
 Species: Rat
 Application Route: Ingestion
 Method: OECD Test Guideline 416
 Result: negative
 Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
 Species: Rabbit
 Application Route: Ingestion
 Method: OECD Test Guideline 414
 Result: negative
 Remarks: Based on data from similar materials

PURELL® Sanitizing Wipes

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	36329-00003	Date of first issue: 12/11/2014

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity
Ingredients:
Benzalkonium chloride:

Species: Dog

NOAEL: 50 mg/kg

Application Route: Ingestion

Exposure time: 13 w

Method: OECD Test Guideline 409

Remarks: Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION
Ecotoxicity
Ingredients:
Benzalkonium chloride:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.85 mg/l
 Exposure time: 96 h
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.016 mg/l
 Exposure time: 48 h
 Method: Directive 67/548/EEC, Annex V, C.2.
 Remarks: Based on data from similar materials

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.049 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201
 Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): 0.009 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201
 Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): > 32.2 mg/l
 Exposure time: 34 d
 Remarks: Based on data from similar materials



PURELL® Sanitizing Wipes

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	36329-00003	Date of first issue: 12/11/2014

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0125 mg/l
 Exposure time: 21 d
 Method: OECD Test Guideline 211
 Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to bacteria : EC50: 7.75 mg/l
 Exposure time: 3 h
 Method: OECD Test Guideline 209
 Remarks: Based on data from similar materials

Persistence and degradability

Ingredients:

Benzalkonium chloride:

Biodegradability : Result: Readily biodegradable.
 Biodegradation: 95.5 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301
 Remarks: Based on data from similar materials

Bioaccumulative potential

Ingredients:

Benzalkonium chloride:

Partition coefficient: n-octanol/water : log Pow: 0.004
 Remarks: Based on data from similar materials

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Dispose of as unused product.
 Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

Not regulated as a dangerous good



PURELL® Sanitizing Wipes

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	36329-00003	Date of first issue: 12/11/2014

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Water	7732-18-5	90 - 100 %
2-Phenoxyethanol	122-99-6	0.1 - 1 %

New Jersey Right To Know

Water	7732-18-5	90 - 100 %
-------	-----------	------------

California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:


AICS : All ingredients listed or exempt.

Inventories

PURELL® Sanitizing Wipes

Version 1.2 Revision Date: 03/19/2015 MSDS Number: 36329-00003 Date of last issue: 02/10/2015
 Date of first issue: 12/11/2014

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION
Further information
NFPA:

HMIS III:

HEALTH	2
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
 2 = Moderate, 3 = High
 4 = Extreme, * = Chronic

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 03/19/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8



MATERIAL SAFETY DATA SHEET

Based in US Department of Labour Occupational Safety and Health Administration Form OMB NO. 1218-0072. Be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. This standard must be consulted for specific requirements

Date: January 2011
Revision Number: 2

SECTION I - PRODUCT IDENTIFICATION

IDENTITY: Staples Screen Cleaning Wipes Tub of 100
Product Name: Screen Wipes, 100ct SKU 775488 (model 16982) [STP08002]
Manufacturer: Systemcare Products Ltd
Units 6/7 Maybrook Industrial Estate
Walsall Wood
West Midlands
WS8 7DG
Tel: 1-800-727-0610
Fax: 1-972-562-4303
Email: datasheets@systemcare.co.uk

SECTION II - HAZARD INGREDIENTS / IDENTITY INFORMATION

No significant hazard

Contains: Non Hazardous Liquid, Contains DMDM Hydantoin and Iodopropynyl Butylcarbamate as a preservation system

SECTION III - PHYSICAL / CHEMICAL CHARACTERISTICS

State: Liquid
Colour: Colourless
Odour: Odourless
Evaporation rate: Moderate
Solubility in water: Soluble
Boiling point/range°C: 100
pH: 7
Mobility: Soluble in water.
Persistence and degradability: Biodegradable.
Bioaccumulative potential: No bioaccumulation potential.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.
Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Reference: MSDS_775488_MonitorWipes_100ct_STP08002.doc



SECTION V - REACTIVITY DATA

Stability: Stable under normal conditions.
Conditions to avoid: Direct sunlight.
Materials to avoid: Strong oxidising agents. Strong acids. Strong bases.

SECTION VI - HEALTH HAZARD DATA

Emergency Overview: This product has no health hazards reported from normal use

Routes of entry

Skin contact: Usually no symptoms.
Eye contact: There may be irritation and redness.
Ingestion: There may be irritation of the throat.
Inhalation: Usually no symptoms

Emergency First Aid Procedures

Skin contact: Wash immediately with plenty of soap and water.
Eye contact: Bathe the eye with running water for 15 minutes.
Ingestion: Wash out mouth with water.
Inhalation: Consult a doctor.

Carcinogenicity

IARC:
National Toxicology Program:
OSHA:

NFPA Hazard Code

Health hazard rating: 0
Fire hazard rating: 0
Reactivity rating: 0
Special hazard: NONE

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Personal Precautions

Respiratory protection: Respiratory protection not required.
Eye protection: In case of splashing ensure eye bath is to hand.
Skin protection: Not required

Environmental precautions

Do not discharge into drains or rivers. Contain the spillage using bunding.
Turn leaking containers leak side up to prevent any liquid escaping

Prevention of Fire and Explosion

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.
Use water spray to cool containers.
Protection of firefighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Storage conditions:

Store in cool and well ventilated area.
Keep container tightly closed.

Reference: MSDS_775488_MonitorWipes_100ct_STP08002.doc



Accidental measures and methods for cleaning up:

Absorb into dry earth or sand.
Transfer to a seal-able and label container for disposal by an appropriate method

SECTION VIII - CONTROL MEASURES

Occupational Exposure Controls:
Medical Aggravated by Exposure: None

Ventilation: Normal Room Conditions

Respiratory protection: Respiratory protection not required.
Eye protection: In case of splashing ensure eye bath is to hand.
Skin protection: Not required

Recommended Decontamination Facilities:
Eye wash in case of splashing, washing facilities as appropriate to the condition of usage

Engineering Controls: None required in normal use

SECTION IX - TRANSPORT INFORMATION

DOT Proper Shipping Name: Not regulated
Packing Group: Not regulated
TDG Classification: Not regulated
Hazard Class: Not regulated
Identification Number: Not applicable
IMO: Not regulated
IATA/ICAO Class: Not regulated
UN Hazard Class: Not regulated

SECTION X - OTHER INFORMATION

The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Labelling: **Hazard symbols:** No significant hazard.



FICHE DE DONNÉES DE SÉCURITÉ PRODUIT

Basée sur les normes du Département d'administration Sécurité et Santé au travail des États-Unis du N° OMB 1218-0072.

À utiliser pour assurer la conformité à la norme de communication des dangers de l'OSHA, 29 CFR 1910. 1200. En cas de besoins spécifiques consulter cette norme.

Date : Janvier 2011

N° de révision : 2

SECTION I - IDENTIFICATION DU PRODUIT

IDENTITÉ : Tissus pour écrans « Staples »

Nom du produit : « Tissus pour écrans 100 », SKU 775488 (model 16982) [STP08002]

Producteur : Systemcare Products Ltd
Units 6/7 Maybrook Industrial Estate
Walsall Wood
West Midlands
WS8 7DG - Grande-Bretagne
Tél : 1-800-727-0610
Fax : 1-972-562-4303
E-mail : datasheets@systemcare.co.uk

SECTION II - INGRÉDIENTS DANGEREUX / INFORMATIONS D'IDENTITÉ

Aucun danger significatif

Contient : Liquide non dangereux. Contient du DMDM Hydantoïne et du butylcarbamate d'iodopropynyle comme système de conservation.

SECTION III - CARACTÉRISTIQUES PHYSIQUES / CHIMIQUES

État : Liquide
Couleur : Incolore
Odeur : Inodore
Taux d'évaporation : Modéré
Solubilité dans l'eau : Soluble
Point/plage d'ébullition °C : 100
pH : 7
Mobilité: Soluble dans l'eau.
Persistance et dégradabilité : Biodégradable.
Potentiel bioaccumulatif : Aucun potentiel bioaccumulatif.



SECTION IV - DONNÉES SUR LES DANGERS D'INCENDIE ET D'EXPLOSION

Agents d'extinction :	Utiliser un agent d'extinction convenant au feu environnant. Utiliser un jet d'eau pour refroidir les bidons.
Protection des pompiers :	Porter un appareil respiratoire autonome. Porter des vêtements de protection pour empêcher le contact avec la peau et les yeux.

SECTION V - DONNÉES DE RÉACTIVITÉ

Stabilité :	Stable en conditions normales.
Conditions à éviter :	Rayons du soleil.
Matériaux à éviter :	Agents comburants puissants. Acides forts. Bases fortes.

SECTION VI - DONNÉES DE RISQUES SANITAIRES

Urgences - Général : En conditions d'usage normal, aucun risque sanitaire n'a été signalé pour ce produit.

Voies de pénétration

Contact avec la peau :	Habituellement aucun symptôme.
Contact avec les yeux :	Risque d'irritation et de rougeur.
Ingestion :	Risque d'irritation de la gorge
Inhalation :	Habituellement aucun symptôme.

Procédures d'urgence et de premiers secours

Contact avec la peau :	Laver immédiatement avec beaucoup de savon et d'eau.
Contact avec les yeux :	Baigner l'œil à l'eau courante pendant 15 minutes.
Ingestion :	Laver la bouche à l'eau.
Inhalation :	Consulter un docteur.

Cancérogénicité

CIRC :
National Toxicology Program :
OSHA :

Code de danger selon NFPA

Indice de risque sanitaire :	0
Indice de risque d'incendie :	0
Indice de réactivité :	0
Danger spécial :	AUCUN

SECTION VII - PRÉCAUTIONS DE MANUTENTION ET D'UTILISATION SANS DANGER

Précautions personnelles

Protection respiratoire :	Une protection respiratoire n'est pas nécessaire.
Protection des yeux :	En cas d'éclaboussement, assurez-vous qu'un bain oculaire est à portée de la main.
Protection de la peau :	Inutile.

**Précautions pour l'environnement**

Ne pas rejeter dans les canalisations ou rivières. Contenir le déversement en l'endigant.
Remettre les récipients qui fuient debout pour empêcher tout échappement de liquide.

Prévention des incendies et explosions

Agents d'extinction : Utiliser un agent d'extinction convenant au feu environnant.
Utiliser un jet d'eau pour refroidir les bidons.
Protection des pompiers : Porter un appareil respiratoire autonome. Porter des vêtements de protection pour empêcher le contact avec la peau et les yeux.

Conditions de stockage :

Stocker dans endroit frais et bien ventilé.
Tenir le récipient bien fermé.

Mesures en cas d'accidents et méthodes de nettoyage :

Absorber dans de la terre ou du sable sec.
Transférer à un conteneur scellable puis étiqueter afin d'éliminer suivant la méthode adéquate.

SECTION VIII - MESURES DE CONTRÔLE

Contrôles d'exposition en milieu de travail :
État pathologique aggravé par l'exposition : Aucun

Ventilation : Conditions de locaux normaux

Protection respiratoire : Une protection respiratoire n'est pas nécessaire.
Protection des yeux : En cas d'éclaboussement, assurez-vous qu'un bain oculaire est à portée de la main.

Protection de la peau : Inutile.

Installations de décontamination conseillées :
Bain oculaire en cas d'éclaboussement, installations sanitaires suivant les conditions d'usage.

Contrôles techniques : Aucun contrôle n'est nécessaire en usage normal.

SECTION IX - INFORMATIONS SUR LE TRANSPORT

Nom propre d'expédition pour le D.o.T. :	Non réglementé
Groupe d'emballage :	Non réglementé
Classement TMD :	Non réglementé
Classe de risques :	Non réglementé
N° d'identification :	Sans objet
OMI :	Non réglementé
Classe IATA/ICAO :	Non réglementé
Classe de risques UN :	Non réglementé



SECTION X - AUTRES INFORMATIONS

Les informations réglementaires indiquées ici ne signalent que les réglementations principales spécifiquement applicables au produit décrit dans cette Fiche de Données de Sécurité. Il est rappelé à l'utilisateur que d'éventuelles dispositions locales complémentaires peuvent compléter cette réglementation. Il convient donc de se référer à toute la réglementation ou à toutes les dispositions nationales, internationales ou locales en la matière.

Limite de responsabilité : Les informations qui précèdent sont considérées comme correctes mais ne prétendent pas être exhaustives et ne doivent être utilisées qu'à titre d'indication. La société décline toute responsabilité pour des dégâts découlant de la manutention du produit décrit ou de son contact.

Étiquetage :

Symboles de danger : Aucun danger significatif.

Section 1 – Product and Company Identification

Product(s): **SCRUBS® Hand Sanitizer Wipes**
Formula: B909
Part Number(s): 90901, 90910, 90950, 90956, 90985, 90991

Company Name & Address: 
805 E. Old 56 Hwy.
Olathe, KS 66061
800-443-9536 (8 a.m. – 5 p.m. Weekdays, CDT)

Emergency Numbers: **IN CASE OF EMERGENCY, CALL Infotrac @ 1-800-535-5053, 24 hrs.**
INTERNATIONAL EMERGENCY NUMBER 352-323-3500
Poison Control Center: 1-800-222-1222

Material Safety Data Sheets: www.dymon.com

Section 2 – Hazards Identification

WARNING. Causes eye irritation. May be harmful if swallowed. Deliberate concentration and inhalation of vapors may cause central nervous system effects.

Potential Health Effects

EYES: Causes eye irritation.

SKIN: Product is intended for use on the hands. Prolonged skin exposure may cause dermatitis.

INHALATION: Overexposure to vapors (unlikely) may cause central nervous system effects.

INGESTION: May be harmful if swallowed.

Signs/symptoms of exposure: redness, tearing or burning in eyes. Redness, burning, drying or cracking of skin. Irritation of the throat or stomach, nausea, vomiting, diarrhea if swallowed. Overexposure to vapors (unlikely) may cause central nervous system effects such as drowsiness, dizziness, fatigue or loss of coordination. Medical conditions generally aggravated by exposure: pre-existing skin conditions such as dermatitis or gastrointestinal conditions may be adversely affected by this product. Follow good chemical hygiene practices to avoid complications.

HMIS Rating Health – 1 Flammability – 2 Reactivity – 0 Personal Protection – None

Section 3 – Composition/Information on Ingredients

Ingredient	CAS Number	Percent Range
Water	7732-18-5	60 – 100
Ethyl alcohol	64-17-5	10 – 30

Any substance listed as hazardous by the states of California, Florida, Illinois, Michigan, New Jersey, Ohio, Pennsylvania or Texas is described above if known present in regulated concentrations.

Section 4 – First Aid Measures

EYES: Flush eyes with large amounts of water for at least 15 minutes while holding eyelids open. Seek medical attention immediately.

SKIN: None usually required. If irritation arises and persists seek medical attention.

INHALATION: Unlikely route as liquid is impregnated on a towel, minimizing exposure via this route. If overexposed move to fresh air. If symptoms develop seek medical attention.

INGESTION: Not a likely exposure route. If a large quantity of liquid is swallowed, do not induce vomiting, call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

Section 5 – Fire Fighting Measures

Formula: B909

Flashpoint (PMCC):

100° F

Extinguishing Media:

Dry chemical, carbon dioxide, foam, or fog. Do not use water as it may froth and cause fire to spread.

Special Fire Fighting Procedures:

Keep containers cool and vapors down with water spray. Prevent runoff from entering sewers and public waterways.

Hazardous Products of Combustion:

Carbon monoxide, carbon dioxide, formaldehyde, nitrous oxide, ammoniacal vapors, smoke, soot and various organic oxidation by-products.

Section 6 – Accidental Release Measures

Small spill: Caution, slip hazard. Wipe up small releases with a dry absorbent cloth or other absorbent material.
Large spill: Not likely due to type of product. If large spill does occur, absorb liquid with vermiculite, absorbent cloth, or other absorbent material. Prevent material from entering sewers and drains. Ventilate area and block traffic. Transfer contaminated material into suitable container for proper disposal. Clean any slippery residues with soap and water.

Section 7 – Handling and Storage

Handling: Do not allow towel contact with eyes. Wash thoroughly after handling. Avoid swallowing. Avoid prolonged skin contact. For external use only. Avoid inhaling vapors. Do not smoke while using. Not for use around the mouth or eyes for an extended period of time. Follow good chemical hygiene practices when handling this material. Use from original container only and follow label directions carefully.
Storage: Keep container closed when not in use. Keep away from heat sources. Store in a cool well-ventilated area. Keep out of reach of children. Do not contaminate water, food or feed by use or storage. Keep from freezing.

Section 8 – Exposure Controls/Personal Protection

Engineering controls: Ventilation not usually necessary but should be provided in the event of overexposure.
Exposure limits: Ethyl alcohol (CAS# 64-17-5)=1000 ppm OSHA; 1000 ppm ACGIH-TLV; 1000 ppm NIOSH-REL
Eye protection: None necessary. Do not allow towel to directly contact eyes.
Skin protection: None necessary. Product is designed for direct skin contact.
Respiratory protection: Not usually necessary. If vapors are present or irritation is experienced, use NIOSH/MSHA approved respirator.

Section 9 – Physical and Chemical Properties

Appearance and Odor: Colorless liquid with an alcohol-floral scent saturated onto towels.
pH: 6.2 +/- 0.5 **Boiling Point:** 190° F **Specific Gravity:** 0.970
Vapor Density: >1 **Vapor Pressure:** No Data **Solubility in Water:** Complete
Evaporation Rate: No Data **Volatile Organic Compounds (VOCs):** 18.5% by weight

Section 10 – Stability and Reactivity

Hazardous Polymerization: This product will not undergo hazardous polymerization.
Hazardous Decomposition or Byproducts: Carbon monoxide, carbon dioxide, formaldehyde, nitrous oxide, ammoniacal vapors, smoke, soot and various organic oxidation by-products.
Chemical Stability: Stable
Incompatible Materials: Strong oxidizing agents such as acetyl chloride, nitric acid, and hydrogen peroxide.

Section 11 – Toxicological Information

Ethyl alcohol, CAS# 64-17-5
 Dermal LDLo=20 mg/kg, rat; Oral LD50=7,060 mg/kg, rat; Inhalation LC50=20,000 ppm (10 hr), rat

Section 12 – Ecological Information

No data.

Section 13 – Disposal Considerations

Dispose of in accordance with all applicable local, state, and federal regulations.

Waste information: If this product becomes a waste, the liquid would be considered a flammable liquid (D001) as defined by RCRA (40CFR261). However the waste should be properly evaluated in case of modification prior to disposal.

Section 14 – Transport Information

The following transportation information is based on Department of Transportation Regulations found in 49 CFR. If shipping this product by air please refer to International Air Transport Association (IATA) Danger Goods Regulations. If shipping this product by ocean please refer to International Maritime Dangerous Goods Regulations (IMDG). To find how to ship this product please refer to the UN# listed below.

	UN #	Proper Shipping Description	Hazard Class	Packing Group
DOT Information	None	Not Regulated	None	None

Marine Pollutants: None

Section 15 – Regulatory Information

US Federal Regulations

Toxic Substances Control Act (TSCA): All ingredients are on the TSCA inventory or exempt from listing.

CERCLA RQ

None

SARA 313 Components

None

State and Local Regulations

California Proposition 65

None

Section 16 – Other Information

WARNING! The use of this product is beyond the control of the manufacturer; therefore, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The user must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials. The manufacturer warrants only that this product meets the manufacturer's specifications for such product. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, AS TO DESCRIPTION, QUALITY, MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, PRODUCTIVENESS OR ANY OTHER MATTER, OF THIS PRODUCT. THE MANUFACTURER SHALL BE IN NO WAY RESPONSIBLE FOR THE IMPROPER USE OF THIS PRODUCT. The sole and exclusive remedy against the manufacturer for breach of warranty shall be reimbursement of the purchase price of the product in the event that a defective condition of the product shall be found to exist. NO OTHER REMEDY (INCLUDING BUT NOT LIMITED TO INCIDENTAL OR CONSEQUENTIAL DAMAGES FOR INJURY TO PERSON OR PROPERTY OR ANY OTHER INCIDENTAL OR CONSEQUENTIAL LOSS) SHALL BE AVAILABLE.



MATERIAL SAFETY DATA SHEET

Based in US Department of Labour Occupational Safety and Health Administration From OMB NO. 1218-0072. Be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. This standard must be consulted for specific requirements

Date: October 2008
Revision Number 1

SECTION I - PRODUCT IDENTIFICATION

IDENTITY Staples Screen Cleaner 8 oz
Product Name: Screen Cleaner Spray , 8oz SKU 775487 (model 16996) [STP08007]
Manufacturer: Systemcare Products Ltd
Units 6/7 Maybrook Industrial Estate
Walsall Wood
West Midlands
WS8 7DG
Tel: 1-800-727-0610
Fax: 1-972-562-4303
Email: datasheets@systemcare.co.uk

SECTION II - HAZARD INGREDIENTS / IDENTITY INFORMATION

No significant hazard

Contains: Non Hazardous Liquid, Contains DMDM Hydantoin and Iodopropynyl Butylcarbamate as a preservation system

SECTION III - PHYSICAL / CHEMICAL CHARACTERISTICS

State: Liquid
Colour: Colourless
Odour: Odourless
Evaporation rate: Moderate
Solubility in water: Soluble
Boiling point/range°C: 100
pH: 7
Mobility: Soluble in water.
Persistence and degradability: Biodegradable.
Bioaccumulative potential: No bioaccumulation potential.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.
Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.



SECTION V - REACTIVITY DATA

Stability: Stable under normal conditions.
Conditions to avoid: Direct sunlight.
Materials to avoid: Strong oxidising agents. Strong acids. Strong bases.

SECTION VI - HEALTH HAZARD DATA

Emergency Overview: This product has no health hazards reported from normal use

Routes of entry

Skin contact: Usually no symptoms.
Eye contact: There may be irritation and redness.
Ingestion: There may be irritation of the throat.
Inhalation: Usually no symptoms

Emergency First Aid Procedures

Skin contact: Wash immediately with plenty of soap and water.
Eye contact: Bathe the eye with running water for 15 minutes.
Ingestion: Wash out mouth with water.
Inhalation: Consult a doctor.

Carcinogenicity

IARC:
National Toxicology Program:
OSHA:

NFPA Hazard Code

Health hazard rating: 0
Fire hazard rating: 0
Reactivity rating: 0
Special hazard: NONE

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Personal Precautions

Respiratory protection: Respiratory protection not required.
Eye protection: In case of splashing ensure eye bath is to hand.
Skin protection: Not required

Environmental precautions

Do not discharge into drains or rivers. Contain the spillage using bunding.
Turn leaking containers leak side up to prevent any liquid escaping

Prevention of Fire and Explosion

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.
Use water spray to cool containers.
Protection of firefighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Storage conditions: Store in cool and well ventilated area.



Keep container tightly closed.



Accidental measures and methods for cleaning up:

Absorb into dry earth or sand.
Transfer to a seal-able and label container for disposal by an appropriate method

SECTION VIII - CONTROL MEASURES

Occupational Exposure Controls:
Medical Aggravated by Exposure: None

Ventilation: Normal Room Conditions

Respiratory protection: Respiratory protection not required.
Eye protection: In case of splashing ensure eye bath is to hand.
Skin protection: Not required

Recommended Decontamination Facilities:
Eye wash in case of splashing, washing facilities as appropriate to the condition of usage

Engineering Controls: None required in normal use

SECTION IX - TRANSPORT INFORMATION

DOT Proper Shipping Name: Not regulated
Packing Group: Not regulated
TDG Classification: Not regulated
Hazard Class: Not regulated
Identification Number: Not applicable
IMO: Not regulated
IATA/ICAO Class: Not regulated
UN Hazard Class: Not regulated

SECTION X - OTHER INFORMATION

The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Labelling:
Hazard symbols: No significant hazard.

MATERIAL SAFETY DATA SHEET
Surface Disinfectant and Deodorant (STP-18481)(BPR223A16)

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: Surface Disinfectant and Deodorant (STP-18481)(BPR223A16)
Product Number: A00223
Product Use: Disinfectant.
Manufacturer/Supplier: Staples Contract & Commercial, Inc.
500 Staples Drive,
Framingham, MA 01702 USA
Phone Number: 1-888-322-0912
D.O.T. Emergency Phone: 1-888-322-0912 (24-hours, 7 days a week)
Date of Preparation: August 31, 2010 **Revision #:** 2.1

Section 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

HMIS: See Section 15

DANGER

EXTREMELY FLAMMABLE. HARMFUL BY INHALATION. MAY CAUSE EYE IRRITATION. MAY CAUSE SKIN IRRITATION. CONTENTS UNDER PRESSURE. CONTAINER MAY EXPLODE IF HEATED.

Potential Health Effects: See Section 11 for more information.

Likely Routes of Exposure: Skin contact, eye contact, inhalation, and ingestion.

Eye: May cause eye irritation.

Skin: May cause skin irritation.

Ingestion: Not a normal route of exposure. Harmful: may cause lung damage if swallowed.

Inhalation: May cause respiratory tract irritation. This product may be aspirated into the lungs and cause chemical pneumonitis.

Chronic Effects: Prolonged or repeated contact may dry skin and cause irritation.

Signs and Symptoms: Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. Symptoms may include redness, edema, drying, defatting and cracking of the skin.

Medical Conditions Aggravated By Exposure: Asthma. Allergies.

Target Organs: Skin, eyes, gastrointestinal tract, respiratory system.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Potential Environmental Effects: May cause long-term adverse effects in the aquatic environment. See Section 12 for more information.

Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	CAS #	Wt. %
Ethanol	64-17-5	30 - 60
Isobutane	75-28-5	10 - 30
Propane	74-98-6	1 - 5
Isopropanol	67-63-0	1 - 5
o-Phenylphenol	90-43-7	0.1 - 1

MATERIAL SAFETY DATA SHEET

Surface Disinfectant and Deodorant (STP-18481)(BPR223A16)

Section 4: FIRST AID MEASURES

- Eye Contact:** In case of contact, immediately flush eyes with plenty of water. If easy to do, remove contact lenses, if worn.
- Skin Contact:** In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.
- Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.
- Ingestion:** If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.
- General Advice:** In case of accident or if you feel unwell, seek medical advice immediately (show the label or MSDS where possible).
- Note to Physicians:** Symptoms may not appear immediately.

Section 5: FIRE FIGHTING MEASURES

Flammability: Flammable by WHMIS criteria.

Means of Extinction:

Suitable Extinguishing Media: Powder, water spray, foam, carbon dioxide.

Unsuitable Extinguishing Media: Not available.

Products of Combustion: May include, and are not limited to: oxides of carbon.

Explosion Data:

Sensitivity to Mechanical Impact: Not available.

Sensitivity to Static Discharge: Not available.

Protection of Firefighters: Containers may explode when heated. Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

Section 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. Ruptured cylinders may rocket.

Environmental Precautions: Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). This material is a water pollutant. Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.

Methods for Containment: Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for Clean-Up: Vacuum or sweep material and place in a disposal container. Allow gas to dissipate harmlessly into the atmosphere.

Other Information: Not available.

MATERIAL SAFETY DATA SHEET

Surface Disinfectant and Deodorant (STP-18481)(BPR223A16)

Section 7: HANDLING AND STORAGE

Handling:

Keep away from sources of ignition. No smoking. Avoid contact with skin and eyes. Do not swallow. Do not breathe gas/fumes/vapor/spray. Use only in well-ventilated areas. Handle and open container with care. When using, do not eat or drink. Wash hands before eating, drinking, or smoking.

Storage:

Keep out of the reach of children. Do not store at temperatures above 49°C / 120°F. Keep away from food, drink and animal foodstuffs.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Ingredient	Exposure Limits	
	OSHA-PEL	ACGIH-PEL
Ethanol	1000 ppm	1000 ppm
Isobutane	Not available.	Not available.
Propane	1000 ppm	1000 ppm
Isopropanol	400 ppm	200 ppm
o-Phenylphenol	Not available.	Not available.

Engineering Controls: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

Personal Protective Equipment:

HMIS: See Section 15

Eye/Face Protection: Wear eye/face protection.

Hand Protection: Wear suitable gloves.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment.

General Hygiene Considerations: Handle according to established industrial hygiene and safety practices.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear.
Colour:	Colourless.
Odour:	Characteristic.
Odour Threshold:	Not available.
Physical State:	Gas/Pressurized Liquid.
pH:	10-11
Viscosity:	Not available.
Freezing Point:	Not available.
Boiling Point:	Not available.
Flash Point:	Not available.
Evaporation Rate:	Not available.
Lower Flammability Limit:	Not available.

MATERIAL SAFETY DATA SHEET

Surface Disinfectant and Deodorant (STP-18481)(BPR223A16)

Upper Flammability Limit:	Not available.
Vapor Pressure:	Not available.
Vapor Density:	Not available.
Specific Gravity:	0.895 (Concentrate only)
Solubility in Water:	Complete.
Coefficient of Water/Oil Distribution:	Not available.
Auto-ignition Temperature:	Not available.
Percent Volatile, wt. %:	Not available.
VOC content, wt. %:	66% (US federal/CARB/OTC/LADCO)

Section 10: STABILITY AND REACTIVITY

Stability: Stable under normal storage conditions. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn. Keep in a cool place.

Conditions of Reactivity: Heat. Incompatible materials.

Incompatible Materials: Oxidizers. Reducing agents. Ammonium salts.

Hazardous Decomposition Products: May include, and are not limited to: oxides of carbon.

Possibility of Hazardous Reactions: No dangerous reaction known under conditions of normal use.

Section 11: TOXICOLOGY INFORMATION

EFFECTS OF ACUTE EXPOSURE

Component Analysis

Ingredient	LD₅₀ (oral)	LC₅₀
Ethanol	7060 mg/kg, rat	20000 ppm 10hr, rat
Isobutane	Not available.	658 mg/L 4hr, rat
Propane	Not available.	658 mg/L 4hr, rat
Isopropanol	4396 mg/kg, rat	72.6 mg/L 4hr, rat
o-Phenylphenol	1049 mg/kg, rat	> 0.949 mg/L 1hr, rat

Eye: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

Skin: May cause skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.

Ingestion: Not a normal route of exposure. Harmful: may cause lung damage if swallowed.

Inhalation: Harmful by inhalation. May cause respiratory tract irritation. This product may be aspirated into the lungs and cause chemical pneumonitis.

EFFECTS OF CHRONIC EXPOSURE

Target Organs: Not available.

Chronic Effects: Not hazardous by OSHA/WHMIS criteria.

Carcinogenicity: Hazardous by OSHA/WHMIS criteria.

MATERIAL SAFETY DATA SHEET

Surface Disinfectant and Deodorant (STP-18481)(BPR223A16)

Ingredient	Chemical Listed as Carcinogen or Potential Carcinogen *
Ethanol	G-A3, I-1
Isobutane	Not listed.
Propane	Not listed.
Isopropanol	G-A4, I-3
o-Phenylphenol	I-3, CP65

* See Section 15 for more information.

Mutagenicity: Hazardous by OSHA/WHMIS criteria.

Reproductive Effects: Not hazardous by OSHA/WHMIS criteria.

Developmental Effects:

Teratogenicity: Hazardous by OSHA/WHMIS criteria.

Embryotoxicity: Hazardous by OSHA/WHMIS criteria.

Respiratory Sensitization: Not hazardous by OSHA/WHMIS criteria.

Skin Sensitization: Not hazardous by OSHA/WHMIS criteria.

Toxicologically Synergistic Materials: Not available.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity: May cause long-term adverse effects in the aquatic environment

Persistence / Degradability: Not available.

Bioaccumulation / Accumulation: Not available.

Mobility in Environment: Not available.

Section 13: DISPOSAL CONSIDERATIONS

Disposal Instructions:

This material must be disposed of in accordance with all local, state, provincial, and federal regulations.

Section 14: TRANSPORTATION INFORMATION

DOT Classification

ORM-D; Limited Quantity

TDG Classification

Limited Quantity

Section 15: REGULATORY INFORMATION

Federal Regulations

Canada: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

US: MSDS prepared pursuant to the Hazard Communication Standard (29 CFR 1910.1200).

MATERIAL SAFETY DATA SHEET

Surface Disinfectant and Deodorant (STP-18481)(BPR223A16)

SARA Title III

Ingredient	Section 302 (EHS) TPQ (lbs.)	Section 304 EHS RQ (lbs.)	CERCLA RQ (lbs.)	Section 313
Ethanol	Not listed.	Not listed.	Not listed.	Not listed.
Isobutane	Not listed.	Not listed.	Not listed.	Not listed.
Propane	Not listed.	Not listed.	Not listed.	Not listed.
Isopropanol	Not listed.	Not listed.	Not listed.	313
o-Phenylphenol	Not listed.	Not listed.	Not listed.	313

State Regulations

California Proposition 65:

This product contains a chemical known to the state of California to cause cancer.

Global Inventories

Ingredient	Canada DSL/NDSL	USA TSCA
Ethanol	DSL	Yes.
Isobutane	DSL	Yes.
Propane	DSL	Yes.
Isopropanol	DSL	Yes.
o-Phenylphenol	DSL	Yes.

HMIS - Hazardous Materials Identification System

Health - 2* Flammability - 3 Physical Hazard - 0 PPE – B

NFPA - National Fire Protection Association:

Health - 2 Fire - 3 Reactivity - 0

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

WHMIS Classification(s):

- Class A - Compressed Gas
- Class B5 - Flammable Aerosol
- Class D2A - Carcinogenicity
- Class D2A - Mutagenicity
- Class D2A - Teratogenicity and embryotoxicity
- Class D2B - Skin/Eye Irritant

WHMIS Hazard Symbols:



MATERIAL SAFETY DATA SHEET

Surface Disinfectant and Deodorant (STP-18481)(BPR223A16)

SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

OSHA (O) Occupational Safety and Health Administration.

ACGIH (G) American Conference of Governmental Industrial Hygienists.

A1 - Confirmed human carcinogen.

A2 - Suspected human carcinogen.

A3 - Animal carcinogen.

A4 - Not classifiable as a human carcinogen.

A5 - Not suspected as a human carcinogen.

IARC (I) International Agency for Research on Cancer.

1 - The agent (mixture) is carcinogenic to humans.

2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.

2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.

3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.

4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.

NTP (N) National Toxicology Program.

1 - Known to be carcinogens.

2 - Reasonably anticipated to be carcinogens.

Section 16: OTHER INFORMATION

Disclaimer:

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Expiry Date: August 31, 2013

Prepared by: Nexreg Compliance Inc.

Prepared for: Staples Contract & Commercial, Inc. - Phone: 1-888-322-0912



Safety Data Sheet

1 - Chemical Product and Company Identification

Manufacturer: WD-40 Company Address: 9715 Business Park Ave San Diego, CA , USA Post code: 92131 Telephone: +1-800-448-9340 +1-858-251-5600 24 Hour Emergency Phone Number: 1-888-324-7596 (PROSAR) Chemical Spills: 1-800-424-9300 (Chemtrec) 1-703-527-3887 (International Calls)	Chemical Name: Organic Mixture Trade Name: WD-40 Aerosol Product Use: Lubricant, Penetrant, Drives Out Moisture, Removes and Protects Surfaces From Corrosion SDS Date Of Preparation: 12/28/17
---	--

2 – Hazards Identification

GHS Classification:

Flammable Aerosol Category 1

Aspiration Toxicity Category 1

Skin Irritation Category 3

Specific Target Organ Toxicity Single Exposure Category 3 (nervous system effects)

**DANGER!**

H222 Extremely flammable aerosol.

H229 Pressurized container: may burst if heated.

H304 May be fatal if swallowed and enters airways.

H316 Causes mild skin irritation.

H336 May cause drowsiness or dizziness.

Prevention

P210 Keep away from heat, sparks, open flames, and hot surfaces. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing mist or vapors.

P271 Use only outdoors or in a well-ventilated area.

Response

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P331 Do NOT induce vomiting.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER or doctor if you feel unwell.

P332+P313 If skin irritation occurs: Get medical attention.

Storage

P405 Store locked up.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Disposal

P501 Dispose of contents and container in accordance with local and national regulations.

3 - Composition/Information on Ingredients

Ingredient	CAS #	Weight Percent	GHS Classification
Aliphatic Hydrocarbon	64742-47-8	50-70%	Flammable Liquid Category 3 Aspiration Toxicity Category 1 Skin Irritation Category 3 Specific Target Organ Toxicity Single Exposure Category 3 (nervous system effects)
Petroleum Base Oil	64742-56-9 64742-65-0 64742-53-6 64742-54-7 64742-71-8	<25%	Not Hazardous
Non-Hazardous Ingredients	Mixture	<10%	Not Hazardous
Carbon Dioxide	124-38-9	2-3%	Gas Under Pressure: Compressed Gas

4 – First Aid Measures

Ingestion (Swallowed): Aspiration Hazard. DO NOT induce vomiting. Call physician, poison control center or the WD-40 Safety Hotline at 1-888-324-7596 immediately.

Eye Contact: Flush thoroughly with water. Remove contact lenses if present after the first 5 minutes and continue flushing for several more minutes. Get medical attention if irritation persists.

Skin Contact: Wash with soap and water. If irritation develops and persists, get medical attention.

Inhalation (Breathing): If irritation is experienced, move to fresh air. Get medical attention if irritation or other symptoms develop and persist.

Most Important Symptoms (acute and delayed): Harmful or fatal if swallowed. If swallowed, may be aspirated and cause lung damage. Prolonged skin contact may cause drying of the skin. Inhalation of mists or vapors may cause nasal and respiratory tract irritation and central nervous system effects such as headache, dizziness and nausea.

Indication of Immediate Medical Attention or Special Treatment: Immediate medical attention is required for ingestion.

5 – Fire Fighting Measures

Extinguishing Media: Use water fog, dry chemical, carbon dioxide or foam. Do not use water jet or flooding amounts of water. Burning product will float on the surface and spread fire.

Special Fire Fighting Procedures: Firefighters should always wear positive pressure self-contained breathing apparatus and full protective clothing. Cool fire-exposed containers with water. Use shielding to protect against bursting containers.

Unusual Fire and Explosion Hazards: Contents under pressure. Extremely flammable aerosol. Keep away from ignition sources and open flames. Exposure of containers to extreme heat and flames can cause them to rupture often with violent force. Vapors can cause a flash fire. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back. A vapor and air mixture can create an explosion hazard in confined spaces.

6 – Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures: Eliminate all sources of ignition and ventilate area. Wear appropriate protective clothing (see Section 8).

Environmental Precautions: Report spills to authorities as required.

Methods and Materials for Containment/Cleanup: Leaking cans should be placed in a plastic bag or open pail until the pressure has dissipated. Contain and collect liquid with an inert absorbent and place in a container for disposal. Clean spill area thoroughly. Report spills to authorities as required.

7 – Handling and Storage

Precautions for Safe Handling: Avoid contact with eyes. Avoid prolonged contact with skin. Avoid breathing vapors or aerosols. Use only with adequate ventilation. Keep away from heat, sparks, pilot lights, hot surfaces

and open flames. Unplug electrical tools, motors and appliances before spraying or bringing the can near any source of electricity. Electricity can burn a hole in the can and cause contents to burst into flames. To avoid serious burn injury, do not let the can touch battery terminals, electrical connections on motors or appliances or any other source of electricity. Wash thoroughly with soap and water after handling. Keep containers closed when not in use. Keep out of the reach of children. Do not puncture, crush or incinerate containers, even when empty.

Conditions for Safe Storage, including any incompatibilities: Store in a cool, well-ventilated area, away from incompatible materials. Do not store in direct sunlight or above 120°F. U.F.C (NFPA 30B) Level 3 Aerosol. Store away from oxidizers.

8 – Exposure Controls/Personal Protection

Chemical	Occupational Exposure Limits
Aliphatic Hydrocarbon	1200 mg/m ³ TWA (manufacturer recommended)
Petroleum Base Oil	5 mg/m ³ TWA (inhalable) ACGIH TLV (as mineral oil) 5 mg/m ³ TWA OSHA PEL (as oil mist, mineral)
Non-Hazardous Ingredients	None Established
Carbon Dioxide	5000 ppm TWA, 30,000 ppm STEL ACGIH TLV 5000 ppm TWA OSHA PEL

The Following Controls are Recommended for Normal Consumer Use of this Product

Engineering Controls: Use in a well-ventilated area.

Personal Protection:

Eye Protection: Avoid eye contact. Always spray away from your face.

Skin Protection: Avoid prolonged skin contact. Chemical resistant gloves recommended for operations where skin contact is likely.

Respiratory Protection: None needed for normal use with adequate ventilation.

For Bulk Processing or Workplace Use the Following Controls are Recommended

Engineering Controls: Use adequate general and local exhaust ventilation to maintain exposure levels below that occupational exposure limits.

Personal Protection:

Eye Protection: Safety goggles recommended where eye contact is possible.

Skin Protection: Wear chemical resistant gloves.

Respiratory Protection: None required if ventilation is adequate. If the occupational exposure limits are exceeded, wear a NIOSH approved respirator. Respirator selection and use should be based on contaminant type, form and concentration. Follow OSHA 1910.134, ANSI Z88.2 and good Industrial Hygiene practice.

Work/Hygiene Practices: Wash with soap and water after handling.

9 – Physical and Chemical Properties

Appearance:	Light amber liquid	Flammable Limits:	LEL: 0.7% UEL: 5.6% (Aliphatic Hydrocarbon)
Odor:	Mild petroleum odor	Vapor Pressure:	Not established
Odor Threshold:	Not established	Vapor Density:	Greater than 1 (air=1)
pH:	Not established	Relative Density:	Not established
Melting/Freezing Point:	Not established	Solubilities:	Insoluble in water
Boiling Point/Range:	320-388°F (160-198°C) (Aliphatic Hydrocarbon)	Partition Coefficient; n- octanol/water:	Not established
Flash Point:	109°F (43°C) (Aliphatic Hydrocarbon)	Autoignition Temperature:	Not established
Evaporation Rate:	Not established	Decomposition Temperature:	Not established
Flammability (solid, gas):	Flammable Aerosol	Viscosity:	Not established
VOC:	533 grams/liter (65%)	Pour Point:	Not established

10 – Stability and Reactivity

Reactivity: Non-reactive

Chemical Stability: Stable under normal storage and handling conditions.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Avoid heat, sparks, flames and other sources of ignition. Do not puncture or incinerate containers.

Incompatible Materials: Strong oxidizing agents.

Hazardous Decomposition Products: Carbon monoxide and carbon dioxide, smoke fumes, unburned hydrocarbons.

11 – Toxicological Information

Symptoms of Overexposure:

Inhalation: Mist or vapors can irritate the throat and lungs. High concentrations may cause nasal and respiratory irritation and central nervous system effects such as headache, dizziness and nausea. Intentional abuse may be harmful or fatal.

Skin Contact: Prolonged and/or repeated contact may produce mild irritation and defatting with possible dermatitis.

Eye Contact: Contact may be irritating to eyes. May cause redness, stinging, swelling and tearing.

Ingestion: This product has low oral toxicity. If swallowed, this material may cause irritation of the mouth, throat and esophagus. Swallowing may cause gastrointestinal irritation, nausea, vomiting, diarrhea, dizziness, drowsiness and other central nervous system effects. This product is an aspiration hazard. If swallowed, can enter the lungs and may cause chemical pneumonitis, severe lung damage and death.

Chronic Effects: None expected.

Medical Conditions Aggravated by Exposure: Preexisting eye, skin and respiratory conditions may be aggravated by exposure.

Suspected Cancer Agent:

Yes No X

Numerical Measures of Toxicity:

Acute Toxicity Estimates: Oral > 5,000 mg/kg; Dermal >2,000 mg/kg based on an assessment of the ingredients. This product is not classified as toxic by established criteria. It is an aspiration hazard.

12 – Ecological Information

Ecotoxicity: No specific aquatic toxicity data is currently available; however components of this product are not expected to be harmful to aquatic organisms

Persistence and Degradability: Components are expected to be readily biodegradable.

Bioaccumulative Potential: Bioaccumulation is not expected based on an assessment of the ingredients.

Mobility in Soil: No data available.

Other Adverse Effects: None Known

13 - Disposal Considerations

Aerosol containers should not be punctured, compacted in home trash compactors or incinerated. Empty containers may be disposed of through normal waste management options. Dispose of all waste product, absorbents, and other materials in accordance with applicable Federal, state and local regulations.

14 – Transportation Information

DOT Surface Shipping Description: UN1950, Aerosols, 2.1 Ltd. Qty

(Note: Shipping Papers are not required for Limited Quantities unless transported by air or vessel – each package must be marked with the Limited Quantity Mark)

IMDG Shipping Description: UN1950, Aerosols, 2.1, LTD QTY

ICAO Shipping Description: UN1950, Aerosols, flammable, 2.1

NOTE: WD-40 Company does not test aerosol cans to assure that they meet the pressure and other requirements for transport by air. We do not recommend that our aerosol products be transported by air.

15 – Regulatory Information

U.S. Federal Regulations:

CERCLA 103 Reportable Quantity: This product is not subject to CERCLA reporting requirements, however, oil spills are reportable to the National Response Center under the Clean Water Act and many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

SARA TITLE III:

Hazard Category For Section 311/312: See OSHA Hazard Classification in Section 2.

Section 313 Toxic Chemicals: This product contains the following chemicals subject to SARA Title III Section 313 Reporting requirements: None

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.

International Information:

China Regulations on the Control over Safety of Dangerous Chemicals: All ingredients in this product are listed on the IECSC (Inventory of Existing Chemical Substances in China 2010).

Korea: All of the components of this product are listed on the Korean chemical inventory.

Philippines: This product contains an ingredient that is not listed on the PICCS. Only limited volumes can be imported. Contact WD40 for more information.

Japan: All of the components of this product are listed on the Japanese chemical inventory.

Taiwan: All the components of this product are listed on the Taiwan Inventory.

16 – Other Information

HMIS Hazard Rating:

Health – 2 (moderate hazard), Fire Hazard – 4 (severe hazard), Physical Hazard – 0 (minimal hazard)

Revision Date: December 2017

Supersedes: November 2015

Prepared by: Industrial Health & Safety Consultants, Inc. Shelton, CT, USA

2021300/No.



Material Safety Data Sheet

12276 San Jose Blvd, Suite 618
Jacksonville, FL 32223

January, 2008
812

SECTION 1: PRODUCT IDENTIFICATION AND EMERGENCY INFORMATION

PRODUCT (TRADE) NAME: Wet and Dry
PRODUCT IDENTIFICATION NUMBER(S): 812
CHEMICAL NAME AND SYNONYMS: Isopropyl Alcohol Solution
CHEMICAL FORMULA: Predominantly: CH₃CH(OH)CH₃
EMERGENCY TELEPHONE NUMBERS: CleanTex: 1-800-771-0529
CHEMTREC (Transportation): (800) 424-9300

SECTION 2: COMPOSITION AND INFORMATION ON INGREDIENTS

COMPONENT	CAS#	%	OSHA PEL (ppm)	ACGIH TLV(ppm)
Isopropyl Alcohol	67-63-0	30.0	400	400
Ammonium Hydroxide	7664-41-7	0.05	50	25
Alkyl Dimethyl Benzyl Ammonium Chloride	68391-01-5	0.10	NA	100
Alkyl Dimethyl Ethyl Benzyl Ammonium Chloride	68956-79-6	0.10	NA	100
Deionized Water	7732-18-5	69.8	NA	NA

SECTION 3: HAZARDS IDENTIFICATION

Product is distributed as either a single use, presaturated pad, in which all the liquid is absorbed by the applicator(s). Isopropyl alcohol is a flammable liquid. Eye contact will cause local irritation and burning sensations with possible injury if not removed promptly. Repeated or prolonged contact with skin may produce irritation and cause dermatitis. Exposure above TLV may cause irritation of respiratory tract and eyes along with headaches, dizziness and CNS effects. May be harmful if swallowed.

Carcinogenicity (OSHA/NTP/IARC/ACGIH): None Listed
Medical Conditions Aggravated by Exposure: None Listed

SECTION 4: FIRST AID INFORMATION

EYE CONTACT: Flush with water for 15 minutes, including under eyelids. Get Medical help.
SKIN CONTACT: Flush with water.
INHALATION: Remove to fresh air. Keep at rest. Restore and/or support breathing as needed. Get prompt Medical attention.
INGESTION: In the unlikely event of ingestion of a wiper, first aid measures should focus on removal of the object and preventing choking. Once removed, keep affected person at rest. Call physician immediately.

SECTION 5: FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (TCC): 85°F
FLAMMABLE LIMITS (% BY VOLUME): LEL: NA UEL: NA
AUTOIGNITION TEMPERATURE °F (°C): NA

EXTINGUISHING MEDIA: Isopropyl alcohol fires may be extinguished using carbon dioxide, dry chemical or alcohol foam. Water may be used to cool containers exposed to the fire.

UNUSUAL FIRE OR EXPLOSION HAZARDS: Isopropyl alcohol may release vapors which may ignite at or above flash point.

NFPA RATING: HEALTH (1)
FLAMMABILITY (3)
REACTIVITY (0)

Formulation is classified as an OSHA Class IB Flammable Liquid
NA = Not Available

SECTION 6: ACCIDENTAL RELEASE MEASURES

Since the isopropyl alcohol solution is completely absorbed by the applicator and the amount of isopropyl alcohol per applicator is small, the chance of a significant spill occurring is small. In the event however, a significant amount of liquid is released, ventilate the area, especially low areas where vapors may collect and remove all sources of ignition. Cleanup personnel need protection against liquid contact and vapor inhalation.

SECTION 7: HANDLING AND STORAGE

Store in a clean, cool, ventilated area away from sources of ignition and oxidizing agents. Handle and store in a manner suitable for an OSHA Class IB Flammable Liquid. Electrical services must meet applicable codes. Use non-sparking tools.

SECTION 8: EXPOSURE CONTROL - PERSONAL PROTECTION

Provide ventilation to maintain TLV. Use non-sparking tools. Avoid inhalation of vapors, contact with eyes and repeated or prolonged contact with skin. Do not take internally.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT (°F(°C)):	195(90.5)	% VOLATILE BY VOLUME @ 25°C:	100
VAPOR PRESSURE (mmHg @ 25°C):	43	EVAPORATION RATE(BUTYL ACETATE=1):	>1
VAPOR DENSITY (AIR=1):	>1	FORM:	Presaturated Pad
% SOLUBLE IN WATER @ 25°C:	100	ODOR:	Alcohol
SPECIFIC GRAVITY0G/CC @25°C)	0.95	APPEARANCE:	Clear Liquid

SECTION 10: STABILITY AND REACTIVITY

STABILITY:	Stable
HAZARDOUS POLYMERIZATION:	Will not occur
INCOMPATIBILITIES/CONDITIONS TO AVOID:	Caustics, amines, alkanolamines, aldehydes, ammonia, strong oxidizing agents and chlorinated compounds.
HAZARDOUS DECOMPOSITION PRODUCTS:	Carbon monoxide

SECTION 11: TOXICOLOGICAL INFORMATION

Not Available

SECTION 12: ECOLOGICAL INFORMATION

Not Available

SECTION 13: DISPOSAL CONSIDERATIONS

Follow Federal, State and Local regulations.

SECTION 14: TRANSPORT INFORMATION

DOT CLASSIFICATION: Not Regulated

Proper Shipping Name:
Hazard Class:
UN Number:
Packing Group:
Hazard Labeling:

IATA/ICAO CLASSIFICATION: Not Regulated

Proper Shipping Name:
Hazard Class:
UN Number:
Packing Group:
Hazard Labeling:

IMDG CLASSIFICATION: Not Regulated

Proper Shipping Name:
Hazard Class:
IMDG Page#:
Packing Group:
Flash Point (°C):
Marine Pollutant:

SECTION 15: REGULATORY INFORMATION

SARA TITLE III REPORTING:

Toxic Chemical(Section 313):	Not listed	
Extremely Hazardous Substance (Section 302, 304, 311,312):	Not Listed	
Hazard Class:	Chronic Health	Yes
	Acute Health	Yes
	Fire Hazard	Yes
	Pressure Hazard	No
	Reactivity Hazard	No

TSCA INVENTORY STATUS

All components
listed are on the
TSCA inventory

SECTION 16: OTHER INFORMATION

The information provided herein is compiled from internal reports and data from professional publication. It is furnished without warranty of any kind, expressed or implied. It is intended solely to assist in evaluating suitability and proper use of the material and in implementing safety precautions and procedures. Employers should use this information as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials. All information used must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.