

Safety Data Sheets

Sheriff - Jail



RSC, Sierra Vista

11/26/2019



Safety Data Sheet Index
Binder: RSC, Sierra Vista - Sheriff - Jail

Product Name	CAS Number	Manufacturer	Version Date	Page
543 WAXIE-Green Glass & Surface Cleaner, WAXIE-Green Glass & Surface Cleaner - 543 WAXIE-Green Glass & Surface Cleaner, WAXIE-Green Glass & Surface Cleaner		WAXIE SANITARY SUPPLY	04/27/2015	3
710 Multi-Purpose Disinfectant Cleaner 3 L 170401, 55 GL: 170455 - 710 Multi-Purpose Disinfectant Cleaner 3 L 170401, 55 GL: 170455		Waxie's Enterprises, Inc.	04/27/2015	13
Kitchen Klenzer Original Powder Cleanser - Kitchen Klenzer Original Powder Cleanser		FITZPATRICK BROS., INC.	03/21/2013	23
REGULAR BLEACH 090101 - REGULAR BLEACH 090101		WAXIE SANITARY SUPPLY	06/07/2004	27
Waxie HD Liquid Laundry Detergent - Waxie HD Liquid Laundry Detergent		WAXIE SANITARY SUPPLY	12/04/2002	29
Waxie Hospital Spray Surface Disinfectant - Waxie Hospital Spray Surface Disinfectant		Waxie Enterprises, Inc.	10/05/2000	32
Waxie Sanitary Supply Germicidal Ultra Bleach - Waxie Sanitary Supply Germicidal Ultra Bleach		KIK CUSTOM PRODUCTS	03/05/2015	33

SAFETY DATA SHEET



This Safety Data Sheet (SDS) complies with the requirements of the U.S. Federal Occupational Safety and Health Administration Hazard Communication Standard (29 CFR 1910.1200, as updated in 2012) and equivalent state Standards. It has also been developed in accordance with the United Nations Globally Harmonized System of Classification of Chemicals (GHS) and the Canadian Workplace Hazardous Materials Information System (WHMIS). Refer to Section 16 of this document for the definition of terms and abbreviations.

SECTION 1: IDENTIFICATION

1.1 PRODUCT IDENTIFIER

- ITEM NUMBER(S): 950110, 950101, 950131
- PRODUCT NAME: **543 WAXIE-Green Glass & Surface Cleaner**
 - 3L: 950110
 - WAXIE-Green Glass & Surface Cleaner**
 - 1 GL: 950101
 - 1 QT: 950131 (Ready to Use)

1.2 RELEVANT IDENTIFIED USES OF THE MIXTURE

- RECOMMENDED USE: Glass and surface cleaning.
- IDENTIFIED USERS: For sale to, use and storage by service persons only.

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

- MANUFACTURER/
SUPPLIER: **WAXIE Sanitary Supply**
- ADDRESS: 9353 Waxie Way; San Diego, CA 92123-1036
- BUSINESS PHONE: 1-800-995-4466
- EMERGENCY PHONE: 1-800-255-3924 (CHEMTEL; 24 hours)

1.4 OTHER PERTINENT INFORMATION

- This product is sold and used in relatively small volumes (e.g., 1 gallon containers). This SDS has been developed to address safety concerns affecting small volume handling situations and those involving warehouses and workplaces where large numbers of these items are stored or distributed.
- This product is intended to be used only after dilution. The relevant hazards and safety data are specified for both the Product as SOLD and Product at USE DILUTION, where appropriate.
- Product certified for reduced environmental impact. View specific attributes evaluated: ul.com/el (UL 2759)

SECTION 2: HAZARD IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:

OSHA/HCS Status

Classification of the Substance or Mixture

Product as SOLD

Flammable liquids (Category 4); Acute Toxicity (Oral, Category 4); Serious eye damage/Irritation (Category 2A); Skin Irritation (Category 3); Specific target organ toxicity (Category 3, Central nervous system);

Product at USE DILUTION

Eye Damage/Irritation (Category 2B)

2.2 LABEL ELEMENTS:

ELEMENT

Hazard Pictograms

Product as SOLD



Signal Word

WARNING.

Product at USE DILUTION

Not applicable.

WARNING.

SECTION 2: HAZARDS IDENTIFICATION (Continued)

2.2 LABEL ELEMENTS (Continued):

ELEMENT	Product as SOLD	Product at USE DILUTION
Hazard Statements	Combustible liquid. Harmful if swallowed. Causes serious eye and mild skin irritation. May cause drowsiness or dizziness. Harmful to aquatic life.	Causes eye irritation.
Precautionary Statements		
Prevention	Keep out of reach of children. Wash hands thoroughly after use. . Avoid breathing mists, vapors, sprays. Use only outdoors or in well-ventilated area. Wear eye protection, face protection, protective clothing, and protective gloves. Avoid release into the environment.	Keep out of reach of children. Wash hands thoroughly after handling.
Response	IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists, see a physician. IF ON SKIN: If skin irritation occurs: Get medical advice. . IN CASE OF FIRE: Use Class B Fire extinguisher.	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists, see a physician.
Storage	Store in well-ventilated place. Keep cool. Store locked-up. Keep container tightly closed.	Not established; follow guidelines in section 7.
Disposal	Dispose of contents/container in accordance with local/regional/national/ international regulations.	Not established; follow guidelines in section 13.

2.3 OTHER PERTINENT DATA ON CHEMICAL AND PHYSICAL HAZARDS:

- Ingestion of product may cause nausea, vomiting, diarrhea and effects on the central nervous system.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1 SUBSTANCES/MIXTURES

CHEMICAL	CAS NUMBER	GHS HAZARD CLASSIFICATION FOR CHEMICAL	% (w/w)
Ammonium Hydroxide	1336-21-6	Acute toxicity, Oral (Category 4), Skin corrosion (Category 1), Serious eye damage (Category 1), H318 Acute aquatic toxicity (Category 1),	Proprietary ¹
Ethanol, 2-Butoxy	111-76-2	Flammable liquids (Category 4); Acute toxicity, Oral (Category 4); Acute toxicity, Inhalation (Category 4); Acute toxicity, Dermal (Category 4); Skin irritation (Category 2); Eye irritation (Category 2A)	Proprietary
Isopropyl alcohol	67-63-0	Flammable liquids (Category 2); Serious eye damage/Irritation (Category 2A); Specific target organ toxicity - single exposure (Category 3, Central nervous system)	Proprietary
Water and other components less than 1% in concentration within this solution. The remaining components of this product are not classified as hazardous in their existing concentrations			Balance

¹ The exact percentage of composition has been withheld as a trade secret. All relevant physical and health hazards have been declared, in accordance with regulatory requirements.

SECTION 4: FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES

AREA EXPOSED

Eye Contact

Product as SOLD

Flush with copious amounts of water for 15 minutes. "Roll" eyes during flush. Seek medical attention if irritation persists.

Product at USE DILUTION

Flush with copious amounts of water. "Roll" eyes during flush. Seek medical attention if irritation persists.

Skin Contact

Flush area with warm, running water for several minutes. Seek medical attention if irritation persists.

Flush area with warm, running water for several minutes.

Inhalation

Obtain fresh air.

Obtain fresh air.

Ingestion

If conscious only: Rinse mouth with water. Drink several cups of water. Do not induce vomiting. Contact a Poison Control Center or physician for instructions.

If conscious only: Rinse mouth with water. Drink several cups of water. Do not induce vomiting. Contact a Poison Control Center or physician for instructions.

4.2 MOST IMPORTANT ACUTE AND CHRONIC EXPOSURE SYMPTOMS

• ACUTE HEALTH EFFECTS:

AREA EXPOSED

Eye Contact

Product as SOLD

Causes serious eye irritation.

Product at USE DILUTION

May cause eye irritation, depending on the duration of contact, redness and pain may occur.

Skin Contact

Causes mild skin irritation.

Mild skin irritation may occur, depending on duration of contact.

Inhalation

May cause respiratory tract irritation; symptoms may include coughing and sneezing depending on volume of mist/spray inhaled.

May cause mild respiratory tract irritation; symptoms may include coughing and sneezing depending on volume of mist/spray inhaled.

Ingestion

Causes gastrointestinal system irritation; symptoms may include pain, sore throat, nausea and vomiting if large volumes are ingested.

May cause gastrointestinal system irritation; symptoms may include pain, sore throat, nausea and vomiting.

• CHRONIC HEALTH EFFECTS:

Product as SOLD

None reported.

Product at USE DILUTION

None reported.

• TARGET ORGANS:

Product as SOLD

Skin, eyes, central nervous system.

Product at USE DILUTION

Eyes.

4.3 INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

The following information is for both **Product as SOLD** and **Product at USE DILUTION**.

- **GENERAL INFORMATION: For all exposures:** In case of accident, or if you feel unwell, seek medical advice immediately. Take this document and a copy of the label to the healthcare professional.
- **RECOMMENDATIONS TO PHYSICIANS:** Treat symptomatically.
- **MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE:** None reported.

SECTION 5: FIREFIGHTING MEASURES

Unless stated, information in this section is for both **Product as SOLD** and **Product at USE DILUTION**.

5.1 EXTINGUISHING MEDIA

- **RECOMMENDED FIRE EXTINGUISHING MEDIA:** Water Spray, Water Jet, Dry Powder, Foam, Carbon Dioxide, Halon, or any other.
- **UNSUITABLE FIRE EXTINGUISHING MEDIA:** None known.

SECTION 5: FIREFIGHTING MEASURES (Continued)

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

- NFPA FLAMMABILITY CLASSIFICATION:**

Classification

NFPA Rating

Product as SOLD



NFPA Classification

Class IIIA Combustible liquid.

Product at USE DILUTION



Not flammable.

- UNUSUAL HAZARDS IN FIRE SITUATIONS:**

Decomposition

Explosion Sensitivity to
Mechanical Impact

Explosion Sensitivity to
Static Discharge

Product as SOLD

Generates carbon dioxide, carbon monoxide, and irritating vapors.

Not applicable.

Not applicable.

Product at USE DILUTION

Generates carbon dioxide, carbon monoxide, and irritating vapors.

Not applicable.

Not applicable.

5.3 ADVICE FOR FIREFIGHTERS

- Self-Contained Breathing Apparatus and full protective equipment for fire response should be worn in any situation. Move containers from fire area if it can be done without risk to personnel. Otherwise, use water spray to keep fire-exposed containers cool. Because this product is a cleaning agent, any equipment that comes in contact with this solution can be rinsed thoroughly with water and then returned to service.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Unless stated, information in this section is for both **Product as SOLD** and **Product at USE DILUTION**.

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES

- RESPONSE TO INCIDENTAL RELEASES:** Personnel who have received basic chemical safety training can generally handle small-scale releases. Gloves and safety glasses must be worn when cleaning-up spills. Use caution during clean-up; contaminated floors and items may be slippery.
- RESPONSE TO NON-INCIDENTAL RELEASES:** Generally, releases of this product will be no larger than the loss of one shipment of material. Subsequently, personnel can follow the instructions for incidental releases. As needed, respond to non-incident chemical releases of this product (such as the simultaneous destruction of several pallets of this product) by clearing the impacted area and contacting appropriate emergency personnel. In the event that over 3 gallons of this material has spilled, safety goggles with face-shield and air-purifying respirator with High Efficiency Particulate Filter/Organic Vapor cartridge should be worn.
- RESPONSE PROCEDURES FOR ANY RELEASE:** Absorb spilled liquid with polypads or other suitable absorbent materials. Rinse area thoroughly. Because this product is a cleaning, all items that come in contact with the solution can be returned to service after rinsing.

6.2 ENVIRONMENTAL PRECAUTIONS

- Avoid response actions that can cause a release of a significant amount of product (more than 4 gallons) into the environment. Avoid accidental dispersal of spilled material into soil, waterways and sewers.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

- SPILL RESPONSE EQUIPMENT:** Polypad or other absorbent material.

6.4 REFERENCES TO OTHER SECTIONS

- SECTION 8:** For exposure levels and detailed personal protective equipment recommendations.
- SECTION 13:** For waste handling guidelines.

SECTION 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

ITEM

Hygiene Practices

Product as SOLD

Keep out of reach of children. Follow good chemical hygiene practices. Do not smoke, drink, eat, or apply cosmetics in the chemical use area. Avoid inhalation of vapors, mists and sprays. Use in well-ventilated area. Avoid contact with skin or eyes. Remove contaminated clothing promptly. Clean up spilled product immediately.

Product at USE DILUTION

Keep out of reach of children. Follow good chemical hygiene practices. Do not smoke, drink, eat, or apply cosmetics in the chemical use area. Avoid inhalation of mists and sprays. Use in well-ventilated area. Avoid contact with skin or eyes. Remove contaminated clothing promptly. Clean up spilled product immediately.

Handling Practices

Employees must be appropriately trained to use this product safely as needed. Keep containers closed when not in use. Keep away from sources of ignition. Take precautionary measures against static discharges. Keep away from heat, sparks, open flames.

Employees must be appropriately trained to use this product safely as needed. Keep containers closed when not in use.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage Practices

Product as SOLD

Ensure all containers are correctly labeled. Store containers away from direct sunlight, sources of intense heat, or where freezing is possible. Store this product away from incompatible chemicals. Inspect all incoming containers before storage, to ensure containers are properly labeled and not damaged. Empty containers may contain residual liquid; therefore, empty containers should be handled with care.

Product at USE DILUTION

Ensure all containers are correctly labeled. Store containers away from direct sunlight, sources of intense heat, or where freezing is possible. Store this product away from incompatible chemicals.

Incompatibilities

See Section 10 (Stability and Reactivity).

See Section 10 (Stability and Reactivity).

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

• AIRBORNE EXPOSURE LIMITS:

COMPONENT	ACGIH TLV	OSHA PEL	NIOSH REL	OTHER
Ethanol, 2-Butoxy	TWA = 20 ppm (Skin)	TWA = 50 ppm (Skin)	TWA = 5 ppm (Skin)	NE
Isopropyl alcohol.	TWA= 200 ppm; STEL = 400 ppm	TWA = 400 ppm	TWA= 400 ppm; STEL = 500 ppm	NE

- **BIOLOGICAL OCCUPATIONAL EXPOSURE LIMITS:** The following BEIs have been established for components of this product.
 - ISOPROPYL ALCOHOL: Acetone in Urine; End of Shift; 40 mg/L

8.2 EXPOSURE CONTROLS

Engineering Controls Respiratory Protection Hand Protection Eye Protection Body Protection

Product as SOLD

Use in well-ventilated environment.
None normally needed.
Neoprene or nitrile gloves.
Safety glasses.
Standard protection used in janitorial service. If splashes or sprays can occur, a rubber apron should be used.

Product at USE DILUTION

Use in well-ventilated environment.
None normally needed.
Neoprene or nitrile gloves
Safety glasses.
Standard protection used in janitorial service..

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (Continued)

8.3 PERSONAL PROTECTION SYMBOLS

	<u>Product as SOLD</u>	<u>Product at USE DILUTION</u>
Hand Protection		
Eye/Face Protection		
Body Protection		

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

	<u>Product as SOLD</u>	<u>Product at USE DILUTION</u>
Appearance	Light blue color.	Clear, light blue liquid.
Odor	Alcohol odor.	Alcohol schent..
Odor Threshold	Not determined.	Not determined.
pH	6-8	Approximately 7
Melting Point/Freezing Point	Not determined.	Approx. 0°C (32 °F).
Initial Boiling Point/Boiling Range	Not determined.	Approximately 100°C (212°F).
Flash Point	>150°C (65°F); Pensky-Martens	Not applicable.
Evaporation Rate (Water = 1)	Approx. 1.0.	Approx. 1.0.
Flammability	Class IIIA Combustible Liquid.	Not applicable.
Upper/Lower Explosive Limits	Not determined.	Not applicable.
Vapor Pressure	Not determined.	Not determined.
Vapor Density	Not determined.	Not determined.
Relative Density (Density)	0.99 (8.256 lb/gal)	Approx. 1.0.
Solubility	Completely soluble in water.	Completely soluble in water.
Partition Coefficient/n-octanol/water	Not determined.	Not determined.
Autoignition Temperature	Not applicable.	Not applicable.
Decomposition Temperature	Not determined.	Not determined.
Viscosity	Not determined.	Not determined.

9.2 OTHER INFORMATION

- VOC (less water & exempt): 15 g/L.
- WEIGHT% VOC: 1.5%

SECTION 10: STABILITY AND REACTIVITY

Unless stated, information in this section is for both **Product as SOLD** and **Product at USE DILUTION**.

10.1 REACTIVITY

- Not reactive under typical conditions of use or handling.

10.2 CHEMICAL STABILITY

- Normally stable under standard temperatures and pressures.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

- Product is not self-reactive, water-reactive, or air-reactive; it will not undergo hazardous polymerization.

10.4 CONDITIONS TO AVOID

- Avoid contact with incompatible chemicals.

10.5 INCOMPATIBLE MATERIALS

- Strong oxidizing agents, oxidizers, ammonia, bleach, strong acids and strong alkali materials.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

- Products of thermal decomposition of this product include carbon monoxide and carbon dioxide.

SECTION 11: TOXICOLOGICAL INFORMATION

Unless stated, information in this section is for both **Product as SOLD** and **Product at USE DILUTION**.

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

- **ACUTE TOXICITY:**

- **TOXICOLOGY DATA:** The following data are available for components of this product.

ISOPROPYL ALCOHOL

LD₅₀ (Oral, Rat) = 5,045 mg/kg Remarks:

Behavioral: Altered sleep time (including change in righting reflex). Behavioral:

Somnolence (general depressed activity).

LC₅₀ (Inhalation – Rat) = 8 hours/ 16000 ppm

LD₅₀ (Dermal, Rabbit) = 12,800 mg/kg

LDLo (Human, Unreported) = 2 mL/kg

LDLo (Human, Oral) = 3570 mg/Kg (vomiting, respiratory depression, coma)

SODIUM LAURYL SULFATE

LD₅₀ (Oral, Rat) = 1288 mg/kg

LC₅₀ (Inhalation, Rat) > 3900 mg/m³ – 1 hour

LD₅₀ (Dermal, Rabbit) = 580 mg/kg

- **DEGREE OF IRRITATION:** Serious eye irritant and mild skin irritant. See Section 4 (First Aid Measures) for more details. The following data are available for components of this product:
- **SENSITIZATION:** This product is not reported to have skin or respiratory sensitization effects.
- **REVIEW OF ACUTE SYMPTOMS AND EFFECTS BY ROUTE OF EXPOSURE:** See Section 2 (Hazards Information) and Section 4 (First Aid Measures) for additional details.

Eyes

Irritating the eyes.

Skin

Mildly to moderately irritating, depending on duration of exposure.

Inhalation

May cause mild respiratory tract irritation if mists are inhaled.

Ingestion

May cause gastrointestinal system irritation.

- **CHRONIC TOXICITY:**

- **CARCINOGENICITY STATUS:** The following carcinogenicity data are available for components of this product.

CHEMICAL	IARC	NTP	NIOSH	OSHA	OTHER
Isopropyl Alcohol	IARC-3: Unclassifiable as to Carcinogenicity in Humans	NO	NO	NO	TLV-4: Not Classifiable as a Human Carcinogen;

- **REPRODUCTIVE TOXICITY INFORMATION:** The components of this product are not reported to cause reproductive effects under typical circumstances of exposure.
- **MUTAGENIC EFFECTS:** The components of this product are not reported to cause mutagenic effects under typical circumstances of exposure.
- **SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE:** This product can cause central nervous system effects.
- **SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE:** Not applicable.
- **ASPIRATION HAZARD:** Not applicable.

- **OTHER INFORMATION:**

- **TOXICOLOGICALLY SYNERGISTIC PRODUCTS:** None known.
- **ADDITIONAL TOXICOLOGY:** Not applicable.

SECTION 12: ECOLOGICAL INFORMATION

Unless stated, information in this section is for both **Product as SOLD** and **Product at USE DILUTION**.

12.1 TOXICITY

- Based on available data, this product may be harmful to contaminated terrestrial or aquatic plants or animals, depending on the volume released into the environment.
- The following aquatic toxicity data are available for components of this product.

ISOPROPYL ALCOHOL

LC50 (Pimephales promelas): 9,640.00 mg/L - 96 hours

EC50 (Daphnia magna): 5,102.00 mg/L - 24 hours

Immobilization EC50 (Daphnia magna) : 6,851 mg/L - 24 hours

EC50 - Algae > 1,000.00 mg/L - 24 h

SODIUM LAURYL SULFATE

LC50 [Pimephales promelas] = 29 mg/L/96 hours

LC50 [Oncorhynchus mykiss] = 13.5-13.8 mg/L/96 hours

LC50 [Lepomis macrochirus] = 6.2-9.6 mg/L/96 hours

LC50 [Poecilia reticulata] = 5.8-7.5 mg/L/96 hours

LC50 [Brachydanio rerio] = 10.2-22.5 mg/L/96 hours

12.2 PERSISTENCE AND DEGRADABILITY

- When released into the soil, the components of this product are expected to biodegrade, dissipate in soils via oxidation, or otherwise chemically degrade or photo-decompose via solar radiation.

12.3 BIOACCUMULATIVE POTENTIAL

- This product is not anticipated to bioaccumulate significantly.

12.4 MOBILITY IN SOIL

- It is to be expected this product will have some mobility in soil.

12.5 OTHER ADVERSE EFFECTS

- None reported.

SECTION 13: DISPOSAL CONSIDERATION

13.1 WASTE TREATMENT METHODS

Product as SOLD

Dispose of in accordance with local, State and Federal regulations.

Product at USE DILUTION

Dispose of unused product in accordance with local, State and Federal regulations.

13.2 DISPOSAL CONSIDERATIONS

- EPA RCRA WASTE CODE:** Not applicable.

SECTION 14: TRANSPORT INFORMATION

14.1 DANGEROUS GOODS BASIC DESCRIPTION AND OTHER TRANSPORT INFORMATION

- DEPARTMENT OF TRANSPORTATION HAZARDOUS MATERIALS SHIPPING REGULATIONS:**

UN/NA Number	Proper Shipping Name	Packing Group	Hazard Class	Label	North American Emergency Response Guide #	Marine Pollutant Status
NOT APPLICABLE						

- IATA DESIGNATION:** This product is not regulated as dangerous goods by the International Air Transport Association.
- IMO DESIGNATION:** This product is not regulated as dangerous goods by the International Maritime Organization.

14.2 ENVIRONMENTAL HAZARDS

- None described, as related to transportation.

14.3 SPECIAL PRECAUTIONS FOR USERS

- Not applicable.

14.4 TRANSPORT IN BULK

- Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1 SAFETY, HEALTH, AND ENVIRONMENTAL REGULATIONS SPECIFIC FOR THE PRODUCT

• OTHER IMPORTANT U.S. REGULATIONS

- **U.S. SARA HAZARD CATEGORIES (SECTION 311/312, 40 CFR 370-21):** ACUTE: Yes; CHRONIC: No; FIRE: No; REACTIVE: No; SUDDEN RELEASE: No
- **U.S. CERCLA REPORTABLE QUANTITY (RQ):** Not applicable.
- **U.S. TSCA INVENTORY STATUS:** All components of this product are listed on the TSCA Inventory.
- **CALIFORNIA SAFE DRINKING WATER ACT (PROPOSITION 65) STATUS:** Not applicable.

• INTERNATIONAL REGULATIONS

- **CANADIAN REGULATORY STATUS:** The product is classified as hazardous under Canadian Controlled Products regulations (SOR-88-66).
 - Classification: B3 – Combustible Liquid; D2B – Materials Causing Other Toxic Effects/Toxic
 - This SDS contains all the information required by the CPR.
- **CANADIAN DSL/NDL INVENTORY STATUS:** The listed components of this product are on the DSL/NDL Inventory.
- **CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS:** The components of this product are not on the CEPA Priorities Substances Lists.
- **GERMAN WATER HAZARD CLASSIFICATION:** 1 (low hazard to waters).



SECTION 16: OTHER INFORMATION

16.1 INDICATION OF CHANGE

- **DATE OF REVISION:** April 27, 2015
- **SUPERCEDES:** September 5, 2014
- **CHANGE INDICATED:** Update of OSHA Hazard Communication Standard (29 CFR 1910.1200),

16.2 KEY LITERATURE REFERENCES AND SOURCES FOR DATA

- SAFETY DATA SHEETS FOR COMPONENT PRODUCTS.
- Federal OSHA Hazard Communication Standard: 29 CFR 1910.1200.
- SAX – Dangerous Properties of Industrial Materials
- RTECS – Registry of Effects of Toxic Chemicals
- TOXNET – <http://toxnet.nlm.nih.gov/>

16.3 HAZARDOUS MATERIALS CLASSIFICATION SYSTEM

Product as SOLD

Health	1	HMIS Personal Protective Equipment Rating: Occupational Use situations: B- Safety glasses and gloves. C – Add rubber apron if splashes/sprays can occur.
Flammability	0	
Physical Hazard	0	
Protective Equipment	B/C	

Product at USE DILUTION

Health	0	HMIS Personal Protective Equipment Rating: Occupational Use situations: B- Safety glasses and gloves.
Flammability	0	
Physical Hazard	0	
Protective Equipment	B	

SECTION 16: OTHER INFORMATION (Continued)

16.4 DISCLAIMER

WAXIE Sanitary Supply makes no warranty, representation or guarantee as to the accuracy, sufficiency or completeness of the material set forth herein. It is the user's responsibility to determine the safety, toxicity and suitability of their own use, handling and disposal of this product. Since actual use by others is beyond our control, no warranty, expressed or implied, is made by WAXIE Sanitary Supply as to the effects of such use, the results to be obtained or the safety and toxicity of this product, nor does WAXIE Sanitary Supply assume any liability arising out of the use by others of this product referred to herein. The data in this SDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. WAXIE Sanitary Supply does not recommend blending this product with any other chemicals. All information, recommendations and data contained herein concerning this product are based upon information available at the time of writing from recognized technical sources.

16.5 ABBREVIATIONS AND ACRONYMS

ALL SECTIONS: OSHA: U.S. Federal Occupational Safety and Health Administration. WHMIS: Canadian Workplace Hazardous Materials Standard. GHS: Globally Harmonized System of Classification of Chemical Substances. REACH: European Union regulation, Registration, Evaluation, Authorization and Restriction of Chemical substances.

SECTION 2: CAS Number: Chemical Abstract Service Number, which is used by the American chemical Society to uniquely identify a chemical.

SECTION 5: NFPA: National Fire Protection Association. NFPA FLAMMABILITY CLASSIFICATION: The NFPA uses the flash point (F.P.) and boiling point (BP) to classify flammable or combustible liquids. Class IA: F.P. below 73°F and BP below 100°F. Class IB: F.P. below 73°F and BP at or above 100°F. Class IC: F.P. at or above 73°F and BP at or above 100°F. Class II: F.P. at or above 100°F and below 140°F. Class IIIA: F.P. at or above 140°F and below 200°F. Class IIIB: F.P. at or above 200°F. HAZARDOUS MATERIALS RATING: This is a rating system used to summarize physical and health hazards to firefighters. 0 = No Significant Hazard. 1 = Slight Hazard. 2 = Moderate Hazard. 3 = Severe Hazard. 4 = Extreme Hazard.

SECTION 8: NE: Not established. ACGIH: American Conference of Government Industrial Hygienists; TWA: Time-Weighted Average (over an 8-hour work day); STEL: Short-Term Exposure Limit (15 minute average, no more than 4-times daily and each exposure separated by one-hour minimally); C: Ceiling Limit (concentration not to be exceeded in a work environment). PEL: Permissible Exposure Limit. NIOSH: National Institute of Occupational Safety and Health; REL: Recommended Exposure Limit; IDLH: Immediately Dangerous to Life and Health Concentrations. Note: In July 1992, a court ruling vacated the more protective PELs set by OSHA in 1989. Because OSHA may enforce the more protective levels under the "general duty clause", both the current and vacated levels are presented in this document. ppm: Parts per Million. mg/m³: Milligrams per cubic meter. mppcf: Millions of Particles per Cubic Foot. BEI: Biological Exposure Limit. EL: Exposure Limit (United Kingdom). Federal Republic of Germany (DFG) Maximum Concentration Values in the Workplace (MAKs)

SECTION 9: pH: Scale (0 to 14) used to rate the acidity or alkalinity of aqueous solutions. For example, a pH value of 0 indicates a strongly acidic solution, pH of 7 indicates a neutral solution, and a pH value of 14 indicates an extremely basic solution. FLASH POINT: Temperature at which a liquid generates enough flammable vapors so that ignition may occur. AUTOIGNITION TEMPERATURE: Temperature at which spontaneous ignition occurs.

SECTION 9 (Continued): LOWER EXPLOSIVE LIMIT (LEL): The minimal concentration of flammable vapors in air which will sustain ignition. UPPER EXPLOSIVE LIMIT (UEL): The maximum concentration of flammable vapors in air which will sustain ignition.≈: Approximately symbol. VOC: Volatile Organic Compound.

SECTION 11: CARCINOGENICITY STATUS: NTP: National Toxicology Program. IARC: International Agency for Research on Cancer. REPRODUCTIVE TOXICITY INFORMATION: Mutagen: Substance capable of causing chromosomal damage to cells. Embryotoxin: Substance capable of damaging the developing embryo in an overexposed female. Teratogen: Substance capable of damaging the developing fetus in an overexposed female. Reproductive toxin: Substance capable of adversely affecting male or female reproductive organs or functions. TOXICOLOGY DATA: LDxxor LCxx: The Lethal Dose or Lethal Concentration of a substance which will be fatal to a given percentage (xx) of exposed test animals by the designate route of administration. This value is used to access the toxicity of chemical substances to humans. TDxxor TCxx: The Toxic Dose or Toxic Concentration of a substance which will cause an adverse effect to a given percentage (xx) of exposed test animals by the designate route of administration.

SECTION 12: EC50: Effect Concentration (on 50% of study group); BOD: Biological Oxygen Demand. N/LOEC: No/Lowest Observable Effect Concentration.

SECTION 13: RCRA: Resource Conservation and Recovery Act. The regulations promulgated under this act under Act are found in 40 CFR, Sections 260 ff, and define the requirements of hazardous waste generation, transport, treatment, storage, and disposal. EPA RCRA Waste Codes: Defined in 40 CFR Section 261.

SECTION 15: CERCLA: Comprehensive Environmental Response Compensation and Liability Act (a.k.a. "Superfund") and SARA: (Superfund Amendment and Reauthorization Act). The regulations promulgated under this Act are located under 40 CFR 300 ff. and provide "community right-to-know" requirements. TSCA: Toxic Substances Control Act: Rules regulating the manufacture and sale of chemicals found in 40 CFR 700-766. DSL/NDSL: Canadian Domestic Substances and Non-Domestic Substances Lists.

SECTION 16: HAZARDOUS MATERIALS IDENTIFICATION SYSTEM RATING: This is a rating system used by industry to summarize physical and health hazards to chemical users and was originally developed by the National Paint and Coating Association. 0 = No Significant Hazard. 1 = Slight Hazard. 2 = Moderate Hazard. 3 = Severe Hazard. 4 = Extreme Hazard.

SAFETY DATA SHEET



This Safety Data Sheet (SDS) complies with the requirements of the U.S. Federal Occupational Safety and Health Administration Hazard Communication Standard (29 CFR 1910.1200, as updated in 2012) and equivalent state Standards. It has also been developed in accordance with the United Nations Globally Harmonized System of Classification of Chemicals (GHS) and the Canadian Workplace Hazardous Materials Information System (WHMIS). Refer to Section 16 of this document for the definition of terms and abbreviations.

SECTION 1: IDENTIFICATION

1.1 PRODUCT IDENTIFIER

- ITEM NUMBER(S): 170401, 170455
- PRODUCT NAME: **710 Multi-Purpose Disinfectant Cleaner**
 - 3 L 170401
 - 55 GL: 170455

1.2 RELEVANT IDENTIFIED USES OF THE MIXTURE

- RECOMMENDED USE: Disinfection of surfaces, equipment.
- IDENTIFIED USERS: For sale to, use and storage by service persons only.

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

- MANUFACTURER/
SUPPLIER: **Waxie's Enterprises, Inc.**
- ADDRESS: 9353 Waxie Way, San Diego, CA 92123-1036
- BUSINESS PHONE: 1-800-995-4466
- EMERGENCY PHONE: 1-800-255-3924 (CHEMTEL; 24 hours)

1.4 OTHER PERTINENT INFORMATION

- This product is intended to be used only after dilution. The relevant hazard and safety data are specified for both the **Product as SOLD** and **Product at USE DILUTION**, where appropriate.
- EPA registration # 1839-167-14994.

SECTION 2: HAZARD IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:

OSHA/HCS Status

Classification of the Substance or Mixture

Product as SOLD

Flammable Liquids (Category 3). Acute Toxicity, Oral (Category 4), Skin corrosion/Irritation (Category 2); Serious eye damage/Irritation (Category 2A); Acute aquatic toxicity (Category 2)

Product at USE DILUTION

Acute Toxicity (Oral, Category 5)
Eye Damage/Irritation (Category 2B)

2.2 LABEL ELEMENTS:

ELEMENT

Hazard Pictograms

Product as SOLD



Product at USE DILUTION

Not applicable.

Signal Word

WARNING.

WARNING.

Hazard Statements

Flammable liquid and vapor. Harmful if swallowed. Causes skin and serious eye irritation. Toxic to aquatic life.

May be harmful if swallowed.
Causes eye irritation.

SECTION 2: HAZARDS IDENTIFICATION (Continued)

2.2 LABEL ELEMENTS (Continued):

ELEMENT	Product as SOLD	Product at USE DILUTION
Precautionary Statements Prevention	Keep out of reach of children. Keep away from heat, sparks, open flames, hot surfaces – No smoking. Keep container tightly closed. Use only non-sparking tools. Wash hands thoroughly after use. Do not eat, drink, or smoke when using this product. Wear eye protection/face protection/protective clothing/protective gloves. Avoid release into the environment. Collect spillage.	Keep out of reach of children. Wash hands thoroughly after handling.
Response	IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell. IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists, see a physician. IF ON SKIN (or hair): Wash with plenty of water. If skin irritation occurs, get medical advice/attention. Take off contaminated clothing and wash it before reuse. IN CASE OF FIRE: Use Class B fire extinguisher.	Call a POISON CENTER or doctor/physician if you feel unwell. IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists, see a physician.
Storage	Store in well-ventilated place. Keep cool.	Not established; follow guidelines in section 7.
Disposal	Dispose of contents/container in accordance with local/ regional/ national/ international regulations.	Not established; follow guidelines in section 13.

2.3 OTHER PERTINENT DATA ON CHEMICAL AND PHYSICAL HAZARDS:

- May cause severe irritation of the respiratory tract if mists/sprays are inhaled. Ingestion of large quantities may cause irritation, ulceration, nausea.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1 SUBSTANCES/MIXTURES

CHEMICAL	CAS NUMBER	GHS HAZARD CLASSIFICATION FOR CHEMICAL	% (w/w)
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	68424-85-1	Acute toxicity, Oral (Category 4); Skin corrosion (Category 1B); Serious eye damage (Category 1)	Proprietary ¹
Octyl decyl dimethyl ammonium chloride.	68424-95-3	Acute toxicity, Oral (Category 4); Skin corrosion (Category 1B); Serious eye damage (Category 1)	Proprietary
1-Octanaminium, N,N-Dimethyl-N-octyl-, chloride	5538-94-3	Acute toxicity, Oral (Category 4); Skin corrosion (Category 1B)	Proprietary
1-Decanaminium, N-Decyl-N,N-dimethyl-, chloride	7173-51-5	Acute toxicity, Oral (Category 3); Skin corrosion (Category 1B);, Serious eye damage (Category 1); Acute aquatic toxicity (Category 1); Chronic aquatic toxicity (Category 2)	Proprietary
Ethanol	64-17-5	Flammable liquids (Category 2); Acute toxicity, Oral (Category 4); Specific target organ toxicity - single exposure (Category 1); Acute aquatic toxicity (Category 2); Chronic aquatic toxicity (Category 2)	Proprietary
Water and other components less than 1% in concentration within this solution. The remaining components of this product are not classified as hazardous in their existing concentrations			Balance

¹ The exact percentage of composition has been withheld as a trade secret. All relevant physical and health hazards have been declared, in accordance with regulatory requirements.

SECTION 4: FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES

AREA EXPOSED	Product as SOLD	Product at USE DILUTION
Eye Contact	Flush with copious amounts of water for 15 minutes. "Roll" eyes during flush. Seek medical attention if irritation persists.	Flush with copious amounts of water. "Roll" eyes during flush. Seek medical attention if irritation persists.
Skin Contact	Flush area with warm, running water for several minutes. Seek medical attention if irritation persists.	Flush area with warm, running water for several minutes.
Inhalation	Obtain fresh air.	Obtain fresh air.
Ingestion	If conscious only: Rinse mouth with water. Drink several cups of water. Do not induce vomiting. Contact a Poison Control Center or physician for instructions.	If conscious only: Rinse mouth with water. Drink several cups of water. Do not induce vomiting. Contact a Poison Control Center or physician for instructions.

4.2 MOST IMPORTANT ACUTE AND CHRONIC EXPOSURE SYMPTOMS

- ACUTE HEALTH EFFECTS:

AREA EXPOSED	Product as SOLD	Product at USE DILUTION
Eye Contact	Causes serious eye irritation.	Causes eye irritation, depending on the duration of contact, redness and pain may occur.
Skin Contact	Causes moderate to serious skin irritation, depending on duration of contact	No adverse effects anticipated.
Inhalation	Causes respiratory tract irritation; symptoms may include coughing and sneezing depending on volume of mist/spray inhaled.	May cause mild respiratory tract irritation; symptoms may include coughing and sneezing depending on volume of mist/spray inhaled.
Ingestion	Causes gastrointestinal system irritation; symptoms may include pain, sore throat, nausea and vomiting if large volumes are ingested.	May cause gastrointestinal system irritation; symptoms may include pain, sore throat, nausea and vomiting.

- CHRONIC HEALTH EFFECTS:

	Product as SOLD None reported.	Product at USE DILUTION None reported.
TARGET ORGANS:	Product as SOLD Skin, eyes.	Product at USE DILUTION None reported.

4.3 INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

The following information is for both **Product AS SOLD** and **Product at USE DILUTION**.

- GENERAL INFORMATION: For all exposures:** In case of accident, or if you feel unwell, seek medical advice immediately. Take this document and a copy of the label to the healthcare professional.
- RECOMMENDATIONS TO PHYSICIANS:** Treat symptomatically.
- MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE:** None reported.

SECTION 5: FIREFIGHTING MEASURES

Unless stated, information in this section is for both **Product as SOLD** and **Product at USE DILUTION**.

5.1 EXTINGUISHING MEDIA

- RECOMMENDED FIRE EXTINGUISHING MEDIA:** Water Spray, Water Jet, Dry Powder, Foam, Carbon Dioxide, Halon, or any other.
- UNSUITABLE FIRE EXTINGUISHING MEDIA:** None known.

SECTION 5: FIREFIGHTING MEASURES (Continued)

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

- NFPA FLAMMABILITY CLASSIFICATION:**

Classification
NFPA Rating

Product as SOLD



NFPA Classification

Class II Combustible Liquid.

Product at USE DILUTION



Not flammable.

- UNUSUAL HAZARDS IN FIRE SITUATIONS:**

Decomposition

Product as SOLD

Generates carbon dioxide, carbon monoxide, hydrogen chloride, ammonia, and nitrogen oxides.

Explosion Sensitivity to
Mechanical Impact

Not applicable.

Explosion Sensitivity to
Static Discharge

Not applicable.

Product at USE DILUTION

Generates carbon dioxide, carbon monoxide, hydrogen chloride, ammonia, and nitrogen oxides.

Not applicable.

Not applicable.

5.3 ADVICE FOR FIREFIGHTERS

- Self-Contained Breathing Apparatus and full protective equipment for fire response should be worn in any situation. Move containers from fire area if it can be done without risk to personnel. Otherwise, use water spray to keep fire-exposed containers cool. Because this product is a cleaning agent, any equipment that comes in contact with this solution can be rinsed thoroughly with water and then returned to service.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Unless stated, information in this section is for both **Product as SOLD** and **Product at USE DILUTION**.

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES

- RESPONSE TO INCIDENTAL RELEASES:** Personnel who have received basic chemical safety training can generally handle small-scale releases. Gloves and safety glasses must be worn when cleaning-up spills. Use caution during clean-up; contaminated floors and items may be slippery.
- RESPONSE TO NON-INCIDENTAL RELEASES:** Generally, releases of this product will be no larger than the loss of one shipment of material (therefore, 12 gallons or less). Subsequently, personnel can follow the instructions for incidental releases. As needed, respond to non-incidental chemical releases of this product (such as the simultaneous destruction of several pallets of this product) by clearing the impacted area and contacting appropriate emergency personnel. In the event that over 5 gallons of this material has spilled, safety goggles with face-shield and air-purifying respirator with High Efficiency Particulate Filter should be worn.
- RESPONSE PROCEDURES FOR ANY RELEASE:** Absorb spilled liquid with polypads or other suitable absorbent materials. Rinse area thoroughly. Because this product is a disinfectant, all items that come in contact with the solution can be returned to service after rinsing.

6.2 ENVIRONMENTAL PRECAUTIONS

- Avoid response actions that can cause a release of a significant amount of product (more than 4 gallons) into the environment. Avoid accidental dispersal of spilled material into soil, waterways and sewers.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

- SPILL RESPONSE EQUIPMENT:** Polypad or other absorbent material.

6.4 REFERENCES TO OTHER SECTIONS

- SECTION 8:** For exposure levels and detailed personal protective equipment recommendations.
- SECTION 13:** For waste handling guidelines.

SECTION 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

ITEM	Product as SOLD	Product at USE DILUTION
Hygiene Practices	Keep out of reach of children. Follow good chemical hygiene practices. Do not smoke, drink, eat, or apply cosmetics in the chemical use area. Avoid inhalation of mists and sprays. Use in well-ventilated area. Avoid contact with skin or eyes. Remove contaminated clothing promptly. Clean up spilled product immediately.	Keep out of reach of children. Follow good chemical hygiene practices. Do not smoke, drink, eat, or apply cosmetics in the chemical use area. Avoid inhalation of mists and sprays. Use in well-ventilated area. Avoid contact with skin or eyes. Remove contaminated clothing promptly. Clean up spilled product immediately.
Handling Practices	Employees must be appropriately trained to use this product safely as needed. Keep containers closed when not in use. Avoid conditions that create static electrical discharge.	Employees must be appropriately trained to use this product safely as needed. Keep containers closed when not in use.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

	Product as SOLD	Product at USE DILUTION
Storage Practices	Ensure all containers are correctly labeled. Store containers away from direct sunlight, sources of intense heat, or where freezing is possible. Store this product away from incompatible chemicals. Inspect all incoming containers before storage, to ensure containers are properly labeled and not damaged. Empty containers may contain residual liquid; therefore, empty containers should be handled with care.	Ensure all containers are correctly labeled. Store containers away from direct sunlight, sources of intense heat, or where freezing is possible. Store this product away from incompatible chemicals.
Incompatibilities	See Section 10 (Stability and Reactivity).	See Section 10 (Stability and Reactivity).

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

- AIRBORNE EXPOSURE LIMITS:**

COMPONENT	ACGIH TLV	OSHA PEL (ppm)	NIOSH REL (ppm)	OTHER
Ethyl Alcohol	1000 ppm (STEL)	1000 ppm	1000 ppm	NE

- BIOLOGICAL OCCUPATIONAL EXPOSURE LIMITS:** Not established.

8.2 EXPOSURE CONTROLS

	Product as SOLD	Product at USE DILUTION
Engineering Controls Respiratory Protection	Use in well-ventilated environment. None needed in normal circumstances of use.	Use in well-ventilated environment. None needed in normal circumstances of use.
Hand Protection	Neoprene or nitrile gloves are recommended. Ensure gloves are intact prior to use.	Standard chemical-resistant gloves used in janitorial work are recommended.
Eye Protection	Safety glasses. Face-shield should be added if splashes/sprays could occur.	Safety glasses.
Body Protection	Standard protection used in janitorial service. If splashes or sprays can occur, a rubber apron should be used. Rubber apron should be added if splashes/sprays could occur.	Standard protection used in janitorial service. Rubber apron should be added if splashes/sprays could occur.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (Continued)

8.3 PERSONAL PROTECTION SYMBOLS

Hand Protection



Eye/Face Protection



Body Protection



Product at USE DILUTION



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

	Product as SOLD	Product at USE DILUTION
Appearance	Yellow liquid.	Clear, colorless liquid.
Odor	Citrus odor.	Pleasant.
Odor Threshold	Not determined.	Not determined.
pH	6.0-8.0	Approximately 7
Melting Point/Freezing Point	No data.	Approx. 0°C (32 °F).
Initial Boiling Point/Boiling Range	>100°C (210 °F).	Approximately 100°C (212°F).
Flash Point	54.4°C (130 °F).	Not applicable.
Evaporation Rate (Water = 1)	No data available.	Approx. 1.0.
Flammability	Class II Combustible Liquid.	Not applicable.
Upper/Lower Explosive Limits	Not applicable.	Not applicable.
Vapor Pressure	Not determined.	Not determined.
Vapor Density	Not determined.	Not determined.
Relative Density (Density)	No data available.	Approx. 1.0.
Solubility	Completely soluble in water.	Completely soluble in water.
Partition Coefficient/n-octanol/water	Not determined.	Not determined.
Autoignition Temperature	Not applicable.	Not applicable.
Decomposition Temperature	Not determined.	Not determined.
Viscosity	Not determined.	Not determined.

9.2 OTHER INFORMATION

- VOC (less water & exempt): > 51 G/L.
- WEIGHT% VOC: 2.5%.

SECTION 10: STABILITY AND REACTIVITY

Unless stated, information in this section is for both **Product as SOLD** and **Product at USE DILUTION**.

10.1 REACTIVITY

- Not reactive under typical conditions of use or handling.

10.2 CHEMICAL STABILITY

- Normally stable under standard temperatures and pressures.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

- This product is not self-reactive, water-reactive, or air-reactive.
- This product will not undergo hazardous polymerization.

SECTION 10: STABILITY AND REACTIVITY (Continued)

10.4 CONDITIONS TO AVOID

- Avoid contact with incompatible chemicals.

10.5 INCOMPATIBLE MATERIALS

- Strong oxidizing agents, reducing agents, strong acids, strong bases, aluminum, soft metals, water reactive materials.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

- Products of thermal decomposition of this product include oxides of carbon (i.e., carbon monoxide and carbon dioxide), hydrogen chloride, ammonia, and nitrogen oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

Unless stated, information in this section is for both **Product as SOLD** and **Product at USE DILUTION**.

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

- **ACUTE TOXICITY:**

- **TOXICOLOGY DATA:** The following data are available for components of this product.

**QUATERNARY AMMONIUM COMPOUNDS,
BENZYL-C12-16-ALKYLDIMETHYL,
CHLORIDES**

LD₅₀ (oral, rat) = 426 mg/kg

ETHANOL

LD₅₀ (Oral, Rat) = 7060 mg/kg

LC₅₀ (Inhalation, Rat) = 20,000 mg/kg; 10
hours

**1-DECANAMINIUM, N-DECYL-N,N-
DIMETHYL-, CHLORIDE**

LD₅₀ (oral, rat) = 84 mg/kg

LD₅₀ (dermal, rat) > 2000 mg/kg

- **DEGREE OF IRRITATION:** See Section 4 (First Aid Measures) for more details. The following data are available for components of this product:

**1-DECANAMINIUM, N-DECYL-N,N-
DIMETHYL-, CHLORIDE**

Skin, Rabbit = Corrosive, 1 hour

- **SENSITIZATION:** The components of this product are not reported to have skin or respiratory sensitization effects,
- **REVIEW OF ACUTE SYMPTOMS AND EFFECTS BY ROUTE OF EXPOSURE:** See Section 2 (Hazards Information) and Section 4 (First Aid Measures) for additional details.

Eyes	Very irritating the eyes.
Skin	Moderately to seriously irritating, depending on duration of exposure.
Inhalation	May cause mild respiratory tract irritation if mists are inhaled.
Ingestion	Causes gastrointestinal system irritation and other adverse effects.

- **CHRONIC TOXICITY:**

- **CARCINOGENICITY STATUS:** Not applicable.
- **REPRODUCTIVE TOXICITY INFORMATION:** The components of this product are not reported to cause reproductive effects under typical circumstances of exposure.
- **MUTAGENIC EFFECTS:** The components of this product are not reported to cause mutagenic effects under typical circumstances of exposure.
- **SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE:** Not applicable.
- **SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE:** Not applicable.
- **ASPIRATION HAZARD:** Not applicable.

SECTION 11: TOXICOLOGICAL INFORMATION (Continued)

- **OTHER INFORMATION:**
 - **TOXICOLOGICALLY SYNERGISTIC PRODUCTS:** None known.
 - **ADDITIONAL TOXICOLOGY:** Not applicable.

SECTION 12: ECOLOGICAL INFORMATION

Unless stated, information in this section is for both **Product as SOLD** and **Product at USE DILUTION**.

12.1 TOXICITY

- Based on available data, this product may be harmful or fatal to contaminated terrestrial or aquatic plants or animals, depending on the volume released into the environment.
- The following aquatic toxicity data are available for components of this product.

QUATERNARY AMMONIUM COMPOUNDS,
BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES
LC50 (Morone saxatilis): fry, 14100. µg/L/96 hours

1-DECANAMINIUM, N-DECYL-N,N-DIMETHYL-,
CHLORIDE
LC50 (Brachydanio rerio): 0.49 mg/L - 96 hours
EC50 (Daphnia magna): 0.094 mg/L - 48 hours

12.2 PERSISTENCE AND DEGRADABILITY

- When released into the soil, the components of this product are expected to biodegrade, dissipate in soils via oxidation, or otherwise chemically degrade or photo-decompose via solar radiation. The following data are available for components of this product:
 - **1-DECANAMINIUM, N-DECYL-N,N-DIMETHYL-, CHLORIDE:** Aerobic - Exposure time 28 days; Result: 69 % - Readily biodegradable.

12.3 BIOACCUMULATIVE POTENTIAL

- This product is not anticipated to bioaccumulate significantly.

12.4 MOBILITY IN SOIL

- It is to be expected this product will have some mobility in soil.

12.5 OTHER ADVERSE EFFECTS

- None reported.

SECTION 13: DISPOSAL CONSIDERATION

13.1 WASTE TREATMENT METHODS

Product as SOLD

Dispose of in accordance with local, State and Federal regulations.

Product at USE DILUTION

Dispose of unused product in accordance with local, State and Federal regulations.

13.2 DISPOSAL CONSIDERATIONS

- **EPA RCRA WASTE CODE:** Not applicable.

SECTION 14: TRANSPORT INFORMATION

Information in this section is for **Product as SOLD**.

14.1 DANGEROUS GOODS BASIC DESCRIPTION AND OTHER TRANSPORT INFORMATION

UN/NA Number	Proper Shipping Name	Packing Group	Hazard Class	Label	North American Emergency Response Guide #	Marine Pollutant Status
UN 1993	Flammable liquids, n.o.s (Ethanol)	III	3	Flammable Liquid	128	Not Applicable

SECTION 14: TRANSPORT INFORMATION

- **LIMITED QUANTITY:** For flammable liquids in Packing Group III and combustible liquids, inner packagings not over 5.0 L (1.3 gallons) net capacity each, packed in a strong outer packaging, follow rules under 49 CFR 173.150.
- **CANADIAN TRANSPORTATION INFORMATION:** This product is regulated by Transport Canada as dangerous goods under Canadian transportation standards. Refer to above information.
- **IATA DESIGNATION:** This product is regulated as dangerous goods by the International Air Transport Association.

Proper Shipping Name	Passenger and Cargo Aircraft				Cargo Aircraft Only	
	Limited Quantity		Packing Instruction	Max. Qty per PKG	Packing Instruction	Max. Qty per PKG
	Packing Instruction	Max. Qty per PKG				
Flammable liquid, n.o.s (Ethanol)	Y344	10L	355	60L	366	220L

- **IMO DESIGNATION:** This product is regulated as dangerous goods by the International Maritime Organization.

Proper Shipping Name	Limited and Excepted Quantity Provisions		Packing		EmS
	Limited Quantities	Excepted Quantities	Instructions	Provisions	
Flammable liquid, n.o.s (Ethanol)	5L	E1	P001 LP01	5L	FE-SE

SECTION 15: REGULATORY INFORMATION

15.1 SAFETY, HEALTH, AND ENVIRONMENTAL REGULATIONS SPECIFIC FOR THE PRODUCT

- **OTHER IMPORTANT U.S. REGULATIONS**
 - **U.S. SARA HAZARD CATEGORIES (SECTION 311/312, 40 CFR 370-21):** ACUTE: Yes; CHRONIC: No; FIRE: No; REACTIVE: No; SUDDEN RELEASE: No
 - **U.S. CERCLA REPORTABLE QUANTITY (RQ):** Not applicable.
 - **U.S. TSCA INVENTORY STATUS:** All components of this product are listed on the TSCA Inventory.
 - **CALIFORNIA SAFE DRINKING WATER ACT (PROPOSITION 65) STATUS:** Not applicable.
- **INTERNATIONAL REGULATIONS**
 - **CANADIAN REGULATORY STATUS:** The product is classified as hazardous under Canadian Controlled Products regulations (SOR-88-66).
 - Classification: B3 – Combustible Liquid; D2B – Materials Causing Other Toxic Effects/Toxic
 - This SDS contains all the information required by the CPR.
 - **CANADIAN DSL/NDL INVENTORY STATUS:** The listed components of this product are on the DSL/NDL Inventory.
 - **CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS:** The components of this product are not on the CEPA Priorities Substances Lists.
 - **GERMAN WATER HAZARD CLASSIFICATION:** 2 (hazard to waters).



SECTION 16: OTHER INFORMATION

16.1 INDICATION OF CHANGE

- **DATE OF REVISION:** April 27, 2015
- **SUPERCEDES:** September 5, 2014
- **CHANGE INDICATED:** Update of OSHA Hazard Communication Standard (29 CFR 1910.1200),

SECTION 16: OTHER INFORMATION

16.2 KEY LITERATURE REFERENCES AND SOURCES FOR DATA

- SAFETY DATA SHEETS FOR COMPONENT PRODUCTS.
- Federal OSHA Hazard Communication Standard: 29 CFR 1910.1200.
- SAX – Dangerous Properties of Industrial Materials
- RTECS – Registry of Effects of Toxic Chemicals
- TOXNET – <http://toxnet.nlm.nih.gov/>

16.3 HAZARDOUS MATERIALS CLASSIFICATION SYSTEM

Product as SOLD			Product at USE DILUTION		
Health	2	HMIS Personal Protective	Health	0	HMIS Personal Protective
Flammability	2	Equipment Rating:	Flammability	0	Equipment Rating:
Physical Hazard	0	Occupational Use	Physical Hazard	0	Occupational Use situations: B
Protective Equipment	C/D	situations: C - Safety glasses and gloves and rubber apron/body protection. D: Add face-shield if splashes/sprays are anticipated.	Protective Equipment	B/C	- Safety glasses and gloves. C: Rubber Apron should be added if splashes/sprays are anticipated.

16.4 DISCLAIMER

WAXIE Sanitary Supply makes no warranty, representation or guarantee as to the accuracy, sufficiency or completeness of the material set forth herein. It is the user's responsibility to determine the safety, toxicity and suitability of their own use, handling and disposal of this product. Since actual use by others is beyond our control, no warranty, expressed or implied, is made by WAXIE Sanitary Supply as to the effects of such use, the results to be obtained or the safety and toxicity of this product, nor does WAXIE Sanitary Supply assume any liability arising out of the use by others of this product referred to herein. The data in this SDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. WAXIE Sanitary Supply does not recommend blending this product with any other chemicals. All information, recommendations and data contained herein concerning this product are based upon information available at the time of writing from recognized technical sources.

16.5 ABBREVIATIONS AND ACRONYMS

ALL SECTIONS: **OSHA:** U.S. Federal Occupational Safety and Health Administration. **WHMIS:** Canadian Workplace Hazardous Materials Standard. **GHS:** Globally Harmonized System of Classification of Chemical Substances. **REACH:** European Union regulation, Registration, Evaluation, Authorization and Restriction of Chemical substances.

SECTION 2: **CAS Number:** Chemical Abstract Service Number, which is used by the American chemical Society to uniquely identify a chemical.

SECTION 5: **NFPA:** National Fire Protection Association. **NFPA FLAMMABILITY CLASSIFICATION:** The NFPA uses the flash point (F.L.P.) and boiling point (BP) to classify flammable or combustible liquids. Class IA: F.L.P. below 73°F and BP below 100°F. Class IB: F.L.P. below 73°F and BP at or above 100°F. Class IC: F.L.P. at or above 73°F and BP at or above 100°F. Class II: F.L.P. at or above 100°F and below 140°F. Class IIIA: F.L.P. at or above 140°F and below 200°F. Class IIIB: F.L.P. at or above 200°F. **NFPA HAZARDOUS MATERIALS RATING:** This is a rating system used to summarize physical and health hazards to firefighters. 0 = No Significant Hazard. 1 = Slight Hazard. 2 = Moderate Hazard. 3 = Severe Hazard. 4 = Extreme Hazard.

SECTION 8: **NE:** Not established. **ACGIH:** American Conference of Government Industrial Hygienists; **TWA:** Time-Weighted Average (over an 8-hour work day); **STEL:** Short-Term Exposure Limit (15 minute average, no more than 4-times daily and each exposure separated by one-hour minimally); **C:** Ceiling Limit (concentration not to be exceeded in a work environment); **PEL:** Permissible Exposure Limit. **NIOSH:** National Institute of Occupational Safety and Health; **REL:** Recommended Exposure Limit; **IDLH:** Immediately Dangerous to Life and Health Concentrations. Note: In July 1992, a court ruling vacated the more protective PELs set by OSHA in 1989. Because OSHA may enforce the more protective levels under the "general duty clause", both the current and vacated levels are presented in this document. **ppm:** Parts per Million. **mg/m³:** Milligrams per cubic meter. **mppcf:** Millions of Particles per Cubic Foot. **BEI:** Biological Exposure Limit.

SECTION 9: **pH:** Scale (0 to 14) used to rate the acidity or alkalinity of aqueous solutions. For example, a pH value of 0 indicates a strongly acidic solution, pH of 7 indicates a neutral solution, and a pH value of 14 indicates an extremely basic solution. **FLASH POINT:** Temperature at which a liquid generates enough flammable vapors so that ignition may occur. **AUTOIGNITION TEMPERATURE:** Temperature at which spontaneous ignition occurs.

SECTION 9 (Continued): **LOWER EXPLOSIVE LIMIT (LEL):** The minimal concentration of flammable vapors in air which will sustain ignition. **UPPER EXPLOSIVE LIMIT (UEL):** The maximum concentration of flammable vapors in air which will sustain ignition. ≈: Approximately symbol. **VOC:** Volatile Organic Compound.

SECTION 11: **CARCINOGENICITY STATUS:** NTP: National Toxicology Program. IARC: International Agency for Research on Cancer. **REPRODUCTIVE TOXICITY INFORMATION:** Mutagen: Substance capable of causing chromosomal damage to cells. Embryotoxin: Substance capable of damaging the developing embryo in an overexposed female. Teratogen: Substance capable of damaging the developing fetus in an overexposed female. Reproductive toxin: Substance capable of adversely affecting male or female reproductive organs or functions. **TOXICOLOGY DATA:** LDxxor LCxx: The Lethal Dose or Lethal Concentration of a substance which will be fatal to a given percentage (xx) of exposed test animals by the designate route of administration. This value is used to access the toxicity of chemical substances to humans. TDxxor TCxx: The Toxic Dose or Toxic Concentration of a substance which will cause an adverse effect to a given percentage (xx) of exposed test animals by the designate route of administration.

SECTION 12: **EC50:** Effect Concentration (on 50% of study group); **BOD:** Biological Oxygen Demand. **N/LOEC:** No/Lowest Observable Effect Concentration.

SECTION 13: **RCRA:** Resource Conservation and Recovery Act. The regulations promulgated under this act under Act are found in 40 CFR, Sections 260 ff, and define the requirements of hazardous waste generation, transport, treatment, storage, and disposal. **EPA RCRA Waste Codes:** Defined in 40 CFR Section 261.

SECTION 15: **CERCLA:** Comprehensive Environmental Response Compensation and Liability Act (a.k.a. "Superfund") and SARA: (Superfund Amendment and Reauthorization Act). The regulations promulgated under this Act are located under 40 CFR 300 ff. and provide "community right-to-know" requirements. **TSCA:** Toxic Substances Control Act: Rules regulating the manufacture and sale of chemicals found in 40 CFR 700-766. **DSL/NDSL:** Canadian Domestic Substances and Non-Domestic Substances Lists.

SECTION 16: **HAZARDOUS MATERIALS IDENTIFICATION SYSTEM RATING:** This is a rating system used by industry to summarize physical and health hazards to chemical users and was originally developed by the National Paint and Coating Association. 0 = No Significant Hazard. 1 = Slight Hazard. 2 = Moderate Hazard. 3 = Severe Hazard. 4 = Extreme Hazard.

SAFETY DATA SHEET

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:	Kitchen Klenzer Original Powder Cleanser
MANUFACTURER:	Fitzpatrick Bros., Inc. 309 Radio Road Quincy, IL 62305
EMERGENCY PHONE:	800-233-8064 or 262-947-3500 X 617
CHEMICAL NAME:	Mixture
PRODUCT USE:	Household, Industrial and commercial powder cleanser

SECTION 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:	A free flowing white, odorless powder. May irritate the skin and eyes. Dusts may irritate respiratory tract.
----------------------------	--

POTENTIAL HEALTH EFFECTS

EYES:	May irritate the eyes.
SKIN:	May irritate the skin.
INGESTIONS:	May cause irritation and stomach distress.
INHALTION:	May cause irritation to the respiratory tract.
CHRONIC HAZARDS:	Crystalline silica impurity when inhaled above safe exposure limits can cause respiratory system injury and potentially cancer.
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:	Dermatitis

CARCINOGENICITY

Ingredient Name	OSHA	ACGIH	NTP	IARC
Crystalline Silica	---	Suspect human carcinogen	Known carcinogen	Human carcinogen

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME	CAS NO.	%WT
Limestone	1317-65-3	80 – 90
Crystalline Silica, quartz (impurity)	14808-60-7	0.1 – 2
Sodium Carbonate	497-19-8	1 – 10
SodiumDodecylbenzene Sulfonate	25155-30-0	0.1 – 2
Trichloroisocyanuric Acid	87-90-1	0.1 – 1

SECTION 4: FIRST AID MEASURES

EYES:	Wash with plenty of water for at least 15 minutes. If wearing contact lenses, remove first. If irritation persists, get medical attention.
SKIN:	Wash with plenty of water. If irritation persists, get medical attention.
INGESTION:	If conscious, drink several glasses of water. Do not induce vomiting. Consult a physician or poison control center.
INHALATION:	Remove victim to fresh air. Get medical attention if excessive inhalation occurs.

SECTION 5: FIRE-FIGHTING MEASURES

FLASH POINT:	Not flammable
FLASH POINT METHOD:	Not applicable
AUTO IGNITION TEMPERATURE:	Not flammable

SAFETY DATA SHEET

EXTINGUISHING MEDIA:	Use any standard agent appropriate for the surrounding fire.
SPECIAL FIRE FIGHTING PROCEDURES:	Wear self contained breathing apparatus.
UNUSUAL FIRE AND EXPLOSION HAZARDS:	None
HAZARDOUS DECOMPOSITION PRODUCTS:	Traces of sulfur oxides, carbon monoxide and carbon dioxide are potential thermal decomposition materials.

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES:	Sweep and place into container for reuse or disposal.
-------------------------------------	---

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE:	Avoid contact with eyes. Avoid breathing dust. Store in cool, dry, ventilated area.
OTHER PRECAUTIONS:	None indicated

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:	Use local exhaust if dusty or misty condition prevails.
VENTILATION :	Use local exhaust
RESPIRATORY PROTECTION:	A NIOSH approved dust or mist respirator should be worn in areas where product dusts or mists are present.
EYE PROTECTION:	Wear safety glasses or goggles, if needed for dusty conditions.
SKIN PROTECTION:	For sensitive skin or prolonged use, wear work gloves.
OTHER PROTECTIVE CLOTHING OR EQUIPMENT:	A source of running water in the work area is advisable for first aid purposes.

EXPOSURE GUIDELINES:

Ingredient Name	OSHA	ACGIH
Limestone	15 mg/m ³ Total Dust (TWA) 5 mg/m ³ Respirable Dust (TWA)	None established
Crystalline Silica, quartz (impurity)	(10 mg/m ³)/(%SiO ₂ + 2) Respirable dust (TWA) 30 mg/m ³ /(%SiO ₂ + 2) Total dust (TWA)	0.025 mg/m ³ Respirable dust (TWA)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	White Powder
ODOR:	Odorless
PHYSICAL STATE:	Powder
pH (10% aq.):	9..50 – 12.00
BOILING POINT	Not determined
MELTING POINT:	Not determined
FREEZING POINT:	Not determined
VAPOR PRESSURE (mmHg):	Negligible
VAPOR DENSITY (AIR = 1):	Not determined
SPECIFIC GRAVITY (H₂O = 1)	1.30
EVAPORATION RATE:	Not determined
VOLATILE ORGANIC COMPOUNDS (VOC):	0.0%
VISCOSITY:	Not applicable (solid)
SOLUBILITY IN WATER:	Partially soluble

SAFETY DATA SHEET

PERCENT SOLIDS BY WEIGHT:	100%
PERCENT VOLATILE:	0.0%

SECTION 10: STABILITY AND REACTIVITY

STABILITY:	Stable under anticipated storage and use conditions.
CONDITIONS TO AVOID (STABILITY):	Do not mix with ammonia or other house chemicals as this releases toxic gases.
INCOMPATIBILITY (MATERIAL TO AVOID):	None anticipated
HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:	None anticipated
HAZARDOUS POLYMERIZATION:	Will not occur

SECTION 11: TOXICOLOGICAL INFORMATION

Acute	Product has not been tested as a mixture. Oral toxicity is estimated to be low.
Chronic	Crystalline silica impurity can cause decreased pulmonary function and/or lung cancer when inhaled above established safe limits over a prolonged period of time.

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION:	Data not available.
--------------------------------	---------------------

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD:	Conform to state, federal and local regulations.
RCRA HAZARD CLASS:	Not a RCRA Hazardous waste if discarded.

The information listed in section 13 is for the product as shipped.

SECTION 14: TRANSPORT INFORMATION

U.S. DOT HAZARD CLASS:	Not regulated in surface transportation
PROPER SHIPPING NAME:	Kitchen Klenzer Original Cleanser (non-hazardous goods)

SECTION 15: REGULATORY INFORMATION

TOXIC SUBSTANCE CONTROL ACT (TSCA):	All ingredients are listed on the TSCA inventory.
SARA TITLE III (CERCLA):	No RQs or TPQs
311/312 HAZARD CATEGORIES:	Immediate, Delayed

Ingredient Name	RQ	TPQ	SARA 313 Reportable Ingredient
Sodium dodecylbenzenesulfonate	1000	None	No

CALIFORNIA PROPOSITION 65:	This product contains impurity known to the State of California to cause cancer (crystalline silica).
WHMIS CLASSIFICATION (CANADA):	Class D2A, D2B This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.
CANADIAN CHEMICAL INVENTORY	Ingredients listed on Domestic Substances List (DSL)

SAFETY DATA SHEET

SECTION 16: OTHER INFORMATION

NFPA HAZARD CLASSIFICATION: Health: 1 Flammability: 0 Instability: 0 Other: Not Applicable
HMIS HAZARD CLASSIFICATION: Health: 1* Flammability: 0 Physical Hazard: 0

CURRENT ISSUE DATE:	03/21/2013
PREVIOUS ISSUE DATE:	04/19/2010
CHANGES FROM PREVIOUS ISSUE:	Reformatted to ANSI Z129.1-2004 format and updated text throughout SDS

DISCLAIMER: The information contained on this Safety Data Sheet is believed to be reliable and accurate, but is provided without warranty regarding its accuracy. Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.



Material Safety Data Sheet

Section 1. Chemical Product and Company Identification

Product Name/Trade Name

Regular Bleach 090101

Manufacturer:

Waxie Sanitary Supplies
9353 Waxie Way
San Diego, CA 92123-1036

Contact Number:

Tel: 800-995-4466

Prepared By:

WAXIE Sanitary Supplies

Replaces Date:

April 28, 2004

Date Last Revised:

June 7, 2004

Section 2. Hazardous Ingredients

Name	%	CAS#	LD50/LC50
Sodium Hypochlorite	5.25 – 5.50	7681-52-9	5800 mg/kg / >10500 mg/m ³ (1hr)

Section 3. Physical Data

State	Liquid	PH	12.6 maximum
Appearance	Clear Colorless	% Volatile	93% Approx.
Odor	Chlorine/	Boiling Point	100°C
Specific Gravity	1.080 min	Vapor Pressure	N Av
Solubility	100%		

Section 4. Fire & Explosion

Flammable: YES NO X
Means of Extinction: Water, Carbon Dioxide, Dry Chemical or Foam
Special Procedures: Fire fighters should wear self-contained breathing apparatus.
Flash Point: & Method: Not Applicable
Hazardous Combustion Products: Chlorine Gas.

Section 5. Reactivity Data

Chemical Stability: YES X NO
Conditions: Temperature above 40 °C, sunlight and metals,
Incompatibility: YES X NO
What Substances? Acids, ammonia, urea, metals & oxidizers.
Reactivity / Conditions: Not Applicable
Hazardous Decomposition Products: Chlorine gas released by contact with acids. Contact with ammonia or urea produces nitrogen gas and chloramines. Oxygen is released on contact with metals.

Regular Bleach

Section 6. Toxicological Properties**Route of Entry**

Skin Contact	X	Skin Absorption	Eye Contact	X
Inhalation Acute	X	Inhalation Chronic	Ingestion	X

Effects of Acute Exposure: Inhalation of vapors will irritate breathing passages and may cause breathing difficulty. CORROSIVE will cause severe irritation to eyes and skin. May cause permanent damage if not treated properly. Ingestion can cause corrosion of mucous membranes, severe esophageal burns and perforation of esophagus or stomach.

Effects of chronic exposure: Not Known.

Carcinogenicity Reproductive Effects: Teratogenicity Mutagenicity: Effects not known.

Section 7. Preventative Measures**Protective Equipment**

Gloves: Impervious PVC or Neoprene. Eyes: Chemical splash goggles. Face shield also helpful.

Respiratory: Not normally required. Footwear: Protect shoes and feet when using product for floor cleaning.

LEAK AND SPILL PROTECTION: Small spills: Dilute product by flooding area with large quantity of water and flush to sanitary sewer. Large spills: Contain run-off by diking with suitable material. Soak up liquid on inert absorbent and transfer to approved container. Prevent spill from entering sewers or waterways

WASTE DISPOSAL: Reclaim or dispose in accordance with local regulations.

STORAGE REQUIREMENTS: Store in a cool, dry and well-ventilated area.

Section 8. First Aid Measures

Skin: Wash with soap and water

Eyes: Flush eyes with cool running water holding eyelids apart to ensure thorough rinsing for 15 minutes. Remove contact lenses. See a doctor immediately.

Inhalation: Move to fresh air and restore breathing, if required.

Ingestion: DO NOT INDUCE VOMITING! Drink large amounts of water or milk. Do not give anything by mouth to a convulsing or unconscious person. See a doctor immediately.

General Advice: If irritation occurs, see a doctor immediately.

Section 9. Regulatory Information**WHIMS:**

Health: 2

Flammability: 0

Reactivity: 2

DOT: Not Regulated

As the handling and use of products under user's conditions are beyond our control, no warranty, expressed or implied, is made concerning this product. The information contained herein is offered only as a guide to the handling of this specific material and is not intended to be all-inclusive in the manner and conditions of use and handling. The user assumes all risks of use or handling, whether or not in accordance with any directions or suggestions of the manufacturer. Manufacturer shall not be liable to purchaser or any other person for loss or damages directly or indirectly arising from the use of our product.

Information Phone#: 1-800-995-4466

WAXIE Sanitary Supply
9353 Waxie Way
San Diego, CA 92193-1036

WAXIE HD LIQUID LAUNDRY DETERGENT

SECTION 1 PRODUCT IDENTIFICATION

PRODUCT NAME OR NUMBER.....	WAXIE HD LIQUID LAUNDRY DETERGENT
TRADE NAME OR CHEMICAL NAME.....	WAXIE HD LIQUID LAUNDRY DETERGENT
SYNONYMS.....	N/A
FORMULA.....	PROPRIETARY
CHEMICAL FAMILY.....	CLEANER
MOLECULAR WEIGHT.....	N/A
NFPA.....	SEE SECTION 8
HMIS RATING.....	SEE SECTION 8

SECTION 2 HAZARDOUS INGREDIENTS / HAZARD DATA

<u>CHEMICAL NAME(S)</u>	<u>CAS NUMBER</u>	<u>% WT</u>	<u>TLV-ACGIH</u>	<u>PEL-OSHA</u>	<u>SEC.313</u>	<u>NTP</u>	<u>IARC</u>	<u>PROP.65</u>
TRIETHANOLAMINE	102-71-6	<5	5 MG\M3	NA	Yes	NO	NO	No
ISOPROPYL ALCOHOL	67-63-0	<5	400 ppm	400 ppm	No	NO	NO	No

SECTION 3 REGULATORY DATA

NTP..... NATIONAL TOXICOLOGY PROGRAM
IARC..... INTERNATIONAL AGENCY FOR RESEARCH ON CANCER
PROPOSITION 65..... THIS PRODUCT DOES NOT CONTAIN INGREDIENTS ON
THE LIST OF PROPOSITION 65.
STATE OF CALIFORNIA SAFE DRINKING WATER AND
TOXIC ENFORCEMENT ACT OF 1986.
SECTION 313 SARA TITLE III... THE CHEMICAL(S) MARKED WITH A "YES" ON
SECTION 313 ARE SUBJECT TO THE REPORTING
REQUIREMENTS OF THIS SECTION.

SECTION 4 PHYSICAL DATA

BOILING/MELTING POINT @760 mm Hg	≥212°F
pH.....	8.8
PERCENT VOLATILE BY WEIGHT (%)..	98
SPECIFIC GRAVITY OR BULK DENSITY	1.03
SOLUBILITY IN WATER.....	COMPLETE
APPEARANCE.....	CLEAR, BLUE VISCOUS LIQUID
ODOR.....	LEMON

SECTION 5 FIRE AND EXPLOSION HAZARD DATA

FLASH POINT °F (Test Method) N/A

WAXIE HD LIQUID LAUNDRY DETERGENT

SECTION 5

FIRE AND EXPLOSION HAZARD DATA

CONT'D

AUTOIGNITION TEMPERATURE..... N/A
FLAMMABILITY LIMITS IN AIR (% V) NOT DETERMINED
EXTINGUISHING MEDIA..... WATER, CARBON DIOXIDE, FOAM, DRY CHEMICAL
SPECIAL FIRE FIGHTING PROCEDURES WEAR SELF CONTAINED BREATHING APPARATUS &
FULL PROTECTIVE EQUIPMENT.
UNUSUAL FIRE & EXPLOSION HAZARDS EXTINGUISH ALL NEARBY SOURCES OF IGNITION.

SECTION 6

HEALTH HAZARD DATA * EFFECTS OF OVEREXPOSURE

THRESHOLD LIMIT VALUE.....SEE SECTION 2
SIGN AND SYMPTOMS OF EXPOSURE
EYES.....DIRECT CONTACT WITH CONCENTRATED PRODUCT MAY CAUSE MODERATE IRRITATION AND TEARING.
SKIN.....REPEATED OR PROLONGED CONTACT MAY CAUSE IRRITATION OR DRYING.
INHALATION.....BREATHING DUST OR MIST MAY IRRITATE THE NOSE AND THROAT.
INGESTION.....SWALLOWING LARGE QUANTITIES MAY CAUSE NAUSEA, VOMITING, DIARRHEA AND ABDOMINAL PAIN.
CHRONIC OVEREXPOSURE.....NONE KNOWN

SECTION 7

EMERGENCY AND FIRST AID PROCEDURES

INHALATION.....MOVE SUBJECT TO FRESH AIR. IF BREATHING IS DIFFICULT, OBTAIN MEDICAL HELP.

EYES.....FLUSH EYES WITH A LARGE AMOUNT OF WATER FOR AT LEAST 15 MINUTES. CONSULT A PHYSICIAN IF
IRRITATION PERSISTS.

SKIN.....WASH AFFECTED SKIN AREAS WITH WATER. CONSULT PHYSICIAN IF IRRITATION PERSISTS.


INGESTION.....NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. DO NOT INDUCE VOMITING. GIVE LARGE
QUANTITIES OF WATER. GET MEDICAL ATTENTION IMMEDIATELY.

SECTION 8

HMIS RATING SYSTEM

NFPA

====



HMIS RATING

=====

HEALTH HAZARD.....:1
FIRE HAZARD.....:0
REACTIVITY.....:0
PERSONAL PROTECTION...:SEE SECTION 10

SECTION 9

REACTIVITY DATA

PRODUCT STABILITY..... STABLE

WAXIE HD LIQUID LAUNDRY DETERGENT

SECTION 9

REACTIVITY DATA

CONT'D

Conditions to Avoid.....
CHEMICAL INCOMPATIBILITY..... STRONG ACID, ACID VAPOR. MAY PRODUCE
CARBON DIOXIDE, CARBON MONOXIDE.
HAZARDOUS DECOMPOSITION PRODUCTS N/D
HAZARDOUS POLYMERIZATION..... WILL NOT OCCUR
Conditions to Avoid..... EXTREME HEAT, SPARK, OPEN FLAME
CORROSIVE TO METAL..... NO
OXIDIZER..... NO

SECTION 10

SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION.....NOT NEEDED
VENTILATION:
LOCAL EXHAUST.....NEEDED
PROTECTIVE CLOTHING.....SAFETY GLASSES, NEOPRENE OR RUBBER
GLOVES.

SECTION 11

ENVIRONMENTAL DATA

ENVIRONMENTAL TOXICITY DATA..... NONE KNOWN
SPILL OR LEAK PROCEDURES..... CONTAIN, COLLECT AND DISPOSE PER LOCAL,
STATE AND FEDERAL REGULATIONS.
WASTE DISPOSAL METHOD..... PER LOCAL, STATE AND FEDERAL REGULATIONS.
CONTAINER DISPOSAL..... PER LOCAL, STATE AND FEDERAL REGULATIONS.

SECTION 12

SHIPPING DATA

D.O.T. PROPER SHIPPING NAME..... NOT REGULATED
HAZARDOUS SUBSTANCE 49CFR CERCLA NONE
D.O.T. HAZARD CLASS..... NONE
D.O.T. LABELS REQUIRED..... NONE
D.O.T. PLACARDS REQUIRED..... NONE
POISON CONSTITUENT..... NONE
BILL OF LADING DESCRIPTION..... WAXIE HD LIQUID LAUNDRY DETERGENT
PACKING GROUP..... NONE
UN/NA CODE..... NONE

SECTION 13

SUPPLIER INFORMATION

While Waxie Sanitary Supply believes the statements set forth herein are
accurate as of the date hereof, Waxie Sanitary Supply makes no warranty
with respect thereto and expressly disclaims all liability for reliance
thereon. Such data are offered solely for your consideration,
investigation and verification.

MATERIAL SAFETY DATA SHEET

This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174

IDENTITY AND DISTRIBUTOR'S INFORMATION						
NFPA Rating: Health-2; Flammability-3; Reactivity-0; Special--			HMIS Rating: Health-2; Flammability-3; Reactivity-0; Personal Protection-B			
Manufactured For: WAXIE Enterprises, Inc. Address: P.O. Box 23506 Address: San Diego, CA 92193-3506			DOT Hazard Classification: ORM-D Identity (trade name as used on label): Waxie Hospital Spray Surface Disinfectant			
Phone: 1-800-995-4466			MSDS Number: 223 Revision- 10			
Emergency Response Number: 1-800-255-3924			Date Prepared: 10/05/00 Prepared By: DL/IB			
NOTICE: JUDGMENT BASED ON INDIRECT TEST DATA Information Calls: 858-292-8111						
SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION						
COMPONENTS-CHEMICAL NAMES AND COMMON NAMES (Hazardous Components 1% or greater; Carcinogens 0.1% or greater)		CAS Number	SARA III LIST	OSHA PEL (ppm)	ACGIH TLV (ppm)	Carcinogen Ref. Source **
ETHANOL		64-17-5	No	1000	1000	d
SODIUM NITRITE		7632-00-0	No	N/E	N/E	d
AMMONIUM HYDROXIDE		1336-21-6	No	35	25	d
ISOBUTANE / PROPANE BLEND		75-28-5	No	800	800	d
		74-98-6	No	1000	1000	d
METHANOL		67-56-1	Yes	200	200	d
O-PHENYLPHENOL		90-43-7	Yes	NE	NE	e
WARNING: This product contains a chemical or chemicals known to the State of California to cause cancer.						
SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS						
Boiling Point: N/A			Specific Gravity (H2O=1): Concentrate Only = 0.880			
Vapor Pressure: PSIG @ 70°F (Aerosols): Max.60			Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): N/A			
Vapor Density (Air = 1): N/E			Evaporation Rate (= 1): N/E			
Solubility in Water: Soluble			Water Reactive: No			
Appearance and Odor: Clear, colorless spray, light airy fragrance.						
SECTION 3 - FIRE AND EXPLOSION HAZARD DATA						
FLAMMABILITY as per USA FLAME PROJECTION TEST (aerosols) NON-FLAMMABLE		Auto Ignition Temperature N/E		Flammability Limits in Air by % in Volume: % LEL: N/E % UEL: N/E		
FLASH POINT AND METHOD USED (non-aerosols): N/A		EXTINGUISHER MEDIA: Foam, dry chemical, carbon dioxide, water.				
SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus.						
Unusual Fire & Explosion Hazards: Do not expose aerosols to temperatures above 130°F or the container may rupture.						
SECTION 4 - REACTIVITY HAZARD DATA						
STABILITY [X] STABLE [] UNSTABLE			HAZARDOUS POLYMERIZATION [] WILL [X] WILL NOT OCCUR			
Incompatibility (Mat. to avoid): Oxidants, reducing agents, ammonium salts.			Conditions to Avoid: Open flame, welding arcs, heat, sparks.			
Hazardous Decomposition Products: CO, CO2.						
SECTION 5 - HEALTH HAZARD DATA						
PRIMARY ROUTES OF ENTRY: [X] INHALATION [] INGESTION [] SKIN ABSORPTION [] EYE [] NOT HAZARDOUS						
ACUTE EFFECTS						
Inhalation: Excessive inhalation of vapors can be harmful and may cause headache, dizziness, asphyxia, anesthetic effects and possible unconsciousness.						
Eye Contact: Mild irritation.			Skin Contact: Possible mild irritation.			
Ingestion: Possible chemical pneumonitis if aspirated into lungs. Nausea.						
CHRONIC EFFECTS: (Effects due to excessive exposure to the raw materials of this mixture) Overexposure may cause kidney damage, liver abnormalities, brain damage.						
Medical Conditions Generally Aggravated by Exposure: May aggravate existing eye, skin, or upper respiratory conditions.						
EMERGENCY FIRST AID PROCEDURES						
Eye Contact: Flush with water for 15 minutes. If irritated, seek medical attention.						
Skin Contact: Wash with soap and water. If irritated, seek medical attention.						
Inhalation: Remove to fresh air. Resuscitate if necessary. Get medical attention.						
Ingestion: DO NOT INDUCE VOMITING. Drink two large glasses of water. Get immediate medical attention.						
SECTION 6 - CONTROL AND PROTECTIVE MEASURES						
Respiratory Protection (specify type): If vapor concentration exceeds TLV, use respirator approved by NIOSH in positive pressure mode.						
Protective Gloves: Latex, if skin easily irritated.			Eye Protection: Safety glasses recommended.			
Ventilation Requirements: Adequate ventilation to keep vapor concentration below TLV.						
Other Protective Clothing & Equipment: None						
Hygienic Work Practices: Wash with soap and water before handling food. Remove contaminated clothing.						
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE						
Steps To Be Taken If Material Is Spilled Or Released: Absorb with suitable medium. Incinerate or landfill according to local, state or federal regulations.						
Waste Disposal Methods: Aerosol cans when vented to atmospheric pressure through normal use, pose no disposal hazard.						
Precautions To Be Taken In Handling & Storage: Do not puncture or incinerate containers. Do not store at temperatures above 130°F.						
Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Avoid food contamination. Avoid breathing vapors. Remove ignition sources. Do not use on polished wood furniture or rayon fabrics.						

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.
 ** Chemical Listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not Listed [e] Animal Data Only

Issue Date 05-Mar-2015

Revision Date 05-Mar-2015

Version 1

1. IDENTIFICATION**Product identifier****Product Name** Waxie Sanitary Supply Germicidal Ultra Bleach**Other means of identification****Product Item #** 170018
Product Code 11003428431
Synonyms None**Recommended use of the chemical and restrictions on use****Recommended Use** Disinfectant, Cleaning agent.
Uses advised against No information available**Details of the supplier of the safety data sheet**

Manufacturer Address	Distributor
KIK Custom Products	Waxie's Enterprises, Inc.
101 Macintosh Blvd.	9353 Waxie Way
Concord Ontario	San Diego, CA 92123
Canada L4K 4R5	
1-800-479-6603	

Emergency telephone number**Emergency Telephone** Poison Control Center (Medical) : (866) 366-5048
Chemtel (Transportation) 1-888-255-3924**2. HAZARDS IDENTIFICATION****Classification****OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

Label elements**Emergency Overview****Danger****Hazard statements**Causes skin irritation
Causes serious eye damage

Appearance clear, light yellow	Physical state liquid	Odor Chlorine
---------------------------------------	------------------------------	----------------------

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER or doctor/physician
IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs:
Get medical advice/attention

Precautionary Statements - Storage

Keep out of reach of children. Store in a dry place. Store in a closed container. Protect from sunlight. Store in a well-ventilated place

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Unknown acute toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS**Substance**

Chemical Name	CAS No.	Weight-%	Trade Secret
Sodium hypochlorite	7681-52-9	4-8	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES**Description of first aid measures**

Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes.
Skin contact	Wash skin with soap and water.
Inhalation	Remove to fresh air.
Ingestion	Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Do not eat, drink or smoke when using this product. Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials Acids, Ammonia.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls	Showers
	Eyewash stations
	Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.
---------------------------------------	--

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

Physical state	liquid	Odor	Chlorine
Appearance	clear, light yellow	Odor threshold	No information available
Color	light yellow		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	~12.5	
Melting point/freezing point	No information available	
Boiling point / boiling range	No information available	
Flash point	No information available	
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	No information available	
Vapor density	No information available	
Specific Gravity	1.07 - 1.09	
Water solubility	Soluble in water	
Solubility in other solvents	No information available	
Partition coefficient	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	

Other Information

Softening point	No information available
Molecular weight	No information available
VOC Content (%)	None
Density	No information available
Bulk density	No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Incompatible materials.

Incompatible materials

Acids, Ammonia.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure**Product Information**

No data available

Inhalation

Inhalation of vapors in high concentration may cause irritation of respiratory system.

Eye contact

Avoid contact with eyes. May cause burns.

Skin contact

Contact causes severe skin irritation and possible burns.

Ingestion

Can burn mouth, throat, and stomach.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium hypochlorite 7681-52-9	= 8200 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	-

Information on toxicological effects**Symptoms**

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Sensitization**

No information available.

Germ cell mutagenicity

No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Sodium hypochlorite 7681-52-9	-	Group 3	-	-

*IARC (International Agency for Research on Cancer)**Not classifiable as a human carcinogen***Reproductive toxicity**

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Aspiration hazard

No information available.

Numerical measures of toxicity - Product Information

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium hypochlorite 7681-52-9	0.095: 24 h <i>Skeletonema costatum</i> mg/L EC50	0.06 - 0.11: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 4.5 - 7.6: 96 h <i>Pimephales promelas</i> mg/L LC50 static 0.4 - 0.8: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 0.28 - 1: 96 h <i>Lepomis macrochirus</i> mg/L LC50 flow-through 0.05 - 0.771: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through 0.03 - 0.19: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 semi-static 0.18 - 0.22: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static	2.1: 96 h <i>Daphnia magna</i> mg/L EC50 0.033 - 0.044: 48 h <i>Daphnia magna</i> mg/L EC50 Static
Sodium hydroxide 1310-73-2	-	45.4: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static	-

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

Harmful to aquatic life

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

DOT

Not regulated

IATA

UN/ID no.	3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Hazard Class	9
Packing Group	III

IMDG

UN/ID no.	3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Hazard Class	9
Packing Group	III
Marine pollutant	This material meets the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hypochlorite 7681-52-9	100 lb	-	-	X

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hypochlorite 7681-52-9	100 lb	-	RQ 100 lb final RQ RQ 45.4 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium hypochlorite 7681-52-9	X	X	X
Sodium hydroxide 1310-73-2	X	X	X

U.S. EPA Label Information**EPA Pesticide Registration Number** 70271-13-14994**EPA Statement**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Difference between SDS and EPA Pesticide label

DANGER: Corrosive. May cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear safety glasses and rubber gloves when handling this product. Wash after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health hazards 2	Flammability 0	Instability 1	Physical and Chemical Properties -
HMIS	Health hazards 2	Flammability 0	Physical hazards 1	Personal protection b

Prepared By Regulatory Affairs**Revision Date** 05-Mar-2015**Revision Note**

No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet