

Safety Data Sheets

APO



RSC, Douglas

11/25/2019



Safety Data Sheet Index

Binder: RSC, Douglas - APO

Product Name	CAS Number	Manufacturer	Version Date	Page
CLOROX BLEACH TOILET BOWL CLEANER FRESH SCENT - CLOROX BLEACH TOILET BOWL CLEANER FRESH SCENT		The Clorox Company	05/01/2001	4
CLOROX COMMERCIAL SOLUTIONS PINE- SOL ALL-PURPOSE DISINFECTANT CLEANER - DIN 02376741 - CLOROX COMMERCIAL SOLUTIONS PINE-SOL ALL- PURPOSE DISINFECTANT CLEANER - DIN 02376741		Clorox Products Manufacturing Company	01/28/2012	5
CLR CALCIUM LIME RUST REMOVER ENHANCED FORMULA - CLR CALCIUM LIME RUST REMOVER ENHANCED FORMULA		Advil Pty Ltd	07/04/2011	7
Dust-Off Compressed Gas Duster - Dust-Off Compressed Gas Duster		Falcon Safety Products, Inc	05/15/2018	12
ELMER'S NO WRINKLE RUBBER CEMENT - ELMER'S NO WRINKLE RUBBER CEMENT		Elmer's Products, Inc.	06/15/2006	18
Glade Fabric & Air Odor Eliminator (All Fragrances) - Glade Fabric & Air Odor Eliminator (All Fragrances)		S. C. Johnson & Son, Inc.	02/29/2008	26
Great Value (GV) Regular Bleach - Great Value (GV) Regular Bleach	7681-52-9	KIK International	05/07/2007	32
GREEN WORKS NATURAL GLASS AND SURFACE CLEANER - GREEN WORKS NATURAL GLASS AND SURFACE CLEANER		The Clorox Company	05/01/2009	40
Liquid Paper Correction Fluid Products - Smooth Coverage, 2-in-1, Pen & Ink, Fast Dry, PMOP, Ledger Colors, Stock Colors - Liquid Paper Correction Fluid Products - Smooth Coverage, 2-in-1, Pen & Ink, Fast Dry, PMOP, Ledger Colors, Stock Colors		Newell Rubbermaid, Inc.	06/02/2010	41
MURPHY OIL SOAP LIQUID - MURPHY OIL SOAP LIQUID		Colgate-Palmolive Canada Inc.	01/01/2012	43
PROFESSIONAL STRENGTH LIQUID - PLUMR CLOG REMOVER - PROFESSIONAL STRENGTH LIQUID - PLUMR CLOG REMOVER		The Clorox Company	10/01/2000	45
PURELL Hand Sanitizer - PURELL Hand Sanitizer		GOJO Industries, Inc.	03/19/2015	46
PURELL INSTANT HAND SANITIZER MOISTURE THERAPY - PURELL INSTANT HAND SANITIZER MOISTURE THERAPY		GOJO Industries, Inc.	03/26/2015	61

Product Name	CAS Number	Manufacturer	Version Date	Page
PURELL Instant Hand Sanitizer Ocean Mist - PURELL Instant Hand Sanitizer Ocean Mist		GOJO Industries, Inc.	07/23/2009	78
Screen Cleaning Fluid - Screen Cleaning Fluid		ACL, Inc.	08/15/2002	80
SPARKLE GLASS CLEANER - "Sparkle" Glass Cleaner		A. J. Funk & Company	04/25/2014	83
Waxie Time Metered Aerosol System - Waxie Time Metered Aerosol System		WAXIE SANITARY SUPPLY	07/01/2007	92

The Clorox Company

1221 Broadway
Oakland, CA 94612
Tel. (510) 271-7000

Material Safety Data Sheet

I Product:		CLOROX ® BLEACH TOILET BOWL CLEANER FRESH SCENT													
Description:		VISCIOUS, GREEN, FRAGRANCED LIQUID													
Other Designations	Distributor	Emergency Telephone Nos.													
Toilet Bowl Cleaner	Clorox Sales Company 1221 Broadway Oakland, CA 94612	For Medical Emergencies call: (800) 446-1014 For Transportation Emergencies Chemtrec (800) 424-9300													
II Health Hazard Data		III Hazardous Ingredients													
Eye and skin irritant. Some clinical reports suggest a low potential for sensitization upon exaggerated exposure to sodium hypochlorite if skin damage (e.g. irritation) occurs during exposure. No medical conditions are known to be aggravated by exposure to this product. FIRST AID: EYE CONTACT: Immediately rinse with water for 15 minutes. Call a physician. SKIN CONTACT: Wash skin with water. If irritation persists, call a physician. INGESTION: Drink a glassful of water. Call a physician. INHALATION: Remove to fresh air. If irritation or breathing problems persist, call a physician.		<table border="1"> <thead> <tr> <th>Ingredient</th> <th>Concentration</th> <th>Worker Exposure Limit</th> </tr> </thead> <tbody> <tr> <td>Sodium hypochlorite CAS # 7681-52-9</td> <td>< 3%</td> <td>Not established.</td> </tr> <tr> <td>Sodium hydroxide limit^a CAS # 1310-73-2</td> <td>< 1%</td> <td>2 mg/m³ - TLV-Ceiling 2 mg/m³ - PEL^b</td> </tr> <tr> <td>Myristamine oxide CAS # 3332-27-2</td> <td>< 2%</td> <td>Not established.</td> </tr> </tbody> </table> ^aTLV-Ceiling limit = ACGIH Threshold Limit Value-Ceiling limit ^bPEL = OSHA Permissible Exposure Limit - Time Weighted Average None of the materials in this product are on the IARC, OSHA, or NTP carcinogen lists.		Ingredient	Concentration	Worker Exposure Limit	Sodium hypochlorite CAS # 7681-52-9	< 3%	Not established.	Sodium hydroxide limit ^a CAS # 1310-73-2	< 1%	2 mg/m ³ - TLV-Ceiling 2 mg/m ³ - PEL ^b	Myristamine oxide CAS # 3332-27-2	< 2%	Not established.
Ingredient	Concentration	Worker Exposure Limit													
Sodium hypochlorite CAS # 7681-52-9	< 3%	Not established.													
Sodium hydroxide limit ^a CAS # 1310-73-2	< 1%	2 mg/m ³ - TLV-Ceiling 2 mg/m ³ - PEL ^b													
Myristamine oxide CAS # 3332-27-2	< 2%	Not established.													
IV Special Protection and Precautions		V Transportation and Regulatory Data													
Hygienic Practices: Wash hands after direct contact. Do not wear product-contaminated clothing for prolonged periods. Engineering Controls: Use local exhaust to minimize exposure to product fumes. Personal Protective Equipment: Wear safety glasses. For sensitive skin or if handling product for prolonged or repeated periods, wear nitrile, neoprene, or natural rubber gloves.		DOT Proper Shipping Name: Consumer Commodity ORM-D. IMO Proper Shipping Name: Dangerous goods in limited quantities of Class 8. IATA Proper Shipping Name: Corrosive liquid, n.o.s., Class 8, Packing Group II. EPA - SARA Title III/CERCLA: Packaged product is not reportable under Sections 311/312. This product contains no chemicals regulated under Section 313 and contains sodium hypochlorite (<3%) and sodium hydroxide (<1%) which are regulated under Section 304/CERCLA.													
VI Spill Procedures/Waste Disposal		VII Reactivity Data													
Spill Procedures: Absorb and containerize. Wash residual down to sanitary sewer. Contact the sanitary treatment facility in advance to assure ability to process washed-down material. Waste Disposal: Dispose of in accordance with all applicable federal, state, and local regulations.		Stable under normal use and storage conditions. Reacts with other household chemicals such as acid toilet bowl cleaners, rust removers, acids, and ammonia-containing products to produce hazardous gases, such as chlorine and other chlorinated compounds.													
VIII Fire and Explosion Data		IX Physical Data													
Not flammable or explosive.		pH ~13 Viscosity ~1000 cP Specific gravity 1.0													

©1963, 1991 THE CLOROX COMPANY

DATA SUPPLIED IS FOR USE ONLY IN CONNECTION WITH OCCUPATIONAL SAFETY AND HEALTH

DATE PREPARED 5/01



The Clorox Company of Canada, Ltd.
150 Biscayne Crescent
Brampton, Ontario, Canada
L6W 4V3

Material Safety Data Sheet

SECTION 1 - PRODUCT IDENTIFICATION AND USE

PRODUCT NAME: CLOROX® COMMERCIAL SOLUTIONS™ PINE-SOL® ALL-PURPOSE DISINFECTANT CLEANER - DIN 02376741		PRODUCT IDENTIFICATION NUMBER. Not applicable.
PRODUCT USE: General purpose disinfectant cleaner		
MANUFACTURER		SUPPLIER
Clorox Products Manufacturing Company 1221 Broadway Oakland, California 94612 EMERGENCY PHONE NO.: 1-800-446-1014		The Clorox Company of Canada, Ltd. 150 Biscayne Crescent Brampton, Ontario L6W 4V3 EMERGENCY PHONE NO.: 1-800-446-1014

SECTION 2 - HAZARDOUS INGREDIENTS

Hazardous Ingredient	% (w/w)	CAS Number	LD50 of Material (Specify Species & Route)	LC50 of Material (Specify Species)
Pine oil	8 - 10	8002-09-3	3.2 g/kg (rat, oral) 5 g/kg (rabbit, dermal)	Not available.
Alkyl alcohol ethoxylates	3 - 7	127036-24-2	2 - 5 g/kg (rat, oral)	Not available.
Sodium petroleum sulfonate	1 - 5	68608-26-4	> 2 g/kg (rat, oral)	Not available.
Isopropyl alcohol	1 - 5	67-63-0	5 g/kg (rat, oral) 12.8 g/kg (rabbit, dermal)	22600 ppm (rat)

SECTION 3 - PHYSICAL DATA

Physical State: Liquid	Odour & Appearance: Clear, amber, slightly viscous liquid with a characteristic pine odour.		Odour Threshold: Not available.	Specific Gravity: ≈1.0
Vapour Pressure: Not available.	Vapour Density: N. Av.	Evaporation Rate: N. Av.	Boiling Point: N. Av.	Freezing Point: N. Av.
% Volatile (by volume): 80 - 85	Solubility in Water: Appreciable.	pH: 3 - 4	Coeff. of Water/Oil Dist.: Not available.	

SECTION 4 - FIRE AND EXPLOSION DATA

Flammability: Class B, Division 3 (Combustible Liquid). Keep away from heat, sparks, and open flame. Yes: <u>X</u> No: <u> </u> If yes, under which conditions? Product ignites but does not sustain combustion.			
Means of Extinction: Dry chemical, carbon dioxide (CO ₂), foam, or water spray.			
Special Procedures: None known.			
Flashpoint & Method: ≈ 49°C (Tag closed cup)	Upper Flammable Limit (% by volume): Not available.		Lower Flammable Limit (% by volume): Not available.
Autoignition Temperature: N. Ap.	Hazardous Combustion Products: Products of combustion are toxic.		
Explosion Data - Sensitivity to Impact: Not applicable.		Explosion Data - Sensitivity to Static Discharge: Not applicable.	

SECTION 5 - REACTIVITY DATA

Chemical Stability: Yes: <u>X</u> No: <u> </u> If no, under which conditions?	
Incompatibility with other substances: Yes: <u> </u> No: <u>X</u> If so, which ones?	
Reactivity, if any, and under what conditions? None known.	
Hazardous decomposition products? None known.	

SECTION 6 - TOXICOLOGICAL PROPERTIES

Route of Entry? Skin Contact: <u> X </u> Skin Absorption: <u> </u> Eye Contact: <u> X </u> Inhalation Acute: <u> </u> Inhalation Chronic: <u> </u> Ingestion: <u> </u>			
Effects of Acute Exposure to Material: Direct or prolonged eye or skin contact may result in irritation.			
Effects of Chronic Exposure to Material: None known.			
Exposure Limits (TLV, ACGIH): Isopropyl alcohol - 200 ppm - TWA 400 ppm - STEL	Irritancy of Material: Moderately irritating to eyes. Slightly irritating to skin.	Sensitization Property of Material: Not a sensitizer.	Carcinogenicity of Material: Not a carcinogen.
Teratogenicity/Embryotoxicity: Not teratogenic or embryotoxic.	Reproductive Toxicity: Not a reproductive toxicant.	Mutagenicity: Not mutagenic.	Synergistic Materials: None known.

SECTION 7 - PREVENTATIVE MEASURES

Personal Protective Equipment:		
Gloves (specify): Wear rubber or neoprene gloves if there is the potential for repeated or prolonged skin contact.	Respirator (specify): In situations where exposure limits may be exceeded, a NIOSH-approved respirator is advised.	Eye (specify): Safety glasses.
Footwear (specify): Not applicable.	Clothing (specify): Not applicable.	Other (specify): Not applicable.
Engineering Controls (specify, e.g. ventilation, enclosed process): Use general ventilation to minimize exposure to product mist.		
Leak and Spill Procedure: Absorb and containerize. Wash residual down to sanitary sewer. Contact the sanitary treatment facility in advance to assure ability to process washed-down material.		
Waste Disposal: Dispose of in accordance with existing federal, provincial, and municipal environmental regulations.		
Handling Procedures & Equipment: Wash hands with soap and water after use. Avoid contact with food.		
Storage Requirements: Do not store near heat or open flame.		
Special Shipping Information: Not restricted per TDG Regulations Part 2.18.		

SECTION 8 - FIRST AID MEASURES

Eye Contact:	If in eyes, rinse with water for 15 minutes. If irritation persists, call a doctor.
Skin Contact:	If on skin, rinse well with water. If irritation persists, call a doctor.
Ingestion:	If swallowed, call a poison control center or doctor immediately. Do not induce vomiting.
Inhalation:	Remove to fresh air. If breathing problems develop, call a doctor.

SECTION 9 - PREPARATION DATE OF MSDS

Prepared by (group, department, etc.) Clorox Services Company	Phone Number: 1-925-425-6100	Date: January 28, 2012
		V1

This information is furnished without warranty, expressed, or implied, except that it is accurate to the best knowledge of The Clorox Company of Canada, Ltd. The data on these sheets relates only to the specific material designated herein. The Clorox Company of Canada, Ltd. assumes no legal responsibility for use or reliance upon this data.

The CLOROX name and logo and Pine-Sol are registered trademarks of The Clorox Company.

N. Av. = Not available.

N. Ap. = Not applicable.



ADVIL PTY LTD
ABN 75 008 310 710
121 Cecil Street, South Melbourne, VIC 3205 Australia
PO Box 987, South Melbourne, VIC 3205 Australia
Tel: +61 3 9693 0500 Fax: +61 3 9686 9955

MATERIAL SAFETY DATA SHEET

Product Name: CLR CALCIUM LIME RUST REMOVER ENHANCED FORMULA

Date of Issue: 4 July 2011

Manufacturer Code: CL

Distributor: Advil Pty Ltd

Contact Details: 121 Cecil Street
South Melbourne Victoria 3205, Australia

Chemical Family: Aqueous Acidic Cleaner

Formula: Proprietary Mixture

HAZARDS IDENTIFICATION

STATEMENT OF HAZARDOUS NATURE:

HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS. According to the Criteria of NOHSC, and the ADG Code.

PHYSICAL STATE: Liquid

COLOR: Colourless and clear

ODOR: Slightly vinegary

WARNING OVERVIEW: Irritating to eyes, skin, respiratory tract and mucous membranes. Risk of burns to eyes, skin, and to the respiratory tract.

May be harmful or fatal if swallowed.

Use with adequate ventilation.

Avoid breathing mist or dust.

Keep container closed when not in use.

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Severe irritation and blurred vision. Effects may vary depending on length of exposure, solution concentration, and first aid measures. Prolonged contact may cause permanent damage.

SKIN CONTACT: Causes skin irritation. Prolonged contact may cause dermatitis, and itching.

INHALATION: Irritation, breathing difficulties, headaches, dizziness.

INGESTION: Oral burns, vomiting and gastrointestinal disturbance.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE TO PRODUCT:

Eye, skin, and respiratory disorders.

DO NOT MIX WITH BLEACH, OR ANY OTHER PRODUCT AS TOXIC FUMES MAY RESULT.

KEEP OUT OF REACH OF CHILDREN.

COMPOSITION /INFORMATION ON INGREDIENTS

Component	CAS#	OSHA Hazard	% by Weight
1. Water	7732-18-5	NO	70-81
2. Lactic Acid	79-33-4	YES	15-20
3. Gluconic Acid	526-95-4	NO	2-4
4. Lauramine Oxide	1643-20-5	NO	1-4
5. Propylene Glycol Normal Butyl Ether	5131-66-8	YES	1-2

FIRST AID MEASURES

EYE CONTACT: In case of eye contact, immediately rinse eye thoroughly with plenty of water. Remove contact lenses, and continue rinsing for at least 15 minutes. Get immediate medical attention.

SKIN CONTACT: Can be irritating to skin, prolonged contact can be more severe, no adverse effects during normal usage. In case of skin contact, rinse area for at least 15 minutes. Remove contaminated clothing and shoes, wash thoroughly before re-use. Get immediate medical attention if irritation persists.

INHALATION: If inhaled, move the individual to fresh air.
If breathing is difficult for the individual, GET MEDICAL ATTENTION IMMEDIATELY.

INGESTION: DO NOT induce vomiting. If fully conscious, drink plenty of water.
CALL A HEALTH PROFESSIONAL IMMEDIATELY.
NEVER give an unconscious person anything to ingest.

FIRE FIGHTING MEASURES

FLAMMABILITY: Not flammable **FLASH**

POINT: None (100°C): **EXPLOSIVE**

LIMITS IN AIR: Not available

EXTINGUISHING MEDIA: Not flammable. Use appropriate media for area.
Water spray, dry chemical, alcohol foam or carbon dioxide.

FIRE FIGHTING METHODS: Evacuate area of personnel. Wear protective approved self-contained breathing apparatus. Remain upwind of fire to avoid hazardous vapors and decomposition products. Use water spray to cool fire-exposed containers. Run-off of large quantities of product from fire control may cause pollution. Contact appropriate agencies.

HAZARDOUS COMBUSTION PRODUCTS: Carbon Monoxide. Thermal decomposition can lead to irritating gases and vapors.

FIRE AND EXPLOSION HAZARDS: None known.

ACCIDENTAL RELEASES MEASURES

Steps to be taken in Case Material is Released or Spilled: Avoid contact with skin and eyes

Small Spill: No special clean-up procedure is necessary for small (less than 3 liters) spills. Flush spill area with water. Wear rubber gloves.

Large Spill: Use personal protection.

Isolate area, and deny entry to unnecessary and unprotected personnel. Damp spill, and absorb with earth, sand or similar material. Place in non-leaking containers. Dispose of collected material according to local, state, and federal regulations. Flush residue with large amount of water. Avoid direct discharge to sewers and surface waters.

HANDLING AND STORAGE

STORAGE: Store in cool, well-ventilated area, away from heat. Keep containers tightly closed. Avoid contact with combustible materials, wood, and organic materials. Store in original container in a secure area away from children and pets.

HANDLING: Avoid contact with eyes, skin or clothing. May be harmful or fatal if swallowed. Use with adequate ventilation. Avoid breathing vapors or mist. Do not eat, drink, or smoke in work area. Wash hand thoroughly after use. Consumer size containers should be rinsed and recycled. Empty containers may contain product residue in form of vapor, dried product, or liquid, and can be dangerous.

DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE THESE CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION. THEY MAY EXPLODE AND CAUSE INJURY.
DO NOT MIX WITH BLEACH, OR ANY OTHER PRODUCTS AS TOXIC FUMES MAY RESULT.

EXPOSURE CONTROLS / PERSONAL PROTECTION

VENTILATION REQUIREMENT: Avoid prolonged breathing mists or dusts of this product. Use with adequate ventilation. Do not use in closed or confined spaces.

RESPIRATORY PROTECTION: Not required during normal household use. If product is used in an industrial setting, respiratory protection must be worn if ventilation does not eliminate symptoms or keep levels below recommended exposure limits. If mist or dust is present, wear approved respirator for dusts and mists, approved full-face piece positive-pressure and air-supplied respirator.

Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid inhalation of product.

EYE PROTECTION: Not required during normal household usage. Industrial users wear safety goggles.
Do not wear contact lenses. Emergency responders should wear full eye and face protection.

SKIN PROTECTION: Rubber gloves with protective cuff. Emergency responders should wear impermeable gloves.

OTHER PROTECTION: Emergency responders should wear chemical type (impermeable) protective clothing and footwear where direct contact with chemicals in this product is possible.

WORK/HYGIENIC PRACTICES: Wash thoroughly with soap and water after use or handling.

PHYSICAL AND CHEMICAL PROPERTIES

Boiling point: 100° C / 212° F	Specific Gravity: 1.04 – 1.06
Vapor Pressure: N.D.	Percent Volatiles: ~78.6% (Calculated)
Freezing Point: N.D.	Evaporation Rate: N.D. (nBuAc=1)
Melting Point: N.D.	VOC (Wt%): <1.5 (Calculated)
Vapor Density (mm Hg): N.D.	VOC (LBS/GAL): <0.13 (Calculated)
pH: 2.10-2.30	Solubility in Water: 100%

STABILITY AND REACTIVITY

STABILITY: Stable under normal conditions.

CONDITIONS TO AVOID: Avoid elevated temperatures.

INCOMPATIBLE MATERIALS: Strong-oxidizing agents, metals, acids, and bases.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition can lead to release of irritating gases and vapors and carbon oxides.

POSSIBILITY OF HAZARDOUS REACTIONS: No data.

TOXICOLOGICAL INFORMATION

LD50 ORAL: N.E.

LD50 SKIN: N.E.

LC50 INHALATION: N. E.

ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: No data available.

CHEMICAL FATE INFORMATION: 28-day biodegradation = 60%.

The product is biodegradable.

DISPOSAL CONSIDERATIONS

HAZARDOUS WASTE NUMBER: D002

DISPOSAL METHOD: Dispose of in a permitted hazardous waste management facility following all local, state, and federal regulations.

DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION.

Follow label warnings; since containers may retain some residue of the product. Processing, use or contamination of this product may change the waste management options. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. State and local disposal regulations may differ from federal disposal regulations.

TRANSPORTATION INFORMATION

Identification Number: N.A.

Packaging Group: N.A.

UN Number: N.A.

TDG Classification: Not Regulated

IMDG Classification: Not Regulated

IATA Classification: Passenger – Not Regulated

OTHER INFORMATION

NFPA Rating System: Health - 1 / Flammability - 0 / Reactivity - 0 / Special Hazard - None

Precautions to be taken in Handling and Storing: Avoid exposure to excess heat, and prevent from freezing.

Other Precautions: None required.

MSDS ABBREVIATIONS:

N. A.: Not Applicable

N. D.: Not Determined

N.E.: Not Established

VOC: Volatile Organic Compound

EMERGENCY CONTACT

POLICE	000
AMBULANCE	000
FIRE	000
POISONS INFORMATION CENTRE AUSTRALIA	131 126
POISONS INFORMATION CENTRE NEW ZEALAND	0800 764 766

***** END OF MSDS *****



Dust-Off Compressed Gas Duster

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Date of issue: 10/15/2015

Revision date: 5/15/2018

Version: 2.0

SECTION 1: Identification

1.1. Product identifier

Substance name : Dust-Off Compressed Gas Duster
Product code : 3.5 oz., 7 oz., 10 oz., Professional 12 oz., Jumbo 17 oz., Classic and Plus

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Dust Removal

1.3. Details of the supplier of the safety data sheet

Falcon Safety Products, Inc.
25 ImClone Drive
Branchburg, NJ 08876 - USA
T (908) 707-4900

1.4. Emergency telephone number

Emergency number : (800) 498-7192

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US and GHS-CA classification

Flam. Aerosol 2
Press. Gas (Liquified Gas)

2.2. Label elements

GHS-US and GHS-CA labelling

Hazard pictograms (GHS-US/GHS-CA) :



GHS02



GHS04

Signal word (GHS-US/GHS-CA) : Warning
Hazard statements (GHS-US/GHS-CA) : Flammable aerosol. Contains gas under pressure; may explode if heated.
Precautionary statements (GHS-US/GHS-CA) : Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a well-ventilated place.

2.3. Other hazards

Do not store in enclosed vehicle.

2.4. Unknown acute toxicity (GHS US/GHS CA)

Not applicable.

SECTION 3: Composition/information on ingredients

3.1. Substance

Name	Product identifier	%
1,1-Difluoroethane	(CAS No) 75-37-6	100

3.2. Mixture

Not applicable.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact : In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists. May cause frostbite.

Dust Off Compressed Gas Duster

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

- | | |
|--------------------------------------|---|
| First-aid measures after eye contact | : In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention. |
| First-aid measures after ingestion | : If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

- | | |
|--------------------------------------|---|
| Symptoms/injuries after inhalation | : May cause respiratory tract irritation. May cause drowsiness, dizziness and central nervous system depression. |
| Symptoms/injuries after skin contact | : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause frostbite on contact with the liquid. |
| Symptoms/injuries after eye contact | : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. May cause frostbite on contact with the liquid. |
| Symptoms/injuries after ingestion | : Not a normal route of exposure. |

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

- | | |
|--------------------------------|---|
| Suitable extinguishing media | : Water spray, water fog, dry chemical, alcohol resistant foam, carbon dioxide. |
| Unsuitable extinguishing media | : None known. |

5.2. Special hazards arising from the substance or mixture

- | | |
|------------------|--|
| Fire hazard | : Flammable aerosol. Products of combustion may include, and are not limited to: oxides of carbon, hydrofluoric acid, carbonyl fluoride. |
| Explosion hazard | : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. |

5.3. Advice for firefighters

- | | |
|--------------------------------|---|
| Firefighting instructions | : DO NOT fight fire when fire reaches explosives. Evacuate area. Vapors are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapors. |
| Protection during firefighting | : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- | | |
|------------------|---|
| General measures | : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. |
|------------------|---|

6.2. Methods and material for containment and cleaning up

- | | |
|-------------------------|--|
| For containment | : Ventilate the area thoroughly, especially low lying areas (basements, workpits etc). |
| Methods for cleaning up | : Leave the product to evaporate. Provide ventilation. |

6.3. Reference to other sections

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- | | |
|-----------------------------------|--|
| Additional hazards when processed | : Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use. Keep away from sources of ignition - No smoking. |
| Precautions for safe handling | : Do not spray on an open flame or other ignition source. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Provide local exhaust or general room ventilation. When using do not eat, drink or smoke. Prevent the build-up of electrostatic charge. Use non-sparking tools. |
| Hygiene measures | : Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking. |

7.2. Conditions for safe storage, including any incompatibilities

- | | |
|--------------------|--|
| Technical measures | : Proper grounding procedures to avoid static electricity should be followed. |
| Storage conditions | : Keep out of the reach of children. Keep container dry and in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Keep in fireproof place. Store in original container. Do not store in enclosed vehicle. |

7.3. Specific end use(s)

Not available.

Dust Off Compressed Gas Duster

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

1,1-Difluoroethane (75-37-6)	
ACGIH	Not applicable.
OSHA	Not applicable.
NIOSH	Not applicable.
IDLH	Not applicable.

8.2. Exposure controls

Appropriate engineering controls	: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.
Hand protection	: Wear suitable gloves.
Eye protection	: Safety glasses with side shields.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Environmental exposure controls	: Maintain levels below Community environmental protection thresholds.
Other information	: Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Gas
Appearance	: Clear
Color	: Colourless
Odor	: Slight, ether-like
Odor threshold	: No data available
pH	: Neutral
Melting point	: No data available
Freezing point	: No data available
Boiling point	: -13 °F (- 25 °C)
Flash point	: < 58 °F (<14.4 °C)
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Flammable
Explosion limits	: 3.9-16.9
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: 5960 kPa at 77 °F (25 °C)
Relative density	: 0.91
Relative vapor density at 20 °C	: 2.4 at 77 °F (25 °C)
Specific gravity / density	: 0.9
Solubility	: Slightly
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available.

Dust Off Compressed Gas Duster

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under normal storage conditions. Flammable aerosol. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

Heat. Incompatible materials. Sources of ignition. Do not expose to temperatures exceeding 50 °C/ 122 °F.

10.5. Incompatible materials

Alkali and alkaline earth metals. Powdered metals. Powdered metallic salts.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon, hydrofluoric acid, carbonyl fluoride.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Dust Off Compressed Gas Duster	
LD50 oral rat	1500 mg/kg
LD50 dermal rabbit	No data available
LC50 inhalation rat	64000 ppm

Skin corrosion/irritation	: Based on available data, the classification criteria are not met.
Serious eye damage/irritation	: Based on available data, the classification criteria are not met.
Respiratory or skin sensitization	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Reproductive toxicity	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (single exposure)	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (repeated exposure)	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: May cause respiratory tract irritation. May cause drowsiness, dizziness and central nervous system depression.
Symptoms/injuries after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause frostbite on contact with the liquid.
Symptoms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. May cause frostbite on contact with the liquid.
Symptoms/injuries after ingestion	: Not a normal route of exposure.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

Dust Off Compressed Gas Duster	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Dust Off Compressed Gas Duster	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available.

12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

Dust Off Compressed Gas Duster

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 13: Disposal considerations

13.1. Waste treatment methods

- Waste disposal recommendations : This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible. Container under pressure. Do not drill or burn even after use.
- Additional information : Flammable vapors may accumulate in the container.

SECTION 14: Transport information

Department of Transportation (DOT)

- In accordance with DOT
- UN-No. (DOT) : UN1030
- Proper Shipping Name (DOT) : 1,1-Difluoroethane
- Transport hazard class(es) (DOT) : 2.1
- Hazard labels (DOT) :



- Packaging Exceptions : Falcon Safety Products has been granted a DOT special permit. A copy of DOT Special Permit SP-11516 can be obtained by calling Falcon Safety Products, Inc. at 908-707-4900.

Transportation of Dangerous Goods (TDG)

- In accordance with TDG
- UN-No.(TDG) : UN1030
- Proper Shipping Name (TDG) : 1,1-Difluoroethane
- Class (TDG) : 2.1
- Hazard labels (TDG) :



- Packaging Exceptions : TDG Canada: Falcon Safety Products has been granted Equivalency Certificate SU 9211 (ren. 1) by the TCSS, TDGD to offer for transport by road, rail and marine.

Transport by sea

- UN-No. (IMDG) : UN1030
- Proper Shipping Name (IMDG) : 1,1-DIFLUOROETHANE (REFRIGERANT GAS R 152a)
- Class (IMDG) : 2.1

Air transport

- UN-No. (IATA) : UN1030
- Proper Shipping Name (IATA) : 1,1-Difluoroethane
- Class (IATA) : 2.1

Additional information

- Other information : No supplementary information available.
- Special transport precautions : Do not handle until all safety precautions have been read and understood.

SECTION 15: Regulatory information

15.1. Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

1,1-Difluoroethane (75-37-6)

Listed on the Canadian DSL (Domestic Substances List)

15.2. US State regulations

Dust Off Compressed Gas Duster

- | | |
|----------------------------|--|
| State or local regulations | This product does not contain a chemical known to the State of California to cause cancer, |
|----------------------------|--|

Dust Off Compressed Gas Duster

Safety Data Sheet


according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Dust Off Compressed Gas Duster	
	birth defects or other reproductive harm.

SECTION 16: Other information

Date of issue : 10/15/2015
Revision date : 5/15/2018
Other information : None.

Mexico Classification:



Blue = Health Red = Flammability Yellow = Reactivity White = Special
Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Material Safety Data Sheet

1. Chemical Product and Company Identification

DESCRIPTION: ELMER'S NO WRINKLE RUBBER CEMENT
PRODUCT TYPE: NATURAL RUBBER
EMS Catalog # 72170

Distributed by: Electron Microscopy Sciences
321 Morris Road * P.O. Box 251
Fort Washington, PA 19034

Tel: 215-646-1566 or 800-523-5874
Fax: 215-646-8931 email:sgkcck@aol.com

- **Manufacturer/Supplier Information**

MSDS Prepared by:
Elmer's Products, Inc.

For additional health, safety or regulatory information, call 215-646-1566
to place an order or request additional MSDSs.

2. Composition, Information on Ingredients

The ingredients listed below have been associated with one or more
immediate and/or delayed(*) health hazards. Risk of damage and effects
depends upon duration and level of exposure. BEFORE USING, HANDLING, OR
EXPOSURE TO THESE INGREDIENTS, READ AND UNDERSTAND THE MSDS.

	% by weight
67-63-0 *Isopropanol	1-5
142-82-5 Heptane	>70

3. Hazards Identification

3.1 Emergency Overview

4. First Aid Measures

INGESTION: If accidentally swallowed, dilute by drinking large quantities of water. Immediately contact poison control center or hospital emergency room for any other additional treatment directions.

INHALATION: Remove to fresh air.

SKIN: In case of irritation, flush with water.

EYES: Immediately flush eyes with plenty of water. Call a physician if irritation persists.

5. Fire Fighting Measures

Autoignition Temperature	Not available
Upper/Lower Flammable Limits	Not available
Up/Lower Explosive Limits, % by Vol	Not available/1
Flash Point	-4 deg C (TCC)

EXTREMELY FLAMMABLE LIQUID AND VAPOR.

Keep liquid and vapor away from heat, sparks, flame and other ignition sources including, but not limited to, pilot lights, heaters, cigarettes, electric motors and static discharge. Vapor is heavier than air and may settle in low places or travel outward to a source of ignition and flashback.

In case of fire, use water spray, dry chemical, foam or CO₂. Use water to keep fire-exposed containers cool.

6. Accidental Release Measures

Eliminate all ignition sources. Soak up with absorbent material and remove to a chemical disposal area. Prevent entry into natural bodies of water.

7. Handling and Storage

7.1 Handling

Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding unnecessary exposure and removal of the material from eyes, skin and clothing. Wash thoroughly after handling.

INHALATION: Avoid prolonged or repeated breathing of vapor.

SKIN: Persons with sensitive skin should avoid prolonged, continuous contact with skin. If irritation develops, discontinue use.

EYES: Avoid prolonged or repeated contact with eyes.

7.2 Storage

Store in a cool, dry place.
Keep containers tightly closed.
Keep away from heat, sparks, flame and other ignition sources.
Use with adequate ventilation.

8. Exposure Controls/Personal Protection

8.1 Exposure Controls

If airborne contaminants are generated when the material is heated or handled, sufficient ventilation in volume and air flow patterns should be provided to keep air contaminant concentration levels below acceptable criteria.

8.2 Personal Protection

Where air contaminants can exceed acceptable criteria, use NIOSH/MSHA approved respiratory protection equipment. Respirators should be selected based on the form and concentration of contaminants in air in accordance with OSHA laws and regulations or other applicable standards or guidelines, including ANSI standards regarding respiratory protection.

8.3 Exposure Guidelines

Isopropanol 67-63-0
ACGIH TLV: 400 ppm (983 mg/m³) TWA; 500 ppm (1230 mg/m³) STEL
OSHA PEL: 400 ppm (980 mg/m³) TWA
REMANDED PEL: 400 ppm (980 mg/m³) TWA; 500 ppm (1225 mg/m³) STEL
OSHA 1989 PEL remanded, but in effect in some states
Heptane 142-82-5
ACGIH TLV: 400 ppm (1640 mg/m³) TWA; 500 ppm (2050 mg/m³) STEL
OSHA PEL: 500 ppm (2000 mg/m³) TWA
REMANDED PEL: 400 ppm (1600 mg/m³) TWA; 500 ppm (2000 mg/m³) STEL
OSHA 1989 PEL remanded, but in effect in some states

9. Physical and Chemical Properties

Percent Volatiles	90
pH @ 25 C	Not applicable
Specific Gravity	0.71
Appearance	Opaque liquid

Autoignition Temperature	Not available
Boiling Point	90 deg C
Vapor Density (Air=1)	> 1
Vapor Pressure, mm Hg @ 20 C	Not available
Evaporation Rate (Butyl Acetate=1)	< 1---(ether=1)
Upper/Lower Flammable Limits	Not available
Up/Lower Explosive Limits, % by Vol	Not available/1
Flash Point	-4 deg C (TCC)
Freezing Point	Not available
Odor	Mild solvent
Odor Threshold, ppm	Not available
Solubility in Water	Negligible
Coefficient of Water/Oil Distrib.	Not available

10. Stability and Reactivity

Normally stable as defined in NFPA 704-12(4-3.1).

- **Conditions to Avoid:**

Exposure to heat, flame and incompatibles.

- **Incompatibilities:**

Acids, bases, amines.

- **Decomposition products may include:**

CO, CO2.

- **Hazardous polymerization:**

Will not occur.

- **Other Hazards:**

None known to Borden.

11. Toxicological Information

INGESTION:	Not toxic orally when tested as described in 16 CFR Part 1500.3 (c) (1) and (2).
INHALATION:	Not toxic by inhalation when tested as described in 16 CFR Part 1500.3 (c) (1) and (2).
SKIN	Not toxic dermally when tested as described in 16 CFR

ABSORPTION: Part 1500.3 (c) (1) and (2).
SKIN: Not a primary irritant (primary skin irritation index less than 5.0/8.0) when tested as described in 16 CFR Part 1500.41.
EYES: Slightly irritating when tested as described in 16 CFR Part 1500.42.
Isopropanol 67-63-0
LC50: rat=16000 ppm/8H (Sax)
LD50: orl-rat=5.8 g/kg (Merck); skn-rbt=13 g/kg (Sax)
Heptane 142-82-5
LC50: Not available
LD50: Not available

12. Ecological Information

Not determined.

13. Disposal Considerations

Recover free liquid. Absorb residue and dispose of according to local, state/provincial, and federal requirements.
Empty container: May contain explosive vapors. DO NOT cut, puncture or weld on or nearby.

14. Transport Information

14.1 U.S. Department of Transportation (DOT)

The data provided in this section is for information only and may not be specific to your package size. You will need to apply the appropriate regulations to properly classify your shipment for transportation.
ORM-D Consumer Commodity.

14.2 Canadian Transportation of Dangerous Goods (TDG)

Not determined.

15. Regulatory Information (Selected Regulations)

15.1 U.S. Federal Regulations

- **OSHA Hazard Communication Standard 29CFR1910.1200**

This material is a "health hazard" and/or a "physical hazard" as determined when reviewed according to the requirements of the Occupational Safety and Health Administration 29 CFR Part 1910.1200 "Hazard Communication" Standard.

- **SARA Title III: Section 311/312**

Fire hazard
Delayed health hazard

- **SARA Title III Section 313 and 40 CFR Part 372**

This product contains the following toxic chemical(s) subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986, and Subpart C-Supplier Notification Requirement of 40 CFR Part 372.
None required per SARA TITLE III SECTION 313.

- **TSCA Section 8(b) Inventory**

All reportable chemical substances are listed on the TSCA Inventory. We rely on certifications of compliance from our suppliers for chemical substances not manufactured by Borden.

15.2 Canadian Regulations

- **Workplace Hazardous Materials Information System (WHMIS)**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulation (CPR) and the MSDS contains all the information required by the CPR.
CLASS D, DIV 2B
CLASS B, DIV 2

- **Canadian Environmental Protection Act (CEPA)**

All reportable chemical substances are listed on the Domestic Substances List (DSL) or otherwise comply with CEPA new substance notification requirements.

- **National Pollutant Release Inventory (NPRI)**

This product contains the following chemical(s) subject to the reporting requirements of the Canadian Environmental Protection Act (CEPA) subsection 16(1), National Pollutant Release Inventory.

Isopropyl alcohol	67-63-0	1.49%
-------------------	---------	-------

16. Other Information

CL (Cautionary Labeling): Products bearing the CL (Cautionary Labeling) Seal of The Art & Creative Materials Institute, Inc. (ACMI) are certified to be properly labeled in a program of toxicological evaluation by a medical expert. This program is reviewed by ACMI's Toxicological Advisory Board. These products are certified by ACMI to be labeled in accordance with the chronic hazard labeling standard, ASTM D-4236 and Federal Law, P.L. 100-695.

- **User's Responsibility**

The OSHA Hazard Communication Standard 29CFR 1910.1200 and the Workplace Hazardous Materials Information System (WHMIS) require that the information contained on these sheets be made available to your workers. Educate and train your workers regarding OSHA and WHMIS precautions. Instruct your workers to handle this product properly. Consult with appropriate experts to guard against hazards associated with use of this product and its ingredients.

- **Disclaimer**

SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE, except that the product shall conform to contracted specifications, and that the product does not infringe any valid United States or Canadian patent. No claim of any kind shall be greater in amount than the purchase price of the quantity of product in respect of which damages are claimed. In no event shall Seller be liable for incidental or consequential damages, whether Buyer's claim is based on contract, breach of warranty, negligence or otherwise.

CUR ISSUE **06/15/2006**
PREVIOUS ISSUE: 00-XXX-00

MATERIAL SAFETY DATA SHEET

WORKING COPY

Date Issued: 02/29/2008

MSDS No: 350000003777, -3779, -10207, -10231

Revision No: New MSDS

GLADE® FABRIC & AIR ODOR ELIMINATOR (All fragrances)

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: GLADE® FABRIC & AIR ODOR ELIMINATOR (All fragrances)

GENERAL USE: Household: Cleaning product

MANUFACTURER:

S.C. Johnson & Son, Inc.
1525 Howe Street
Racine WI 53403-2236

24 Hr. Medical & Transport Emergency

Phone: (866) 231-5406

24 Hr. International Medical Emergency

Phone: (952) 852-4647

CANADIAN ADDRESS:

S.C. Johnson and Son, Limited
1 Webster Street
Brantford, Ontario N3T 5R1

24 Hr. Canadian Transport Emergency:

CANUTEC (Canadian Transportation):(613) 996 - 6666

COMMENTS: MSDS#s and Fragrance Descriptions:

350000003777: Glade® Fabric & Air Pet Odor Eliminator

350000003779: Glade® Fabric & Air Odor Eliminator - Clean Linen™

350000010207: Glade® Fabric & Air Odor Eliminator - Powder Fresh™

350000010231: Glade® Fabric & Air Odor Eliminator - Tropical Mist®

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

APPEARANCE/ODOR: Clear liquid. Fragrant odor.

IMMEDIATE CONCERNS: CAUTION: EYE IRRITANT. Avoid contact with eyes, skin and clothing.

POTENTIAL HEALTH EFFECTS

EYES: May cause: Mild eye irritation.

SKIN: Prolonged or repeated contact may cause: Drying/defatting of skin.

INGESTION: May cause irritation to mouth, throat and stomach. May cause: Abdominal discomfort.

INHALATION: May cause irritation to nose, throat and respiratory tract.

MEDICAL CONDITIONS AGGRAVATED: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.

ROUTES OF ENTRY: Eye contact. Skin contact. Inhalation. Ingestion.

3. COMPOSITION / INFORMATION ON INGREDIENTS

MATERIAL SAFETY DATA SHEET

WORKING COPY

Date Issued: 02/29/2008

MSDS No: 350000003777, -3779, -10207, -10231

Revision No: New MSDS

GLADE® FABRIC & AIR ODOR ELIMINATOR (All fragrances)

Chemical Name	Wt.%	CAS
Triethylene Glycol	0.1 - 1	000112-27-6
Ethanol	3 - 7	000064-17-5
Water	90 - 95	007732-18-5

4. FIRST AID MEASURES

EYES: Flush immediately with plenty of water for at least 15 to 20 minutes. If irritation persists, get medical attention.

SKIN: Wash contaminated area with water and soap. If irritation develops, get medical attention.

INGESTION: Do not induce vomiting! Immediately drink 1-2 glasses of water or milk. Do not administer anything by mouth to an unconscious person. Get medical attention immediately.

INHALATION: Remove to fresh air. If breathing is affected, get medical attention.

5. FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD: 53°C (128°F) TAG CC

Notes: Although this product has a flash point below 140F, it is an aqueous solution containing an alcohol and does not sustain combustion.

FLAMMABLE LIMITS:

Notes: Not Available

AUTOIGNITION TEMPERATURE: Not Available

EXTINGUISHING MEDIA: Foam. CO2. Dry chemical. Water fog.

EXPLOSION HAZARDS: No special hazards known.

FIRE FIGHTING PROCEDURES: Normal fire fighting procedure may be used. Fire fighters should wear self-contained breathing apparatus and protective clothing.

COMMENTS: Container may melt and leak in heat of fire.

6. ACCIDENTAL RELEASE MEASURES

GENERAL PROCEDURES: Eliminate all ignition sources. Absorb with oil-dri or similar inert material. Sweep or scrape up and containerize. Do not let spilled or leaking material enter watercourse.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Use only as directed. Observe good personal hygiene practices.

HANDLING: Keep away from heat, sparks and flame. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Keep out of reach of children and pets.

MATERIAL SAFETY DATA SHEET

WORKING COPY

Date Issued: 02/29/2008

MSDS No: 350000003777, -3779, -10207, -10231

Revision No: New MSDS

GLADE® FABRIC & AIR ODOR ELIMINATOR (All fragrances)

STORAGE: Keep container closed when not in use. Store in a cool, dry place with adequate ventilation. Keep from freezing.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

OCCUPATIONAL EXPOSURE LIMITS					
		EXPOSURE LIMITS			
		OSHA PEL		ACGIH TLV	
Chemical Name		ppm	mg/m ³	ppm	mg/m ³
Ethanol	TWA	1000 ppm	1900 mg/m ³	1000 ppm	1884

ENGINEERING CONTROLS: General room ventilation is normally adequate. Substantial amounts of mists/vapors can be controlled with local exhaust ventilation or respiratory protection.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: No special requirements under normal use conditions. If major exposure is possible (e.g. spills): Chemical goggles.

SKIN: No special requirements under normal use conditions. If prolonged or repeated contact is possible, wear suitable gloves.

RESPIRATORY: No special requirements under normal use conditions.

OTHER USE PRECAUTIONS: No special requirements.

COMMENTS: ACGIH or OSHA exposure limits have not been established for this product or reportable ingredients except as noted in the table above.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Fragrant

COLOR: Clear

pH: 4.0 to 6.0

PERCENT VOLATILE: > 90.0%

VAPOR PRESSURE: Not Available

BOILING POINT: Not Available

FREEZING POINT: Not Available

FLASHPOINT AND METHOD: 53°C (128°F) TAG CC

Notes: Although this product has a flash point below 140F, it is an aqueous solution containing an alcohol and does not sustain combustion.

MATERIAL SAFETY DATA SHEET

WORKING COPY

Date Issued: 02/29/2008

MSDS No: 350000003777, -3779, -10207, -10231

Revision No: New MSDS

GLADE® FABRIC & AIR ODOR ELIMINATOR (All fragrances)

SOLUBILITY IN WATER: Complete

EVAPORATION RATE: Not Available

SPECIFIC GRAVITY: ~ 1.000

10. STABILITY AND REACTIVITY

STABILITY: Stable

POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Sources of ignition (sparks, flame). Excessive heat.

HAZARDOUS DECOMPOSITION PRODUCTS: When exposed to fire: Produces normal products of combustion.

INCOMPATIBLE MATERIALS: Strong oxidizing materials (e.g. liquid chlorine).

11. TOXICOLOGICAL INFORMATION

ACUTE

DERMAL LD₅₀:

Notes: Estimated to be > 5000 mg/kg (rabbit)

ORAL LD₅₀:

Notes: Estimated to be > 5000 mg/kg (rat)

INHALATION LC₅₀:

Notes: Estimated to be greater than 2 mg/L (rats)

CARCINOGENICITY

Notes: None known.

SENSITIZATION: None known.

REPRODUCTIVE EFFECTS: None known.

TERATOGENIC EFFECTS: None known.

MUTAGENICITY: None known.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not Available

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Observe all Federal, Provincial, State and Municipal regulations.

MATERIAL SAFETY DATA SHEET

WORKING COPY

Date Issued: 02/29/2008

MSDS No: 350000003777, -3779, -10207, -10231

Revision No: New MSDS

GLADE® FABRIC & AIR ODOR ELIMINATOR (All fragrances)

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Combustible Liquid, N.O.S.

PRIMARY HAZARD CLASS/DIVISION: Combustible Liquid

UN/NA NUMBER: NA 1993

PACKING GROUP: PG III

NOTE: S.C. Johnson ships this product as "Non-Regulated" per DOT exception for Combustible Liquids. (49 CFR, 173.150)

AIR (ICAO/IATA)

SHIPPING NAME: Not Regulated

UN/NA NUMBER: None

PRIMARY HAZARD CLASS/DIVISION: Not Regulated

PACKING GROUP: None

VESSEL (IMO/IMDG)

SHIPPING NAME: Not Regulated

UN/NA NUMBER: None

PRIMARY HAZARD CLASS/DIVISION: Not Regulated

PACKING GROUP: None

CANADA TRANSPORT OF DANGEROUS GOODS

SHIPPING NAME: Not Regulated

UN/NA NUMBER: None

PRIMARY HAZARD CLASS/DIVISION: Not Regulated

PACKING GROUP: None

15. REGULATORY INFORMATION

UNITED STATES

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA STATUS: All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Inventory.

MATERIAL SAFETY DATA SHEET

WORKING COPY

Date Issued: 02/29/2008

MSDS No: 350000003777, -3779, -10207, -10231

Revision No: New MSDS

GLADE® FABRIC & AIR ODOR ELIMINATOR (All fragrances)

STATES WITH SPECIAL REQUIREMENTS

Chemical Name	Requirements
Triethylene Glycol	112-27-6 is included on the following U.S. State Government Lists: Pennsylvania Right-to-Know Hazardous Substances List
Ethanol	64-17-5 is included on the following U.S. State Government Lists: Massachusetts Right-to-Know Substances List Massachusetts Oil & Hazardous Material List Minnesota Right-to-Know Hazardous Substances List New Jersey Right-to-Know Substances List Pennsylvania Right-to-Know Hazardous Substances List

CALIFORNIA PROPOSITION 65: This product is not subject to the reporting requirements under California's Proposition 65.

CANADA

WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM): This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS CLASS: D,2B; B,3

CANADIAN ENVIRONMENTAL PROTECTION ACT: All ingredients in this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).

16. OTHER INFORMATION


REASON FOR ISSUE: New format.

APPROVED BY: SCJ Global Safety Assessment & Reg. Affairs

HMIS RATING

HEALTH:	1
FLAMMABILITY:	2
PHYSICAL HAZARD:	0
PERSONAL PROTECTION:	

NFPA CODES



MANUFACTURER DISCLAIMER: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Material Safety Data Sheet

NFPA	HMIS	PPE	Transport Symbol						
	<table><tr><td>Health Hazard</td><td>3*</td></tr><tr><td>Fire Hazard</td><td>0</td></tr><tr><td>Reactivity</td><td>1</td></tr></table>	Health Hazard	3*	Fire Hazard	0	Reactivity	1	   	
Health Hazard	3*								
Fire Hazard	0								
Reactivity	1								

Issuing Date 07-May-2007

Revision Date 07-May-2007

Revision Number 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name Great Value (GV) Regular Bleach

Recommended Uses Bleach
Contains more than 1% of active chlorine
Cleaning agent
Home care

Supplier Address

KIK International
33 MacIntosh Blvd, Concord, Ontario,
L4K 4L5
CA
Phone:905-660-0444
Fax:905-660-7333
Contact Phone: 905-660-0444
Emergency Phone: : 1-800-255-3924

Company Emergency Phone Number : 1-800-255-3924

2. HAZARDS IDENTIFICATION

2. HAZARDS IDENTIFICATION

WARNING!**Emergency Overview**

Severe eye irritation.
May cause burns of eyes, skin and mucous membranes
Irritating to eyes, respiratory system and skin
Harmful if swallowed.

Appearance Pale yellow**Physical State** Liquid.**Odor** slight chlorine**Potential Health Effects****Principle Routes of Exposure**

Inhalation, Skin contact, Eye contact.

Acute Toxicity**Eyes**

Severely irritating to eyes. May cause burns. Risk of serious damage to eyes.

Skin

Contact causes severe skin irritation and possible burns.

Inhalation

Harmful by inhalation.

Ingestion

Can burn mouth, throat, and stomach. Harmful if swallowed.

Chronic Effects

Avoid repeated exposure. Possible risks of irreversible effects.

Aggravated Medical Conditions

None known

Environmental Hazard

See Section 12 for additional Ecological information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Sodium hypochlorite	7681-52-9	5 - 10
Water	7732-18-5	60 - 100

4. FIRST AID MEASURES

General Advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Eye Contact

Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.

Skin Contact

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. If symptoms persist, call a physician.

Inhalation

Move to fresh air. Call a physician or Poison Control Center immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Ingestion

Immediate medical attention is required. Do not induce vomiting. Clean mouth with water and afterwards drink plenty of water. Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Call a physician or Poison Control Center immediately.

Notes to Physician

Treat symptomatically.

Protection of First-aiders

Use personal protective equipment. Avoid contact with skin, eyes and clothing.

5. FIRE-FIGHTING MEASURES

Flammable Properties	Not flammable
Flash Point	Not Applicable
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment
Uniform Fire Code	• Irritant: Liquid • Other Health Hazard: Target Organ Toxin--Liquid
Hazardous Combustion Products	Carbon oxides
<u>Explosion Data</u>	
Sensitivity to mechanical impact	Not sensitive
Sensitivity to static discharge	Not sensitive

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

<u>NFPA</u>	Health Hazard 2	Flammability 0	Stability 0	Physical and Chemical Hazards -
--------------------	------------------------	-----------------------	--------------------	--

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Evacuate personnel to safe areas. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Keep people away from and upwind of spill/leak.
Methods for Containment	Prevent further leakage or spillage if safe to do so
Methods for Cleaning Up	Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up mechanically and collect in suitable container for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. After cleaning, flush away traces with water.
Other Information	Refer to protective measures listed in Sections 7 and 8.

7. HANDLING AND STORAGE

Handling	Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Wear personal protective equipment. Avoid contact with skin, eyes and clothing.
Storage	Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep in properly labeled containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.
----------------------------	---

Engineering Measures	Showers Eyewash stations Ventilation systems
Personal Protective Equipment	
Eye/Face Protection	Tightly fitting safety goggles. Face-shield.
Skin and Body protection	Impervious clothing. Impervious gloves. Boots. Chemical resistant apron.
Respiratory Protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required
Hygiene Measures	Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-use. Keep away from food, drink and animal feeding stuffs. Regular cleaning of equipment, work area and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Pale yellow	Odor	slight chlorine
Odor Threshold	No information available	Physical State	Liquid
pH	12.6		
Flash Point	Not Applicable	Autoignition Temperature	Not applicable
Decomposition Temperature	No data available	Boiling Point/Range	100Â°C / 212Â°F
Melting Point/Range	No data available		
Flammability Limits in Air	No data available	Explosion Limits	No data available
Specific Gravity	No data available	Water Solubility	Soluble in water
Solubility	No data available	Evaporation Rate	No data available
Vapor Pressure	No data available	Vapor Density	No data available
VOC Content	Not applicable	Partition Coefficient (n-octanol/water)	

10. STABILITY AND REACTIVITY

Stability	Stable under recommended storage conditions
Conditions to Avoid	Exposure to air or moisture over prolonged periods.
Incompatible Products	Incompatible with strong acids and bases. Incompatible with oxidizing agents.
Hazardous Decomposition Products	Thermal decomposition can lead to release of irritating gases and vapors.
Hazardous Polymerization	Hazardous polymerization does not occur

11. TOXICOLOGICAL INFORMATION

11. TOXICOLOGICAL INFORMATION**Acute Toxicity**

Product Information No acute toxicity information is available for this product.

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium hypochlorite	8200 mg/kg (Rat)	10000 mg/kg (Rabbit)	

Chronic Toxicity

Chronic Toxicity Avoid repeated exposure. Possible risks of irreversible effects.

Carcinogenicity There are no known carcinogenic chemicals in this product

Mutagenicity

Sensitization May cause sensitization of susceptible persons.

Reproductive Toxicity This product does not contain any known or suspected reproductive hazards

Target Organ Effects Eyes, Skin.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Harmful to aquatic organisms.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Microtox	Daphnia Magna (Water Flea)
Sodium hypochlorite	EC50 = 0.095 mg/L 24 h	LC50 0.22 - 0.62 mg/L Pimephales promelas 96 h LC50= 5.9 mg/L Pimephales promelas 96 h		EC50 = 2.1 mg/L 96 h

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).

Contaminated Packaging Do not re-use empty containers.

US EPA Waste Number D002

This product contains one or more substances that are listed with the State of California as a hazardous waste

Chemical Name	California Hazardous Waste Status
Sodium hypochlorite	Toxic; Ignitable; Reactive

14. TRANSPORT INFORMATION

14. TRANSPORT INFORMATION

<u>DOT</u>	Not regulated
<u>TDG</u>	Not regulated
<u>MEX</u>	Not regulated
<u>ICAO</u>	Not regulated
<u>IATA</u>	Not regulated
<u>IMDG/IMO</u>	Not regulated
<u>RID</u>	Not regulated
<u>ADR</u>	Not regulated
<u>ADN</u>	Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL	Complies
EINECS/ELINCS	Complies
ENCS	Does not Comply
CHINA	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hypochlorite	100 lb			X

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Sodium hypochlorite	100 lb	

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Sodium hypochlorite	X	X	X		
Water					

International Regulations

Mexico - Grade

No information available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

E Corrosive material

**16. OTHER INFORMATION****Issuing Date**

07-May-2007

Revision Date

07-May-2007

Revision Note

No information available

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS



The Clorox Company
1221 Broadway
Oakland, CA 94612
Tel. (510) 271-7000

Material Safety Data Sheet

I Product: GREEN WORKS™ NATURAL GLASS AND SURFACE CLEANER											
Description: LIQUID WITH LEMON ODOR											
Other Designations	Distributor	Emergency Telephone Nos.									
	Clorox Sales Company 1221 Broadway Oakland, CA 94612	For Medical Emergencies call: 1-800-446-1014 For Transportation Emergencies, call Chemtrec: 1-800-424-9300									
II Health Hazard Data		III Hazardous Ingredients									
Eye contact may result in temporary conjunctival redness. No medical conditions are known to be aggravated by exposure to this product. <u>FIRST AID:</u> <u>EYE CONTACT:</u> Flush eyes with plenty of water for 15 minutes. If irritation persists, call a doctor. <u>SKIN CONTACT:</u> Wash skin with water. <u>INGESTION:</u> Drink a glassful of water, do not induce vomiting. Call a doctor or poison control center. <u>INHALATION:</u> Remove to fresh air. If breathing problems develop, call a doctor.		<table border="1"><thead><tr><th><u>Ingredient</u></th><th><u>Concentration</u></th><th><u>Worker Exposure Limit</u></th></tr></thead><tbody><tr><td>Ethyl alcohol CAS # 64-17-5</td><td>1-3%</td><td>1000 ppm - TLV-TWA 1000 ppm - PEL</td></tr><tr><td>Alkyl polyglucoside CAS # 68515-73-1</td><td>0.5-1.5%</td><td>not established</td></tr></tbody></table> TLV-TWA = ACGIH Threshold Limit Value - Time Weighted Average PEL = OSHA Permissible Exposure Limit - Time Weighted Average None of the materials in this product are on the IARC, OSHA, or NTP carcinogen lists.	<u>Ingredient</u>	<u>Concentration</u>	<u>Worker Exposure Limit</u>	Ethyl alcohol CAS # 64-17-5	1-3%	1000 ppm - TLV-TWA 1000 ppm - PEL	Alkyl polyglucoside CAS # 68515-73-1	0.5-1.5%	not established
<u>Ingredient</u>	<u>Concentration</u>	<u>Worker Exposure Limit</u>									
Ethyl alcohol CAS # 64-17-5	1-3%	1000 ppm - TLV-TWA 1000 ppm - PEL									
Alkyl polyglucoside CAS # 68515-73-1	0.5-1.5%	not established									
IV Special Protection and Precautions		V Transportation and Regulatory Data									
<u>Hygienic Practices:</u> Wash hands after direct contact. Do not wear product-contaminated clothing for prolonged periods. <u>Engineering Controls:</u> Use local exhaust to minimize exposure to product mist. <u>Personal Protective Equipment:</u> Wear safety glasses. Wear rubber or neoprene gloves if there is the potential for repeated or prolonged skin contact. In situations where exposure limits may be exceeded, a NIOSH-approved respirator is advised.		<u>DOT/IATA/IMDG:</u> Not restricted. <u>EPA - SARA Title III/CERCLA:</u> This product is regulated under Sections 311/312. This product contains no chemicals which are regulated under Section 313 or regulated under Section 304/CERCLA.									
VI Spill Procedures/Waste Disposal		VII Reactivity Data									
<u>Spill Procedures:</u> Absorb and containerize. Wash residual down to sanitary sewer. Contact the sanitary treatment facility in advance to assure ability to process washed-down material. <u>Waste Disposal:</u> Dispose of in accordance with all applicable federal, state, and local regulations.		Stable under normal use and storage conditions.									
VIII Fire and Explosion Data		IX Physical Data									
<u>Flash Point:</u> >200°F (closed cup) <u>Fire Extinguishing Agents:</u> Dry chemical, carbon dioxide (CO ₂), foam, or water spray.		pH..... 10-11 Specific gravity 1.0 Solubility in water Soluble									

MATERIAL SAFETY DATA SHEET

MSDS # 56301

Section One: Identification

Newell Rubbermaid, Inc. (Sanford L.P.)
2707 Butterfield Road
Oak Brook, IL 60523 USA
800-323-0749 or 630-481-2000

EMERGENCY MEDICAL NUMBER:

888-786-0972

Product Name: Liquid Paper Correction Fluid Products; Smooth Coverage, 2-in-1, Pen&Ink, Fast Dry, PMOP, Ledger Colors, Stock Colors.

Colors: White, Buff, Green, Pink, Blue, Ivory, Yellow.

Section Two: Hazard Identification

WARNING! FLAMMABLE. Do not use or store near heat or flame. **IRRITANT.** May cause skin or eye irritation. May cause allergic reaction. **VAPOR HARMFUL.** May be harmful by inhalation or ingestion. Do not ingest. Use only with proper ventilation. **KEEP OUT OF REACH OF CHILDREN.**

Section Three: Composition

Solvent: Naphtha(petroleum), hydrotreated light (64742-49-0)
Naphtha(petroleum), heavy alkylate (64741-65-7)
Additives: Titanium Dioxide (13563-67-7)
Resin
Surfactant
Pigments
Fragrance

Section Four: First Aid Measures

Inhalation: If symptoms occur remove person(s) to fresh air. If symptoms persist seek medical attention.
Skin Contact: Wash with soap and water for at least 15 min. If irritation persists seek medical attention.
Eye Contact: Wash thoroughly with water for at least 15 min. If irritation persists seek medical attention.
Ingestion: DO NOT induce vomiting. Contact a physician or poison control center immediately. Do not give anything by mouth unless directed to do so by a physician. **NOTE TO PHYSICIAN:** Contains solvent naphtha which may cause chemical pneumonitis.

Section Five: Fire Fighting Measures

Flash Point: $> 10^{\circ} \text{F}$
Flammability Limits (% by volume): N/A
Extinguishing Media: Dry chemical, foam, carbon dioxide.
Special Fire Fighting Measures: **In Small quantities:** Treat as appropriate for surroundings.
Hazardous Combustion Products: Acrid smoke/fumes. Oxides of Carbon, Nitrogen.

Section Six: Accidental Release Measures

In Case of Spill or Accidental Release: Take up with absorbent non-combustable material.

Section Seven: Handling and Storage

Handling: Do not use near heat or flame. Replace cap after use. Avoid contact with skin. Use only in well ventilated area.
Storage: Do not store near heat or other sources of ignition. In large quantities, store in a well-ventilated area.

Section Eight: Exposure Controls and Personal Protection

Eye Protection: None under normal use conditions.

MATERIAL SAFETY DATA SHEET

MSDS # 56301

Clothing: None under normal use conditions.

Respirator: None under normal use conditions.

Section Nine: Physical and Chemical Properties

Boiling Point: >95 ° F
Specific Gravity: N/A
Vapor Pressure: N/A
Solubility in Water: N/A
Evaporation Rate: N/A
Appearance/Odor: Viscous liquid / Paraffinic

Section Ten: Stability and Reactivity

Stability: Normally stable
Conditions to Avoid: Avoid exposure to heat, flame or other sources of ignition. Avoid contact with strong acids or oxidizers.
Hazardous Polymerization: N/A

Section Eleven: Toxicological Information

See Section Two: Hazard Identification for any hazards

Section Twelve: Ecological Information

Not available

Section Thirteen: Disposal Considerations

Dispose of in accordance with all Federal, State, and Local Regulations.

Section Fourteen: Transport Information

DOT: ORM-D Consumer Commodity
IATA: Not Available
IMDG: Not Available

Section Fifteen: Regulatory Information

United States: All components in this product are listed on or exempt from reporting under the Federal Toxic Substances Control Act (TSCA).

Section Sixteen: Other Information

HMIS Code

Health	2
Flammability	3
Reactivity	0
Personal Protection	N/A

0=Minimal / 4 = Severe

NewellRubbermaid, Inc has been advised by Counsel that the OSHA Hazard Communication Standard and the Health Canada Workplace Hazardous Materials Information Standard do not apply to the Sanford Product described in this Material Safety Data Sheet. The reasons for the exemptions are contained in 29 CFR 1910.1200(b)(6)(ix) as amended Sept 14, 2009 per the Code of Federal Regulations and also Canadian Hazardous Products Act part 12 section (f) as amended June 1, 2009. The information contained in this MSDS is forwarded to you for your information, but is not meant to imply that the product is covered by nor is this MSDS meant to comply with all requirements of the hazard communication standards.

MATERIAL SAFETY DATA SHEET

SECTION I - PRODUCT IDENTIFICATION AND USE

Product Name MURPHY OIL SOAP LIQUID **Product Use** Liquid Hard Surface Cleaner **Whmis Classification:** NCP

Supplier's Name Colgate-Palmolive Canada Inc. **Address:** Two Morneau Sobeco Centre, 6th Floor
895 Don Mills Road, Toronto, Ontario M3C 1W3

Telephone No.: (416) 421-6000 **Emergency Contacts:** Check your local Poison Control Centre in your telephone white pages.

SECTION II - PREPARATION OF MSDS

PREPARED BY: Technical Services **PHONE:** (416) 421-6000 **DATE:** January 1, 2012
N/A = Not Applicable; N/E = Not Established/Available

SECTION III - HAZARDOUS INGREDIENTS

Hazardous Ingredient	Concentration Range %	C.A.S. or U.N. Number	Exposure Limits	LD ₅₀ /LC ₅₀ Specify Species and Route
N/A				

SECTION IV - PHYSICAL DATA

Physical State Liquid **Odour and Appearance** Various scents and colours **Odour Threshold** N/E **Specific Gravity** 1.012 (20°/20° C) **Vapour Pressure** N/E

Vapour Density N/E **Evaporation Rate** N/E **Boiling Point** N/E **Freezing Point** N/E **pH** 10.4 - 11.6 (1% Sol'n) **Coefficient of Water/Oil Distribution** N/E

SECTION V - FIRE OR EXPLOSION HAZARD

Flammable: Yes () No (X) **If yes, under which conditions:**

Means of Extinction: If involved in fire, use water, dry alcohol type or all purpose foam, dry chemical, carbon dioxide or other Class B extinguishing agents.

Flashpoint and Method > 220° F **Upper Flammable Limit** N/E **Lower Flammable Limit** N/E **Auto-ignition Temperature** N/E

Hazardous Combustion Products: Carbon monoxide

Explosion Data Sensitivity To Mechanical Impact N/E **Explosion Data Sensitivity To Static Charge** N/E

SECTION VI - REACTIVITY DATA

Chemical Instability: Yes () No (X) **If yes, under which conditions?**

Incompatibility To Other Substances: Yes (X) No () **If yes, which ones?** Reactive alloys (aluminum, brass, bronze etc.) Strong oxidizing agents

Reactivity: Yes () No (X) **If yes, under which conditions?**

Hazardous Decomposition Products: None known

SECTION VII - TOXICOLOGICAL PROPERTIES OF PRODUCT This product has not been tested as a whole.

Routes of Entry: Skin Contact X Skin Absorption Eye Contact X Inhalation X Ingestion X

Effects of Acute Exposure To Product:

Skin Contact: May cause irritation Skin Absorption: N/A
Eye Contact: Eye irritant upon direct contact Inhalation: N/E
Ingestion: Extremely low toxicity. May cause nausea, vomiting, and diarrhea.

Effects of Chronic Exposure To Product: N/E

LD₅₀ of Product (Specify Species and Route) N/E **LC₅₀ of Product (Specify Species)** N/A

MATERIAL SAFETY DATA SHEET

Product Name MURPHY OIL SOAP LIQUID

SECTION VII - TOXICOLOGICAL PROPERTIES OF PRODUCT This product has not been tested as a whole.

Exposure Limits

N/E

Irritancy of Product

N/E

Sensitization of Product

N/E

Carcinogenicity

N/E

Reproductive Toxicity

N/E

Teratogenicity

N/E

Mutagenicity

N/E

Synergistic Materials

N/E

SECTION VIII - PREVENTATIVE MEASURES

Personal Protective Equipment: Rubber or Plastic Gloves, Goggles or Safety Glasses, Protective Clothing

Engineering Controls: Safety Showers and Eyewash Fountains should be available. The product should be used in a well ventilated area.

Leak and Spill Procedures: Flush with water.

Waste Disposal: Dispose in accordance with Federal, Provincial and Local regulations.

Handling Procedures and Equipment: Avoid contact when handling.

Storage Requirements: Store above freezing and below 45° C.

Special Shipping Instruction: Heated car or truck shipment is required to prevent freezing.

SECTION IX - TRANSPORTATION OF DANGEROUS GOODS

TDG Regulated Product: Yes () No (X) **Product TDG or CFR 49 Shipping Name** N/A
(If CFR so indicate)

PIN Number: N/A **Packaging Group** N/A

SECTION X - FIRST AID MEASURES

Skin: Flush the contact area with lukewarm running water for at least 15 minutes. If irritation persists, call a physician.

Eye: Flush the contaminated eye(s) for at least 15 minutes with lukewarm water, holding the eyelid open. Take care not to rinse contaminated water into the non-affected eye. Always seek medical attention for eye injuries.

Inhalation: Remove to fresh air. Call a physician if irritation persists.

Ingestion: If swallowed drink 3 - 4 glasses of water. Call a physician.

This product is labeled in accordance with the requirements of the Hazardous Products Act and/or the Pest Control Products Act in that the use pattern and exposure in the workplace is generally consistent with that experienced by consumers. In certain respects, the requirements of the Workplace Hazardous Materials Information System applicable to the drafting of this Material Safety Data Sheet may differ from the requirements of those acts and regulations and as a result, this MSDS may contain additional information to that found on the label.

Because we cannot anticipate or control the many different conditions under which this information and our products may be used, we do not guarantee the applicability of this information or the suitability of our products in any given situation. Users of our products should make their own tests to determine the safety and suitability of each such product for their particular purposes.



The Clorox Company
1221 Broadway
Oakland, CA 94612
Tel. (510) 271-7000

Material Safety Data Sheet

I Product: PROFESSIONAL STRENGTH LIQUID-PLUMR® CLOG REMOVER

Description: CLEAR ALKALINE LIQUID WITH A CHLORINE ODOR

Other Designations

Drain Cleaner
Drain Opener

Distributor

Clorox Sales Company
1221 Broadway
Oakland, CA 94612

Emergency Telephone Nos.

For Medical Emergencies call:
(800) 446-1014
For Transportation Emergencies Chemtrac
(800) 424-9300

II Health Hazard Data

CORROSIVE to the eyes. Injures eyes, skin and mucous membranes on contact. Harmful if swallowed; nausea, vomiting, and burning sensation of the mouth and throat may occur. No adverse health effects are expected with recommended use. Occasional clinical reports suggest a low potential for sensitization upon exaggerated exposure to sodium hypochlorite if skin damage (eg. irritation) occurs during exposure. However, clinical tests conducted on intact skin with Liquid-Plumr found no sensitization in the test subjects.

Although not expected, heart conditions or chronic respiratory problems such as asthma, chronic bronchitis or obstructive lung disease may be aggravated by exposure to high concentrations of vapor or mist.

FIRST AID:

EYE CONTACT: Immediately flush eyes with water for 15 minutes. Contact a physician.

INGESTION: Drink a glassful of water. **DO NOT** induce vomiting. Immediately contact a physician or Poison Control Center.

SKIN CONTACT: Remove contaminated clothing. Flush skin with water. Contact a physician if irritation or discomfort persists.

INHALATION: Remove from exposure to fresh air.

III Hazardous Ingredients

Ingredient	Concentration	Worker Exposure Limit
Sodium hydroxide CAS #1310-73-2	0.5-2%	2 mg/m ³ TLV-C
Sodium hypochlorite CAS #7681-52-9	5-10%	not established

None of the ingredients in this product are on the IARC, OSHA or NTP carcinogen lists. TLV-C=Threshold Limit Value-Ceiling. The worker exposure limit should not be exceeded at any time. Source: ACGIH., 1985-86.

IV Special Protection and Precautions

Hygienic Practices: Wear safety glasses and gloves. The availability of an eye wash and shower is recommended in a manufacturing environment.

Engineering Controls: Use general ventilation to minimize exposure to vapors.

Work Practices: Avoid eye and skin contact and inhalation of vapor or mist.

KEEP OUT OF REACH OF CHILDREN. Avoid all splashing; particularly in eyes, on skin and clothing. Keep children away from basins containing Liquid-Plumr. Do not use plunger with Liquid-Plumr. Do not use Liquid-Plumr with ammonia, toilet bowl cleaners or other drain openers. Do not reuse empty container. Rinse container and replace cap before discarding.

V Transportation and Regulatory Data

U.S. DOT Hazard Class: Not Restricted

U.S. Proper Shipping Name: n/a

EPA - SARA TITLE III/CERCLA: This product is not reportable under Sections 311/312 and contains no chemicals reportable under Section 313. This product does contain chemicals (sodium hydroxide and sodium hypochlorite) that are regulated under Section 304/CERCLA.

TSCA/DSL STATUS: All components of this product are on the U.S. TSCA Inventory and Canadian DSL.

VI Spill Procedures/Waste Disposal

Spill Procedures: Immediately contain. Do not neutralize with acid. Dilute with copious amounts of water.

Dispose of in accordance with all applicable federal, state, and local regulations.

VII Reactivity Data

Stable under normal use and storage conditions. Reacts with other household chemicals such as toilet bowl cleaners, ammonia or other drain openers to produce hazardous gases, such as chlorine and other chlorinated species.

VIII Fire and Explosion Data

Flash Point: None

Special Firefighting Procedures: None

Unusual Fire/Explosion Hazards: None. Not flammable or explosive.

Product does not ignite when exposed to open flame.

IX Physical Data

Boiling point..... approx. 212 °F/100 °C
Specific Gravity (H₂O=1)..... 1.08 - 1.11
Solubility in Water..... complete
pH..... 13.2

PURELL® Hand Sanitizer

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

SECTION 1. IDENTIFICATION

Product name : PURELL® Hand Sanitizer

Manufacturer or supplier's details

Company name of supplier : GOJO Industries, Inc.

Address : One GOJO Plaza, Suite 500
Akron OH 44311

Telephone : 1 (330) 255-6000

Emergency telephone : 1-800-424-9300 CHEMTREC

Recommended use of the chemical and restrictions on use

Recommended use : Hand Sanitizer

Restrictions on use : This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Flammable liquids : Category 3

Eye irritation : Category 2A

GHS Label element

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H226 Flammable liquid and vapor.
H319 Causes serious eye irritation.

PURELL® Hand Sanitizer

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

Precautionary Statements : **Prevention:**
P210 Keep away from heat/sparks/open flames/hot surfaces.
No smoking.
P233 Keep container tightly closed.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ eye protection/ face protection.
Response:
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
Storage:
P403 + P235 Store in a well-ventilated place. Keep cool.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Ethanol	64-17-5	>= 50 - < 70
Propan-2-ol	67-63-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.
Get medical attention if symptoms occur.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.

**PURELL® Hand Sanitizer**

Version 1.2	Revision Date: 03/19/2015	MSDS Number: 46955-00003	Date of last issue: 02/10/2015 Date of first issue: 01/13/2015
----------------	------------------------------	-----------------------------	---

	Get medical attention.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: Causes serious eye irritation.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO ₂)
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire fighting	: Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	: Discharge into the environment must be avoided.

PURELL® Hand Sanitizer

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.
Soak up with inert absorbent material.
Suppress (knock down) gases/vapors/mists with a water spray jet.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use with local exhaust ventilation.
Use only in an area equipped with explosion proof exhaust ventilation.

Advice on safe handling : Do not breathe vapors or spray mist.
Do not swallow.
Do not get in eyes.
Avoid prolonged or repeated contact with skin.
Handle in accordance with good industrial hygiene and safety practice.
Non-sparking tools should be used.
Keep container tightly closed.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.
Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.
Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

PURELL® Hand Sanitizer

Version 1.2 Revision Date: 03/19/2015 MSDS Number: 46955-00003 Date of last issue: 02/10/2015
 Date of first issue: 01/13/2015

Organic peroxides
 Flammable solids
 Pyrophoric liquids
 Pyrophoric solids
 Self-heating substances and mixtures
 Substances and mixtures which in contact with water emit flammable gases
 Explosives
 Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m ³	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m ³	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m ³	NIOSH REL
		ST	500 ppm 1,225 mg/m ³	NIOSH REL
		TWA	400 ppm 980 mg/m ³	OSHA Z-1

Biological occupational exposure limits

Ingredients	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentratio n	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work- week	40 mg/l	ACGIH BEI

Engineering measures : Minimize workplace exposure concentrations.
 Use only in an area equipped with explosion proof exhaust ventilation.
 Use with local exhaust ventilation.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and

PURELL® Hand Sanitizer

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Material : Impervious gloves

Material : Flame retardant gloves

Remarks

: Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection

: Wear the following personal protective equipment:
Safety goggles

Skin and body protection

: Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Wear the following personal protective equipment:
Flame retardant antistatic protective clothing.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Hygiene measures

: Ensure that eye flushing systems and safety showers are located close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: clear, Colorless to pale yellow
Odor	: citrus
Odor Threshold	: No data available
pH	: 6.0 - 9.2
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available

PURELL® Hand Sanitizer

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

Flash point	: 25 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Density	: 0.89 g/cm3
Solubility(ies)	
Water solubility	: soluble
Partition coefficient: n-octanol/water	: Not applicable
Autoignition temperature	: No data available
Decomposition temperature	: The substance or mixture is not classified self-reactive.
Viscosity	
Viscosity, kinematic	: 1,000 - 35,000 mm2/s (20 °C)
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

PURELL® Hand Sanitizer

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Ingredients:**Ethanol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 124.7 mg/l
Exposure time: 4 h
Test atmosphere: vapor

Propan-2-ol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 72.6 mg/l
Exposure time: 4 h
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Ingredients:**Ethanol:**

Species: Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation

Propan-2-ol:

Species: Rabbit
Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Ingredients:

PURELL® Hand Sanitizer

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

Ethanol:

Species: Rabbit
Result: Irritation to eyes, reversing within 21 days
Method: OECD Test Guideline 405

Propan-2-ol:

Species: Rabbit
Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information.
Respiratory sensitization: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Ingredients:**Ethanol:**

Test Type: Local lymph node assay (LLNA)
Routes of exposure: Skin contact
Species: Mouse
Result: negative

Propan-2-ol:

Test Type: Buehler Test
Routes of exposure: Skin contact
Species: Guinea pig
Method: OECD Test Guideline 406
Result: negative

Germ cell mutagenicity

Not classified based on available information.

Ingredients:**Ethanol:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Mouse
Application Route: Ingestion
Result: negative

Propan-2-ol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

PURELL® Hand Sanitizer

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

Carcinogenicity

Not classified based on available information.

Ingredients:**Propan-2-ol:**

Species: Rat

Application Route: inhalation (vapor)

Exposure time: 104 weeks

Method: OECD Test Guideline 451

Result: negative

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Ingredients:**Ethanol:**

Effects on fertility

: Test Type: Two-generation reproduction toxicity study
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative

Propan-2-ol:

Effects on fertility

: Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on fetal development

: Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative

STOT-single exposure

Not classified based on available information.

Ingredients:**Propan-2-ol:**

Assessment: May cause drowsiness or dizziness.

PURELL® Hand Sanitizer

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity**Ingredients:****Ethanol:**

Species: Rat
NOAEL: 2,400 mg/kg
Application Route: Ingestion
Exposure time: 2 y

Propan-2-ol:

Species: Rat
NOAEL: 5000 ppm
Application Route: inhalation (vapor)
Exposure time: 104 w
Method: OECD Test Guideline 413

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Ingredients:****Ethanol:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
Toxicity to bacteria	: EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h

Propan-2-ol:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 24 h
Toxicity to algae	: ErC50 (Scenedesmus quadricauda (Green algae)): > 1,800 mg/l

**PURELL® Hand Sanitizer**

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

Exposure time: 8 d

Toxicity to bacteria : EC50 (*Pseudomonas putida*): > 1,050 mg/l
Exposure time: 16 h

Persistence and degradability**Ingredients:****Ethanol:**

Biodegradability : Result: Readily biodegradable.
Biodegradation: 84 %
Exposure time: 20 d

Propan-2-ol:

Biodegradability : Result: rapidly degradable

Bioaccumulative potential**Ingredients:****Ethanol:**

Partition coefficient: n-octanol/water : log Pow: -0.35

Propan-2-ol:

Partition coefficient: n-octanol/water : log Pow: 0.05

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION**International Regulation****UNRTDG**

UN number : UN 1987
Proper shipping name : ALCOHOLS, N.O.S.

**PURELL® Hand Sanitizer**

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

(Ethanol, Propan-2-ol)

Class : 3

Packing group : III

Labels : 3

IATA-DGR

UN/ID No. : UN 1987

Proper shipping name : Alcohols, n.o.s.

(Ethanol, Propan-2-ol)

Class : 3

Packing group : III

Labels : Flammable Liquids

Packing instruction (cargo aircraft) : 366

Packing instruction (passenger aircraft) : 355

IMDG-Code

UN number : UN 1987

Proper shipping name : ALCOHOLS, N.O.S.

(Ethanol, Propan-2-ol)

Class : 3

Packing group : III

Labels : 3

EmS Code : F-E, S-D

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**49 CFR**

UN/ID/NA number : UN 1987

Proper shipping name : ALCOHOLS, N.O.S.

Class : 3

Packing group : III

Labels : FLAMMABLE LIQUID

ERG Code : 127

Marine pollutant : no

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard

**PURELL® Hand Sanitizer**

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	46955-00003	Date of first issue: 01/13/2015

Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

Propan-2-ol	67-63-0	3.013 %
-------------	---------	---------

US State Regulations

Pennsylvania Right To Know

Ethanol	64-17-5	50 - 70 %
Water	7732-18-5	30 - 50 %
Propan-2-ol	67-63-0	1 - 5 %

New Jersey Right To Know

Ethanol	64-17-5	50 - 70 %
Water	7732-18-5	30 - 50 %
Propan-2-ol	67-63-0	1 - 5 %

California Prop 65 This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:


AICS : All ingredients listed or exempt.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

PURELL® Hand Sanitizer

Version 1.2 Revision Date: 03/19/2015 MSDS Number: 46955-00003 Date of last issue: 02/10/2015
 Date of first issue: 01/13/2015

SECTION 16. OTHER INFORMATION**Further information****NFPA:****HMIS III:**

HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
 2 = Moderate, 3 = High
 4 = Extreme, * = Chronic

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	: STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA Z-1 / TWA	: 8-hour time weighted average

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 03/19/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8

**PURELL® INSTANT HAND SANITIZER
MOISTURE THERAPY**

Version 1.2	Revision Date: 03/26/2015	MSDS Number: 67361-00003	Date of last issue: 03/17/2015 Date of first issue: 03/06/2015
----------------	------------------------------	-----------------------------	---

SECTION 1. IDENTIFICATION

Product name : PURELL® INSTANT HAND SANITIZER MOISTURE THERAPY

Manufacturer or supplier's details

Company name of supplier : GOJO Industries, Inc.

Address : One GOJO Plaza, Suite 500
Akron OH 44311

Telephone : 1 (330) 255-6000

Emergency telephone : 1-800-424-9300 CHEMTREC

Recommended use of the chemical and restrictions on use

Recommended use : Hand Sanitizer

Restrictions on use : This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Flammable liquids : Category 3

Eye irritation : Category 2A

GHS Label element

Hazard pictograms :



Signal Word : Warning



PURELL® INSTANT HAND SANITIZER MOISTURE THERAPY

Version	Revision Date:	MSDS Number:	Date of last issue: 03/17/2015
1.2	03/26/2015	67361-00003	Date of first issue: 03/06/2015

Hazard Statements : H226 Flammable liquid and vapor.
H319 Causes serious eye irritation.

Precautionary Statements : **Prevention:**
P210 Keep away from heat/sparks/open flames/hot surfaces.
No smoking.
P233 Keep container tightly closed.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ eye protection/ face protection.
Response:
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
Storage:
P403 + P235 Store in a well-ventilated place. Keep cool.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Ethanol	64-17-5	>= 50 - < 70
Glycerine	56-81-5	>= 5 - < 10
Propan-2-ol	67-63-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.



PURELL® INSTANT HAND SANITIZER MOISTURE THERAPY

Version 1.2	Revision Date: 03/26/2015	MSDS Number: 67361-00003	Date of last issue: 03/17/2015 Date of first issue: 03/06/2015
----------------	------------------------------	-----------------------------	---

In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: Causes serious eye irritation.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO ₂)
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire fighting	: Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

**PURELL® INSTANT HAND SANITIZER
MOISTURE THERAPY**

Version	Revision Date:	MSDS Number:	Date of last issue: 03/17/2015
1.2	03/26/2015	67361-00003	Date of first issue: 03/06/2015

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | |
|---|--|
| Personal precautions,
protective equipment and
emergency procedures | : Remove all sources of ignition.
Use personal protective equipment.
Follow safe handling advice and personal protective
equipment recommendations. |
| Environmental precautions | : Discharge into the environment must be avoided.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil
barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages
cannot be contained. |
| Methods and materials for
containment and cleaning up | : Non-sparking tools should be used.
Soak up with inert absorbent material.
Suppress (knock down) gases/vapors/mists with a water spray
jet.
For large spills, provide diking or other appropriate
containment to keep material from spreading. If diked material
can be pumped, store recovered material in appropriate
container.
Clean up remaining materials from spill with suitable
absorbent.
Local or national regulations may apply to releases and
disposal of this material, as well as those materials and items
employed in the cleanup of releases. You will need to
determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding
certain local or national requirements. |

SECTION 7. HANDLING AND STORAGE

- | | |
|-------------------------|---|
| Technical measures | : See Engineering measures under EXPOSURE
CONTROLS/PERSONAL PROTECTION section. |
| Local/Total ventilation | : Use with local exhaust ventilation.
Use only in an area equipped with explosion proof exhaust
ventilation. |
| Advice on safe handling | : Do not breathe vapors or spray mist.
Do not swallow.
Do not get in eyes.
Avoid prolonged or repeated contact with skin.
Handle in accordance with good industrial hygiene and safety
practice.
Non-sparking tools should be used.
Keep container tightly closed.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the |

**PURELL® INSTANT HAND SANITIZER
MOISTURE THERAPY**

Version	Revision Date:	MSDS Number:	Date of last issue: 03/17/2015
1.2	03/26/2015	67361-00003	Date of first issue: 03/06/2015

environment.

Conditions for safe storage : Keep in properly labeled containers.
Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.
Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Organic peroxides
Flammable solids
Pyrophoric liquids
Pyrophoric solids
Self-heating substances and mixtures
Substances and mixtures which in contact with water emit flammable gases
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m ³	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m ³	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Glycerine	56-81-5	TWA (mist, respirable fraction)	5 mg/m ³	OSHA Z-1
		TWA (mist, total dust)	15 mg/m ³	OSHA Z-1
Propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m ³	NIOSH REL
		ST	500 ppm 1,225 mg/m ³	NIOSH REL
		TWA	400 ppm 980 mg/m ³	OSHA Z-1

Biological occupational exposure limits

Ingredients	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of	40 mg/l	ACGIH



PURELL® INSTANT HAND SANITIZER MOISTURE THERAPY

Version 1.2 Revision Date: 03/26/2015 MSDS Number: 67361-00003 Date of last issue: 03/17/2015
Date of first issue: 03/06/2015

				shift at end of work- week		BEI
--	--	--	--	-------------------------------------	--	-----

Engineering measures : Minimize workplace exposure concentrations.
Use only in an area equipped with explosion proof exhaust ventilation.
Use with local exhaust ventilation.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Material : Impervious gloves

Material : Flame retardant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:
Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Wear the following personal protective equipment:
Flame retardant antistatic protective clothing.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Hygiene measures : Ensure that eye flushing systems and safety showers are located close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.

**PURELL® INSTANT HAND SANITIZER
MOISTURE THERAPY**

Version 1.2	Revision Date: 03/26/2015	MSDS Number: 67361-00003	Date of last issue: 03/17/2015 Date of first issue: 03/06/2015
----------------	------------------------------	-----------------------------	---

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: gel
Color	: white, opaque
Odor	: floral
Odor Threshold	: No data available
pH	: 4.5 - 9.5
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: 30 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Density	: 0.9060 g/cm3
Solubility(ies)	
Water solubility	: soluble
Partition coefficient: n-octanol/water	: Not applicable
Autoignition temperature	: No data available
Decomposition temperature	: The substance or mixture is not classified self-reactive.
Viscosity	
Viscosity, kinematic	: 5,000 - 48,000 mm2/s (20 °C)
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

**PURELL® INSTANT HAND SANITIZER
MOISTURE THERAPY**

Version	Revision Date:	MSDS Number:	Date of last issue: 03/17/2015
1.2	03/26/2015	67361-00003	Date of first issue: 03/06/2015

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
---------------------	--

Ingredients:**Ethanol:**

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapor

Glycerine:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
---------------------	-----------------------------

Propan-2-ol:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 72.6 mg/l Exposure time: 4 h Test atmosphere: vapor
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg

**PURELL® INSTANT HAND SANITIZER
MOISTURE THERAPY**

Version 1.2	Revision Date: 03/26/2015	MSDS Number: 67361-00003	Date of last issue: 03/17/2015 Date of first issue: 03/06/2015
----------------	------------------------------	-----------------------------	---

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Ingredients:**Ethanol:**

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Glycerine:

Result: No skin irritation

Propan-2-ol:

Species: Rabbit

Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Ingredients:**Ethanol:**

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Method: OECD Test Guideline 405

Glycerine:

Result: No eye irritation

Propan-2-ol:

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information.

Respiratory sensitization: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Ingredients:**Ethanol:**

Test Type: Local lymph node assay (LLNA)

Routes of exposure: Skin contact

Species: Mouse

Result: negative

Propan-2-ol:

Test Type: Buehler Test

**PURELL® INSTANT HAND SANITIZER
MOISTURE THERAPY**

Version 1.2	Revision Date: 03/26/2015	MSDS Number: 67361-00003	Date of last issue: 03/17/2015 Date of first issue: 03/06/2015
----------------	------------------------------	-----------------------------	---

Routes of exposure: Skin contact
Species: Guinea pig
Method: OECD Test Guideline 406
Result: negative

Germ cell mutagenicity

Not classified based on available information.

Ingredients:**Ethanol:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Mouse
Application Route: Ingestion
Result: negative

Glycerine:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Propan-2-ol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Carcinogenicity

Not classified based on available information.

Ingredients:**Glycerine:**

Species: Rat
Application Route: Ingestion
Exposure time: 2 Years
Result: negative

Propan-2-ol:

Species: Rat
Application Route: inhalation (vapor)
Exposure time: 104 weeks
Method: OECD Test Guideline 451
Result: negative

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**PURELL® INSTANT HAND SANITIZER
MOISTURE THERAPY**

Version 1.2	Revision Date: 03/26/2015	MSDS Number: 67361-00003	Date of last issue: 03/17/2015 Date of first issue: 03/06/2015
----------------	------------------------------	-----------------------------	---

OSHA

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Ingredients:**Ethanol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative

Glycerine:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Ingestion
Result: negative

Propan-2-ol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative

STOT-single exposure

Not classified based on available information.

Ingredients:**Propan-2-ol:**

Assessment: May cause drowsiness or dizziness.

STOT-repeated exposure

Not classified based on available information.

**PURELL® INSTANT HAND SANITIZER
MOISTURE THERAPY**

Version 1.2	Revision Date: 03/26/2015	MSDS Number: 67361-00003	Date of last issue: 03/17/2015 Date of first issue: 03/06/2015
----------------	------------------------------	-----------------------------	---

Repeated dose toxicity**Ingredients:****Ethanol:**

Species: Rat
NOAEL: 2,400 mg/kg
Application Route: Ingestion
Exposure time: 2 y

Glycerine:

Species: Rat
NOAEL: 167 mg/m³
LOAEL: 660 mg/m³
Application Route: inhalation (dust/mist/fume)
Exposure time: 13 w
Symptoms: Local irritation

Propan-2-ol:

Species: Rat
NOAEL: 5000 ppm
Application Route: inhalation (vapor)
Exposure time: 104 w
Method: OECD Test Guideline 413

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Ingredients:****Ethanol:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
Toxicity to bacteria	: EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h

Glycerine:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l
------------------	---

**PURELL® INSTANT HAND SANITIZER
MOISTURE THERAPY**

Version	Revision Date:	MSDS Number:	Date of last issue: 03/17/2015
1.2	03/26/2015	67361-00003	Date of first issue: 03/06/2015

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,955 mg/l
Exposure time: 48 hToxicity to bacteria : NOEC (Pseudomonas putida): > 10,000 mg/l
Exposure time: 16 h**Propan-2-ol:**Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l
Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l
Exposure time: 24 hToxicity to algae : ErC50 (Scenedesmus quadricauda (Green algae)): > 1,800 mg/l
Exposure time: 8 dToxicity to bacteria : EC50 (Pseudomonas putida): > 1,050 mg/l
Exposure time: 16 h**Persistence and degradability****Ingredients:****Ethanol:**Biodegradability : Result: Readily biodegradable.
Biodegradation: 84 %
Exposure time: 20 d**Glycerine:**Biodegradability : Result: Readily biodegradable.
Biodegradation: 94 %
Exposure time: 1 d**Propan-2-ol:**

Biodegradability : Result: rapidly degradable

Bioaccumulative potential**Ingredients:****Ethanol:**

Partition coefficient: n-octanol/water : log Pow: -0.35

Glycerine:

Partition coefficient: n-octanol/water : log Pow: -1.76

Propan-2-ol:

Partition coefficient: n-octanol/water : log Pow: 0.05

**PURELL® INSTANT HAND SANITIZER
MOISTURE THERAPY**

Version 1.2	Revision Date: 03/26/2015	MSDS Number: 67361-00003	Date of last issue: 03/17/2015 Date of first issue: 03/06/2015
----------------	------------------------------	-----------------------------	---

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION**International Regulation****UNRTDG**

UN number	: UN 1987
Proper shipping name	: ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol)
Class	: 3
Packing group	: III
Labels	: 3

IATA-DGR

UN/ID No.	: UN 1987
Proper shipping name	: Alcohols, n.o.s. (Ethanol, Propan-2-ol)
Class	: 3
Packing group	: III
Labels	: Flammable Liquids
Packing instruction (cargo aircraft)	: 366
Packing instruction (passenger aircraft)	: 355

IMDG-Code

UN number	: UN 1987
Proper shipping name	: ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol)
Class	: 3
Packing group	: III
Labels	: 3
EmS Code	: F-E, S-D
Marine pollutant	: no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code



PURELL® INSTANT HAND SANITIZER MOISTURE THERAPY

Version 1.2	Revision Date: 03/26/2015	MSDS Number: 67361-00003	Date of last issue: 03/17/2015 Date of first issue: 03/06/2015
----------------	------------------------------	-----------------------------	---

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number	: UN 1987
Proper shipping name	: ALCOHOLS, N.O.S.
Class	: 3
Packing group	: III
Labels	: FLAMMABLE LIQUID
ERG Code	: 127
Marine pollutant	: no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Fire Hazard Acute Health Hazard
-----------------------------	--------------------------------------

SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
-----------------	---

SARA 313	: The following components are subject to reporting levels established by SARA Title III, Section 313:
-----------------	--

Propan-2-ol	67-63-0	3.013 %
-------------	---------	---------

Pennsylvania Right To Know

Ethanol	64-17-5	50 - 70 %
Water	7732-18-5	30 - 50 %
Glycerine	56-81-5	5 - 10 %
Propan-2-ol	67-63-0	1 - 5 %

New Jersey Right To Know

Ethanol	64-17-5	50 - 70 %
Water	7732-18-5	30 - 50 %
Glycerine	56-81-5	5 - 10 %
Propan-2-ol	67-63-0	1 - 5 %

California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

PURELL® INSTANT HAND SANITIZER MOISTURE THERAPY

Version 1.2	Revision Date: 03/26/2015	MSDS Number: 67361-00003	Date of last issue: 03/17/2015 Date of first issue: 03/06/2015
----------------	------------------------------	-----------------------------	---

The ingredients of this product are reported in the following inventories:

REACH : All ingredients (pre-)registered or exempt.

TSCA : All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

DSL : All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or exempt from listing on the Canadian Domestic Substances List (DSL).

AICS : All ingredients listed or exempt.


Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMIS III:

HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
 ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
 NIOSH REL : USA. NIOSH Recommended Exposure Limits
 OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
 ACGIH / TWA : 8-hour, time-weighted average
 ACGIH / STEL : Short-term exposure limit
 NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
 NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
 OSHA Z-1 / TWA : 8-hour time weighted average

**PURELL® INSTANT HAND SANITIZER
MOISTURE THERAPY**

Version	Revision Date:	MSDS Number:	Date of last issue: 03/17/2015
1.2	03/26/2015	67361-00003	Date of first issue: 03/06/2015

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 03/26/2015

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8



Date:
Supercedes:

23 July 2009
30 April 2007

MATERIAL SAFETY DATA SHEET

IN CASE OF EMERGENCY CALL CHEMTREC AT 1-800-424-9300

1. PRODUCT IDENTIFICATION AND COMPANY IDENTIFICATION:

Product Name: **PURELL® Instant Hand Sanitizer Ocean Mist**

Company Name & Address: GOJO Industries, Inc.
One GOJO Plaza, Suite 500
Akron, OH 44311

Emergency Phone: **1-800-424-9300 CHEMTREC**

Non-Emergency Phone: (330) 255-6000

MSDS Request Phone: (330) 255-6000 x8804

2. INFORMATION ON INGREDIENTS:

HAZARDOUS INGREDIENTS	CAS NUMBER	OSHA PEL	ACGIH TLV	% RANGE
Ethanol	64-17-5	1000 ppm	1000 ppm	62
Isopropanol	67-63-0	400 ppm	200 ppm	<5

Other ingredient(s) with notification requirements:	CAS NUMBER	List
Ethanol	64-17-5	MA 1; NJ 1S; PA 1; CN 2
Isopropanol	67-63-0	MA 1; NJ 1S; PA; CN 1

3. HAZARDS IDENTIFICATION:

EMERGENCY OVERVIEW

When used according to instructions, the product applicable to this MSDS is safe and presents no immediate or long-term health hazard. However, abnormal entry routes, such as gross ingestion, may require immediate medical attention.

Potential Health Effects:

HMIS: Health 2 Flammability 3 Reactivity 0 Personal Protection None

Eye Contact: May cause eye irritation.

Skin Contact: No irritation or reaction expected.

Inhalation: Not applicable.

Ingestion: May cause upset stomach, nausea (Abnormal entry route).

Carcinogenicity: Not listed as a carcinogen by NTP, IARC, OSHA or ACGIH.

4. FIRST AID MEASURES:

Eye Contact: Do not rub eyes. Flush eyes thoroughly with water for 15 minutes. If condition worsens or irritation persists, contact physician.

Skin Contact: Not applicable.

Inhalation: Not applicable.

Ingestion: Do not induce vomiting. Contact a physician or Poison Control Center.

5. FIRE FIGHTING MEASURES:

NFPA: Health 2 Fire 3 Reactivity 0
Flashpoint °F/°C (PMCC method): 74°F/23°C
Unusual Fire and Explosion Hazards: Product is flammable due to alcohol content.
Special Fire Fighting Procedures: None known.
Extinguishing Media: X Water Fog X Alcohol Foam X CO₂ X Dry Chemical Other

6. ACCIDENTAL RELEASE MEASURES:

Avoid contact with ignition sources since product is flammable. Absorb onto inert material and dispose in appropriate manner. Water clean up and rinse. CAUTION – WILL CAUSE SLIPPERY SURFACES.

7. HANDLING AND STORAGE:

Keep away from fire or flame. Store at normal room temperature away from reach of small children. Keep containers sealed. Use older containers first. Avoid freezing conditions.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION:

Eye Protection: None required under normal conditions.
Skin Protection: None required under normal conditions.
Respiratory Protection: None required under normal conditions.
Ventilation: None required under normal conditions.
Protective Equipment or Clothing: None required under normal conditions.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Appearance and Odor Clear blue gel, melon fragrance
pH (undiluted): 4.5 – 9.5
VOC, %: 65

10. STABILITY AND REACTIVITY:

Stable/Non reactive product. Avoid ignition sources.

11. TOXICOLOGICAL INFORMATION:

No acute or chronic toxic effects expected when used according to directions.

12. ECOLOGICAL CONSIDERATIONS:

No ecological or special considerations when used according to directions. Not considered environmentally harmful from normal dilution, expected usage and typical drainage to sewers, septic systems and treatment plants.

13. DISPOSAL CONSIDERATIONS:

Characteristic hazardous waste-flammable liquid. Dispose according to local, state and Federal regulations.

14. TRANSPORT INFORMATION:

Hazardous by transport regulations. When transported by ground modes in the U.S., this product is typically shipped as Consumer Commodity ORM-D. When transported by air, this product, depending on the inner container size, is shipped as ID8000 or UN1170. Consult ICAO/IATA regulations. When transported by water, this product is typically shipped as a UN1170 in Limited Quantities. Refer to all current transport regulations for exact requirements.

15. REGULATORY AND OTHER INFORMATION:

TSCA: All ingredients are listed or exempt per reference 15 USC 2602 (2)(B)(iv).

Complies with current FDA regulations for cosmetic and/or over-the-counter drug products.

WHMIS: Not Controlled

Notice: The information herein is based on data considered to be accurate as of the date of preparation of this material safety data sheet. However, no warranty or representation, expressed or implied, is made as to the accuracy or completeness of the foregoing data and safety information. The user assumes all liability for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the product.

9

STAPLES

MATERIAL SAFETY DATA SHEET

SECTION I - MATERIAL IDENTIFICATION AND USE

PRODUCT NAME: Screen Cleaning Fluid
Part numbers X80012

DISTRIBUTOR: STAPLES INC.
500 STAPLES DRIVE
FRAMMINGHAM, MA 01702

SUPPLIER: KENSINGTON TECHNOLOGY GROUP
2000 Alameda de Las Pulgas
SAN MATEO, CA 94403

FOR MEDICAL OR FIRST AID EMERGENCY CALL INFOTRAC
1-800-535-5053 or 1-352-323-3500
24 HOURS PER DAY; 7 DAYS PER WEEK

MANUFACTURER: **ACL, Inc.** Phone: (847) 981-9212
1960 E. Devon Ave. Fax: (847) 981-9278
Elk Grove Village, IL 60007 U.S.A.

Chemical Name: Proprietary
Chemical Family: Solvents
Chemical Formula: Proprietary

Molecular Weight: Not Available
Synonym(s): None
Material Use: Cleaner

SECTION II - HAZARDOUS INGREDIENTS

Hazardous Ingredients	Approximate Concentration %	C.A.S., N.A., or U.N. Numbers	Exposure Limits	LD ₅₀ /LC ₅₀ (Species and Route)
Butyl Cellulose	L.T. 2	111 - 76 - 2	50 ppm OSHA/PEL	Guinea pig (dermal) 230 mg/kg

SECTION III - PHYSICAL DATA

Physical State	Liquid	Boiling Point (°C)	Over 93
Evaporation Rate	Greater than 1 (Water = 1)	Freezing Point (°C)	Less than 0
Odor Threshold (ppm)	Unknown	Solubility in Water (20°C)	Miscible
Specific Gravity	1.0	% Volatile (by Volume)	

5413 (88)

Vapor Pressure (mm)	20°C = 18 est.	Coefficient of Water/Oil Distribution	Miscible
Vapor Density (air = 1)	Greater than 2	Density (g/ml)	1.0
Odor & Appearance	Blue liquid with pleasant odor.		pH 7

SECTION IV - FIRE AND EXPLOSION HAZARD

Flammable: Yes ☒ No

Means of Extinction: Not flammable.

Special Procedures: None.

TDG Flammability Classification	Unknown	Sensitivity to Static Discharge	Unknown
Explosion Data (Sensitivity to Chemical Impact)	Unknown	Rate of Burning	Unknown
Auto Ignition Temperature (°C)	Unknown	Explosive Power	Unknown

Flashpoint (°C) & Method	Greater than 200 TCC	Upper Explosion Limit (% by Volume)	Unknown	Lower Explosion Limit (% by Volume)	Unknown
Hazardous Combustion Products	Carbon Oxides				

SECTION V - REACTIVITY DATA

Chemical Stability: Yes.

Incompatibility to Other Substances: No.

Reactivity and Under What Conditions: Unknown

Hazardous Decomposition Products: Unknown.

Material Name: KENSINGTON SCREEN GUARDIAN #12163

SECTION VI - TOXICOLOGICAL PROPERTIES OF PRODUCT

Route of Entry: Skin Contact Skin Absorption ☒ Eye Contact Inhalation Acute Inhalation Chronic ☒ Ingestion

Effects of Acute Exposure to Product: Solution irritate eyes and skin. May be harmful and fatal if swallowed.

Effects of Chronic Exposure to Product: Unknown.

Synergistic Materials	Unknown	LD ₅₀ of Product (Species and Route)	Unknown
Exposure Limits	Unknown	LC ₅₀ of Product (Species and Route)	Unknown

Irritancy	Non-irritating under normal usage.	Sensitization	Unknown
-----------	------------------------------------	---------------	---------

Carcinogenicity Reproductive Effects Teratogenicity Mutagenicity

Effects of above are unknown.

SECTION VII - PREVENTIVE MEASURES

Personal Protective Equipment: With proper usage, none is required.

Gloves	None	Footwear	None
Respiratory	None	Clothing	None
Eye	Glasses	Other	None

Engineering Controls: Normal room ventilation.

Leak and Spill Procedure: Small amounts may be rinsed away with water to sewer or mopped up.

Waste Disposal: Rinse into sewer with copious amounts of water or dispose of in landfill.

Handling Procedures and Equipment: No special requirements.

Storage Requirements: Store in cool, dry place out of direct sun.

Special Shipping Information: None required. Material is not regulated by D.O.T.

SECTION VIII - FIRST AID MEASURES

Skin: Flush with water, wash with soap.

Eye: Wash with water. Contact a physician if necessary.

Inhalation: Remove to fresh air and contact a physician if necessary.

Ingestion: Drink copious amounts of water/milk and contact physician.

General Advice: Do not smoke while using, keep away from children, wash hands after using.

SECTION IX - PREPARATION OF M.S.D.S.

Flammability	0
Reactivity	0
Health	1
Other	0

Additional Information/Comments: est. = estimate

TCC = Tag Closed Cup

L.T. = Less Than

Sources Used: "Hazardous Products Act" - SOR/88-84
"Dangerous Properties of Industrial Materials" - Sax

Prepared By: Kensington (with information from ACL, Inc.)

Phone Number: 650-572-2700

Original Release Date: 8/13/91

Revision Date: 8/15/2002

SAFETY DATA SHEET

Issuing Date 25-Apr-2014

Revision Date 25-Apr-2014

Revision Number 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier 20122, 20345, 20967, 20500, 20338, 20515, 20555, 20700

Product Name "Sparkle" Glass Cleaner

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Window/surface cleaner

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Address

A.J. Funk and Co
1471 Timber Drive, Elgin, Illinois, 60123
US
Phone: 8477416760
Fax: 8477416767
Contact:
Contact Phone: 8477416760
Emergency Phone: 8772253865

Emergency telephone number

Company Emergency Phone Number 8772253865

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.122).

GHS Label elements, including precautionary statements

Emergency Overview

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance Purple

Physical State Liquid

Odor Pleasant

Precautionary Statements - Prevention

Obtain special instructions before use

Precautionary Statements - Response

None

Precautionary Statements - Storage

None

Precautionary Statements - Disposal

None

Hazards not otherwise classified (HNOC)

- Not Applicable

Unknown Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

Other information

May cause slight eye irritation
Prolonged or repeated contact may dry skin and cause irritation.

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
2-Butoxyethanol	111-76-2	5 - 10	*

* The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES**First aid measures**

Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.
Skin Contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.
Inhalation	Move to fresh air. If symptoms persist, call a physician.
Ingestion	Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Protection of First-aiders	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects No information available.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

No information available

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No

Sensitivity to Static Discharge No

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with eyes.

Environmental precautions

Environmental Precautions Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed.

Incompatible Products None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH Immediately Dangerous to Life or Health.

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering Measures Showers
Eyewash stations
Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection No special protective equipment required.

Skin and Body Protection No special protective equipment required.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State	Liquid	Odor	Pleasant
Appearance	Purple		

Color	No information available	Odor Threshold	No information available
<u>Property</u>	<u>Values</u>	<u>Remarks/ Method</u>	
pH	7	None known	
Melting/freezing point	No data available	None known	
Boiling point / boiling range	171 °C / 340 °F	None known	
Flash Point	No data available	None known	
Evaporation rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limits in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	No data available	None known	
Water Solubility	Completely soluble	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/water	No data available	None known	
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available	None known	
Explosive Properties	No data available		
Oxidizing Properties	No data available		

Other Information

Softening Point	No data available
VOC Content (%)	No data available
Particle Size	No data available
Particle Size Distribution	No data available

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information.
Inhalation	Inhalation of vapors in high concentration may cause irritation of respiratory system.
Eye Contact	May cause irritation.
Skin Contact	Prolonged or repeated contact may dry skin and cause irritation.
Ingestion	Not an expected route of exposure Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
2-Butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 220 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol 111-76-2	A3	Group 3		

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive Toxicity No information available

STOT - single exposure No information available.

STOT - repeated exposure No information available.
Chronic Toxicity No known effect based on information supplied.
Target Organ Effects Eyes. Respiratory system. Skin.

Aspiration Hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)
5,222.00 mg/kg

ATEmix (dermal)

12,222.00 mg/kg (ATE)

ATEmix (inhalation-dust/mist)

16.70 mg/L

ATEmix (inhalation-vapor)

122.00 ATEmix

12. ECOLOGICAL INFORMATION**Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Log Pow
2-Butoxyethanol 111-76-2	0.81

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS**Waste treatment methods****Disposal methods**

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements

Contaminated Packaging

Dispose of in accordance with local regulations.

California Hazardous Waste Codes 561

14. TRANSPORT INFORMATION**DOT** NOT REGULATED**TDG** Not regulated**MEX** Not regulated**ICAO** Not regulated**IATA** Not regulated

IMDG/IMO	Not regulated
RID	Not regulated
ADR	Not regulated
ADN	Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL	All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
2-Butoxyethanol - 111-76-2	111-76-2	5 - 10	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
2-Butoxyethanol 111-76-2	X	X	X	X	X

International Regulations

Mexico

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
2-Butoxyethanol 111-76-2 (5 - 10)		Mexico: TWA 26 ppm Mexico: TWA 120 mg/m ³ Mexico: STEL 75 ppm Mexico: STEL 360 mg/m ³

*Mexico - Occupational Exposure Limits - Carcinogens***Canada****WHMIS Hazard Class**

Non-controlled

16. OTHER INFORMATION

<u>NEPA</u>	Health Hazard 1	Flammability 0	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health Hazard 1	Flammability 0	Physical Hazard 0	Personal Protection X

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Revision Date 25-Apr-2014

Revision Note No information available

General Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

Material Safety Data Sheet

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Waxie Time Metered Aerosol System

Distributed By: Waxie Sanitary Supply
9353 Waxie Way
San Diego, CA 92123

Phone: 1-800-995-4466

24 – Hour Emergency Contact
1-800-535-5053 (Infotrac)

2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients as defined by OSHA, 29 CFR 1910.1200:

<u>INGREDIENTS</u>	<u>CAS#</u>	<u>ACGIH-TLV</u>	<u>OSHA- PEL</u>	<u>LC₅₀</u>	<u>LD₅₀</u>	<u>%BY WT</u>
Ethyl Alcohol.	64-17-5	1000ppm	1000ppm	100mg/L	7060 mg/kg, oral rat	10-25
Isobutane	106-97-8	1000ppm	N/E	N/E	N/E	20-30
Propane	74-98-6	2500ppm	1000ppm, TWA	280000ppm 4h, rat	N/E	20-30
Hexylene Glycol	107-41-5	25ppm, ceiling	25ppm	N/E	3700mg/kg oral, rat	10-25

3. HAZARDS IDENTIFICATION

FLAMMABLE LIQUID!

Contents under pressure: do not expose to fire or extreme heat

Potential Health Effects:

Route of Entry: Eye: Y Skin: Y Inhalation: Y Ingestion: Y

Health Hazards: May cause eye and skin irritation, as well as respiratory irritation, may cause stomach distress

Signs/systems of

Over exposure: High vapor concentrations or excessive intentional inhalation may cause upper respiratory tract irritation, sleepiness and/or dizziness, and eye irritation.
Prolonged skin contact may cause mild redness and swelling. Contact with eyes may cause irritation, experienced as discomfort or pain, excessive blinking and tear production, with marked excess redness and swelling. Corneal injury may occur. This product can be absorbed through the skin.

Medical Conditions

aggravated by exposure: Skin contact may aggravate an existing skin condition.

4. FIRST AID MEASURES

EYE CONTACT: Immediately rinse eyes with plenty of water, occasionally lifting upper and lower lids, until no evidence of product remains. Obtain medical attention if irritation persists.

SKIN CONTACT: Rinse affected area with plenty of water until no evidence of product remains; obtain medical attention if irritation persists.

INGESTION: Treat symptomatically and supportively. Maintain airway and respiration. If vomiting occurs, keep head below hips to prevent aspiration. Dilute by rinsing the mouth and giving water or milk to drink is generally recommended. If unconscious, the victim should not be given anything to drink. Contact physician or local poison control center.

INHALATION: Not a normal route of harmful exposure. If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.

Material Safety Data Sheet

5. FIRE FIGHTING MEASURES

Extinguishing Media: Alcohol type or all-purpose foam for large fires, CO2 or dry chemicals

Fire Fighting Procedures: Self- contained air supply suggested

Unusual Fire and Explosion Hazards: Contents under pressure. Container may explode with heat. Cool containers with spray and remove source of ignition if safe.

6. ACCIDENTAL RELEASE MEASURES

Before attempting clean up refer to hazard data given above. Remove sources of ignition. Although chance of a significant spill or leak is unlikely in aerosol containers, in the event of such an occurrence, absorb spilled material with non-flammable absorbent such as sand or vermiculite.

7. HANDLING AND STORAGE

Keep out of reach of children. Store in a cool dry place, away from heat or open flames. Exposure to temperatures above 120°F may cause container to burst.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Gloves: Not normally required

Eye Protection- Not normally required

Respiratory Tract: Not normally required

Ventilation: Local: Not required

Carcinogenic: Non – hazardous by WHIMS/ OSHA criteria

Teratogenicity, Mutagenicity, Reproductive Effects: No data available

Other protective equipment: None required

Protective Work/Hygiene Practices: Follow labeling instructions

9. PHYSICAL AND CHEMICAL PROPERTIES

Specific Gravity @20°C: 0.70

Pressure: @ 20°C: 70psig

Appearance/Odor: Clear colorless liquid, fragrant.

10. STABILITY AND REACTIVITY

Conditions to Avoid: Aerosol containers are unstable at temperatures above 120°F /49°C; avoid open flames and very hot surfaces.

Incompatible Materials: Oxidizing agents, caustics, and acids

Hazardous Decomposition By-Products: May include and are not limited to oxides of carbon when heated to decomposition.

Hazardous Polymerization Conditions: None Known

11. TOXICOLOGY INFORMATION

Currently there is no data available.

12. ECOLOGICAL INFORMATION

Discharge, treatment, or disposal may be subject to national state or local laws.

Material Safety Data Sheet

13. DISPOSAL CONSIDERATION

Do not reuse empty containers. This container may be recycled in a few and growing number of communities where steel aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to label. DO NOT PUNCTURE CAN! If recycling is not available, discard the containers into the trash.

14. TRANSPORTATION INFORMATION

	STATUS	Shipping Name	CLASS	ID#	Pkng. Grp
DOT	Regulated	Consumer Commodity	ORM-D		N/A
IATA	Regulated	Aerosols, Flammable	2.1	UN1950	N/A
IMDG	Regulated	Aerosol	2	UN1950	N/A

15. REGULATORY INFORMATION

NFPA RATINGS (Scale 0-4, where 4=high degree of hazard): HEALTH=2 FLAMMABILITY=3 REACTIVITY=1
HMIS RATINGS (Scale 0-4, where 4=severe hazard): HEALTH=2 FLAMMABILITY=3 REACTIVITY=1

SARA Chemicals: This product contains the following SARA 313/312/304/311/312 chemicals: NONE

TSCA Inventory Listing: (Toxic Substances Control Act) – All ingredients are listed on the chemical substance inventory exempt
California Proposition 65- NONE

FEDERAL AND STATE REGULATIONS: Hexylene Glycol

Pennsylvania
New Jersey
Illinois
Massachusetts
Rhode Island
Minnesota

Workplace Hazardous Materials Information System: WHMIS Classification: Class D-Division 2B, Class B- Division 5 Flammable liquid, Class A: Compressed Gas

16. OTHER INFORMATION

Product Sales Information: 1-800-995-4466

MSDS: MSDS has been revised to comply with ANSI Z400.1-1998, 16 section MSDS format.

Rev.001, MSDS # 20507MB, 01/ 05, Rev. 002 09/06, Rev. 003 7/07.

N/A = Not Applicable

N.E. = not established

MSDS Prepared by: Regulatory

Disclaimer:

The information on the MSDS was obtained from sources that we believe are reliable. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented and conclusion drawn herein is from sources other than direct test data on the substance itself. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with handling, storage, use or disposal of this product. If this product is used as a component in another product, this MSDS information is not applicable.