

Safety Data Sheets

BOS



Bldg G, Bisbee

11/25/2019



Safety Data Sheet Index

Binder: Bldg G, Bisbee - BOS

Product Name	CAS Number	Manufacturer	Version Date	Page
ABC Dry Chemical Fire Extinguishant - ABC Dry Chemical Fire Extinguishant		AMEREX CORPORATION	03/13/2018	3
Bright Green Dishwashing Gel - Bright Green Dishwashing Gel		ICB North America	06/14/2008	15
Brighton Professional Pomeberry Foam Handwash - Brighton Professional Pomeberry Foam Handwash		Staples Contract & Commercial, Inc.	10/18/2011	19
CLOROX DISINFECTANT WIPES - CLOROX DISINFECTANT WIPES		The Clorox Company	07/01/2006	21
ELECTRASOL AUTOMATIC DISHWASHING DETERGENT, 3 in 1 TABS -all scents- - ELECTRASOL AUTOMATIC DISHWASHING DETERGENT, 3 in 1 TABS -all scents-		Reckitt Benckiser North America, Inc.	01/16/2008	22
Expo White Board Cleaner - Expo White Board Cleaner		Newell Rubbermaid	08/05/2015	30
Febreze Fabric Refresher - Free - Febreze Fabric Refresher - Free		Procter & Gamble - Fabirc & Home Care Division	02/23/2015	38
Hand Dishwashing Foam and Antibacterial Hand Soap - Hand Dishwashing Foam and Antibacterial Hand Soap		Procter & Gamble - Household Care	03/12/2014	45
LYSOL Brand (Kills 99.9% of Bacteria) Neutra Air Sanitizing Spray - All Scents - LYSOL Brand (Kills 99.9% of Bacteria) Neutra Air Sanitizing Spray - All Scents		Reckitt Benckiser - Morris Corporate Center IV	09/15/2013	50
RAID HOUSE & GARDEN BUG KILLER - RAID HOUSE & GARDEN BUG KILLER		S.C. Johnson and Son, Limited	01/26/2010	59
RESOLVE High Traffic Area Foam Carpet Cleaner - RESOLVE High Traffic Area Foam Carpet Cleaner		Reckitt Benckiser - Morris Corporate Center IV	05/29/2015	67
STATIC GUARD ANTISTATIC SPRAY - STATIC GUARD ANTISTATIC SPRAY		B&G Foods, Inc.	05/06/2013	79



SAFETY DATA SHEET

Section 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: ABC Dry Chemical Fire Extinguishant
Other Identifiers: Multi-purpose Dry Chemical
Product Code(s): CH555, F13, F11
Model Code(s) of Extinguishers: 402, IS 18ABC, IS35ABC, IS 45ABC, 13ABC, V25ABC, VH25ABC, V30ABC, VH30ABC, V50ABC, VS50ABC, VS75ABC, V250ABC
Recommended Use: Fire suppression, not for human or animal drug use.
Manufacturer: AMEREX CORPORATION
Internet Address: www.amerex-fire.com
Address: 7595 Gadsden Highway, P.O. Box 81
Trussville, AL 35173-0081
Company Telephone: (205) 655-3271
E-mail Address: info@amerex-fire.com
Emergency Contacts: Chemtrec 1(800) 424-9300 or (703) 527-3887
Revised: March 13, 2018

Section 2. HAZARDS IDENTIFICATION

GHS – Classification

Health	Environmental	Physical
Acute Toxicity: Category 5	None	None
Skin Corrosion/Irritation: Category 3	None	None
Skin Sensitization: NO	None	None
Eye: Category 2A	None	Warning
STOT – Category 3	None	Warning
Carcinogen: Category None	None	None

GHS – Label Symbol(s):



If Pressurized: Gas Under Pressure



GHS – Words(s):

Warning

Other Hazards Not Resulting in Classification: Mica may contain small quantities of quartz (crystalline silica). Prolonged exposure to respirable crystalline silica dust at concentrations exceeding the occupational exposure limits may increase the risk of developing a disabling

lung disease known as silicosis. IARC found limited evidence for pulmonary carcinogenicity of crystalline silica in humans. In the case of normal use of this product, exposure to silica should be nil.

The attapulgite clay used in this product has a fiber length of less than 5µm; therefore, the clay is not considered to be carcinogenic in animals or humans.

GHS – Hazard Phrases

GHS Hazard	GHS Codes(s)	Code Phrase(s)
Physical	H229	*- Contents under pressure; may explode if heated.
Health	H303 315 319 335	May be harmful if swallowed Causes skin irritation Causes serious eye irritation May cause respiratory irritation
Environmental	None	
Precautionary:		
General	P101	If medical advice is needed, have product container or label at hand
Prevention	P251 261 264 280	Do not pierce or burn, even after use. Avoid breathing dust/fumes/gas/mist/vapours/spray. Wash exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.
Response	P312 321 362 302+352 304+340 305+351+338 332+313 342+311 337+313	Call a doctor if you feel unwell. Specific treatment (see Section 4. First Aid Measures) Take off contaminated clothing. IF ON SKIN: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If skin irritation occurs: Get medical advice/attention. If experiencing respiratory symptoms: Call a doctor. If eye irritation persists get medical advice/attention.
Storage	P410 +403	*- Protect from sunlight. Store in well-ventilated place.
Disposal	P501	Dispose of contents through a licensed disposal company. Contaminated container should be disposed of as unused product.

*- If under pressure

Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	EC No.	REACH Reg. No.	CAS-No.	Weight %	Classification
Mono-ammonium phosphate	231-764-5	01-2119488166-29	7722-76-1	80-98	NA
Attapulgite clay	601-805-5	Not Available	12174-11-7	3-16	NA
Mica-potassium aluminum silicate	310-1276	Not Available	12001-26-2	1-2	NA
Silicone oil methyl hydrogen polysiloxane	613-152-3	Not Available	63148-57-2	<1	NA
Calcium carbonate	207-439-9	Not Available	1317-65-3	<1	NA
Amorphous silica precipitated synthetic zeolite	231-545-4	01-2119379499-16-0036	7631-86-9	<1	NA
Yellow 14 pigment – di-azo dye	226-789-3	Not Available	5468-75-7	<1	NA

Emergency overview:

Adverse health effects and symptoms:

Light yellow, fine solid powder, odorless.

Mild irritant to the respiratory system. Irritant to eyes, and skin. Symptoms may include coughing,

shortness of breath, and irritation of the lungs, eyes, and skin. Ingestion, although unlikely, may cause cramps, nausea and diarrhea.

Section 4. FIRST AID MEASURES

Eye Exposure:	May cause irritation. Irrigate eyes with water and repeat until pain free. Seek medical attention if irritation develops, or if vision changes occur.
Skin Exposure:	May cause skin irritation. In case of contact, wash with plenty of soap and water. Seek medical attention if irritation persists.
Inhalation:	May cause irritation, along with coughing. If respiratory irritation or distress occurs remove victim to fresh air. Seek medical attention if irritation persists.
Ingestion:	Overdose symptoms may include numbness or tingling in hands or feet, uneven heart rate, paralysis, feeling faint, chest pain or heavy feeling, pain spreading to the arm or shoulder, nausea, diarrhea, sweating, general ill feeling, or seizure (convulsions). If victim is conscious and alert, give 2-3 glasses of water to drink. If conscious, do not induce vomiting. Seek immediate medical attention. Do not leave victim unattended. To prevent aspiration of swallowed product, lay victim on side with head lower than waist.
Medical conditions possibly aggravated by exposure:	Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema, or bronchitis. Skin contact may aggravate existing skin disease. Chronic overexposure may cause pneumoconiosis ("dusty lung" disease).

Section 5. FIRE-FIGHTING MEASURES

Flammable Properties:	Not flammable
Flash Point:	Not determined
Suitable Extinguishing Media:	Non-combustible. Use extinguishing media suitable for surrounding conditions.
Hazardous Combustion Products:	Carbon oxides

Explosion Data:

Sensitivity to Mechanical Impact:

Not sensitive

Sensitivity to Static Discharge:

Not sensitive

Unusual fire/explosion hazards:

In a fire this material may decompose, releasing oxides of carbon, potassium and nitrogen (see Section 10).

Protective Equipment and

Precautions for Firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand. NIOSH (approved or equivalent) and full protective gear.

Section 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid contact with skin, eyes, and clothing.

Personal Protective Equipment:

Minimum - safety glasses, gloves, and a dust respirator.

Emergency Procedures:

NA

Methods for Containment:

Prevent further leakage or spillage if safe to do so.

Methods for Clean Up:

Avoid dust formation; clean up released material using vacuum or wet sweep and shovel to minimize generation of dust. Bag and transfer to properly labeled containers. Ventilate area and wash spill site after material pickup is complete.

Other:

If product is contaminated, use PPE and containment appropriate to the nature of the most toxic chemical/material in the mixture.

Section 7. HANDLING AND STORAGE

Personal Precautions:

Use appropriate PPE when handling or maintaining equipment, and wash thoroughly after handling (see Section 8).

Conditions for Safe Storage:

Keep product in original container or extinguisher. Contents may be under pressure – inspect for extinguisher rust periodically to ensure container integrity.

Incompatible Products:

Do not mix with other extinguishing agents, particularly potassium bicarbonate and sodium bicarbonate. Incompatible with strong oxidizing agents and strong acids. Do not store in high humidity. Do not combine with chlorine compounds.

Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name	OSHA PEL	ACGIH TLV	DFG MAK *	EU BLV
Mono-ammonium phosphate	PNOC** Total dust, 15 mg/m ³ Respirable fraction, 5 mg/m ³	PNOC Total dust, 10 mg/m ³ Respirable fraction, 3 mg/m ³	PNOC Total dust, 4 mg/m ³ Respirable fraction, 1.5 mg/m ³	NA
Mica	6 mg/m ³	3 mg/m ³	-----	NA
Attapulgate clay	PNOC** Total dust, 15 mg/m ³ Respirable fraction, 5 mg/m ³	PNOC Total dust, 10 mg/m ³ Respirable fraction, 3 mg/m ³	PNOC Total dust, 4 mg/m ³ Respirable fraction, 1.5 mg/m ³	
Silicone oil	NR**	NR		
Calcium carbonate	PNOC Total dust, 15 mg/m ³ Respirable fraction, 5 mg/m ³	PNOC Total dust, 10 mg/m ³ Respirable fraction, 3 mg/m ³	-----	NA
Amorphous silica	20mppcf 80 mg/m ³ or % SiO ₂	10 mg/m ³	4 mg/m ³	NA
Yellow 14 pigment	NR	NR	NR	NA

*German regulatory limits **PNOC = Particulates not otherwise classified (ACGIH) also known as Particulates not otherwise regulated (OSHA) *** NR = Not Regulated. All values are 8 hour time weighted average concentrations.

Engineering Controls:

Showers
Eyewash stations
Ventilation systems

Personal Protective Equipment – PPE Code E:

The need for respiratory protection is not probable during short-term exposure. During production, the manufacturer should use judgement concerning the need for PPE.



Eye/Face Protection:
Skin and Body Protection:
Respiratory Protection:

Tightly fitting safety goggles
Wear protective gloves/coveralls
If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn. Use P100 respirators for limited exposure. Use air-purifying respirator (APR) with high efficiency particulate air (HEPA) filters for prolonged

exposure. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. The need for respiratory protection is not likely for short-term use in well ventilated areas.

Hygiene Measures:

Good personal hygiene practices essential, such as avoiding food, tobacco products, or other hand-to-mouth contact when handling. Wash thoroughly after handling.

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Light yellow powder, finely divided odorless solid
Molecular Weight:	NH ₄ H ₂ PO ₄ : 115.03
Odor:	Odorless
Odor Threshold:	No information available
Decomposition Temperature °C:	100 - 120
Freezing Point °C:	No information available
Initial Boiling Point °C:	No information available
Physical State:	Crystalline Powder
pH:	Approximately 4.4 to 4.9
Flash Point °C:	None
Autoignition Temperature °C:	None
Boiling Point/Range °C:	No information available
Melting Point/Range °C:	NH ₄ H ₂ PO ₄ : 190
Flammability/Explosion Limits in Air °C:	Upper – None; Lower-None
Explosive Properties:	None
Oxidizing Properties:	None
Volatile Component (%vol)	Not applicable
Evaporation Rate:	No information available
Vapor Density:	No information available
Vapor Pressure:	NH ₄ H ₂ PO ₄ : 1.41 mm/Hg
Specific gravity at 25 °C:	NH ₄ H ₂ PO ₄ : 1.80
Solubility:	40.4 g/100 ml
Partition Coefficient:	NH ₄ H ₂ PO ₄ Est: -4.11
Viscosity:	No information available
NOTE: NH ₄ H ₂ PO ₄ – Monoammonium Phosphate	

Section 10. STABILITY AND REACTIVITY

Stability:	Stable under recommended storage and handling conditions.
Incompatibles:	Strong oxidizing agents; Strong acids; sodium hypochlorite and chlorine compounds. Protect from moisture
Conditions to Avoid:	Storage or handling near incompatibles.
Hazardous Decomposition Products:	Carbon, nitrogen, and potassium oxides. Heat of fire may release carbon monoxide.
Possibility of Hazardous Reactions:	None
Hazardous Polymerization	Does not occur

Section 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:	Inhalation, skin and eye contact.
Symptoms:	
Inhalation:	Irritation, coughing.
Eyes:	Irritation.
Skin:	Irritation.
Acute Toxicity:	Relatively non-toxic.
Chronic Toxicity:	
Short-term Exposure:	None known.
Long-term Exposure:	As with all dusts, pneumoconiosis, or "dusty lung" disease, may result from chronic exposure.

Acute Toxicity Values - Health

Chemical Name	LD50		LC50 (Inhalation)
	Oral	Dermal	
Mono-ammonium phosphate	5750 mg/kg (rat)	>7940 mg/kg (rabbit)	Not available
Mica	None	None	None
Attapulgate clay	None	None	None
Silicone oil	None	None	None
Calcium carbonate	6450 mg/kg (rat)	500 mg/24 hr (rabbit)	Not available
Amorphous silica	>5000 mg/kg (rat)	>2000 mg/kg (rabbit)	>2.2 mg/L (rat)
Yellow 14 pigment	>17000 mg/kg (rat)	>3000 mg/kg (rat)	>4448 mg/m3 (rat)

Reproductive Toxicity:	This product's ingredients are not known to have reproductive or teratogenic effects.
Target Organs and Effects (TOST):	Respiratory system (mild irritant). This product is a mild irritant to epithelial tissue, (eyes, mucous membranes, skin) and may aggravate dermatitis. No information was found indicating the product causes sensitization.

Other Toxicity Categories

Chemical Name	Germ Cell Mutagenicity	Carcinogenicity	Reproductive	TOST Single Exp	TOST Repeated Exp	Aspiration
Mono-ammonium phosphate	None	None	None	Cat 3	None	None
Attapulgate clay	None	None	None	None	None	None
Mica	None	None	None	None	None	None
Silicone oil	None	None	None	None	None	None
Calcium carbonate	None	None	None	None	None	None
Amorphous silica	None	None	None	None	None	None
Yellow 14 pigment	None	None	None	None	None	None

Section 12. ECOLOGICAL INFORMATION

Ecotoxicity:	Negative effects unknown. Provides nutrient nitrogen and phosphorus to plant life.
Persistence/Degradability:	Degrades rapidly in humid/wet environment.
Probability of rapid biodegradation:	NH ₄ H ₂ PO ₄ Est: 0.693 (Rapid); (NH ₄) ₂ SO ₄ : Est: 0.684 (Rapid)
Anaerobic biodegradation probability:	NH ₄ H ₂ PO ₄ Est: 0.398 (Slow); (NH ₄) ₂ SO ₄ : Est: 0.398 (Slow)
Bioaccumulation potential:	Low.
Bioconcentration factor:	NH ₄ H ₂ PO ₄ : 3.16 L/kg (wet weight) (Low BCF)
Bioaccumulation factor:	NH ₄ H ₂ PO ₄ : 63.04 L/kg (wet weight)
Mobility in soil:	Slow evaporation rate; water soluble, may leach to groundwater
Log Koc:	NH ₄ H ₂ PO ₄ Est: -1.25
Log Koa:	NH ₄ H ₂ PO ₄ Est: 16.72
Log Kaw:	NH ₄ H ₂ PO ₄ Est: -20.86
NOTE: NH ₄ H ₂ PO ₄ – Mono-ammonium Phosphate	

Other Adverse Ecological Effects: No other known effects at this time

Aquatic Toxicity Values – Environment – Research

Chemical Name	Acute (LC50)	Chronic (LC50)
Mono-ammonium phosphate	N/A	N/A
Mica	N/A	N/A
Attapulgate clay	N/A	N/A
Silicone oil	N/A	N/A
Calcium carbonate	N/A	N/A
Amorphous silica	N/A	N/A
Yellow 14 pigment	N/A	N/A

Aquatic Toxicity Values – Environment – Estimates

Chemical Name	Acute (LC50)	EC50
Mono-ammonium phosphate	2,91e+07 mg/L Fish 96 hr; 9.4e+06 mg/l Daphnid 48 hr;	6.70e+05 mg/L Gr. Algae 96 hr
Mica	N/A	N/A
Attapulgite clay	N/A	N/A
Silicone oil	N/A	N/A
Calcium carbonate	N/A	N/A
Amorphous silica	N/A	N/A
Yellow 14 pigment	N/A	N/A

Section 13. DISPOSAL CONSIDERATIONS

Safe Handling

Use appropriate PPE when handling, and wash thoroughly after handling (see Section 8).

Waste Disposal Considerations

Dispose in accordance with federal, state, and local regulations.

Contaminated Packaging

Dispose in accordance with federal, state, and local regulations.

NOTES:

This product is not a RCRA characteristically hazardous or listed hazardous waste. Dispose of according to state or local laws, which may be more restrictive than federal laws or regulations. Used product may be altered or contaminated, creating different disposal considerations.

Section 14. TRANSPORT INFORMATION

UN Number: NA

UN Proper Shipping Name: NA

Transport Hazard Class: NA

Packing Group: NA

Marine Pollutant?: NO

IATA Not regulated

DOT Not regulated

NOTES:

This product is not defined as a hazardous material under U.S. Department of Transportation (DOT) 49 CFR 172, or by Transport Canada "Transportation of Dangerous Goods" regulations.

Special Precautions for Shipping:

The transportation information above covers the ABC 555 dry chemical extinguisher agent as shipped in bulk containers and not when contained in fire extinguishers or fire extinguisher systems. If shipped in a stored pressure-type fire extinguisher, and pressurized with a non-flammable, non-toxic

inert expellant gas, the fire extinguisher is considered a hazardous material by the US Department of Transportation and Transport Canada. The proper shipping name shall be FIRE EXTINGUISHER and the UN designation is UN 1044. The DOT hazard class/division is LIMITED QUANTITY when pressurized to less than 241 psig and when shipped via highway or rail. UN Class 2.2. Non-Flammable Gas, when shipping via air. Packing Group – N/A

Section 15. REGULATORY INFORMATION

International Inventory Status: All ingredients are on the following inventories

Country(ies)	Agency	Status
United States of America	TSCA	Yes
Canada	DSL	Yes
Europe	EINECS/ELINCS	Yes
Australia	AICS	Yes
Japan	MITI	Yes
South Korea	KECL	Yes

REACH Title XVII Restrictions: No information available

Chemical Name	Dangerous Substances	Organic Solvents	Harmful Substances Whose Names Are to be Indicated on Label	Pollution Release and Transfer Registry (Class II)	Pollution Release and Transfer Registry (Class I)	Poison and Deleterious Substances Control Law
Monoammonium Phosphate	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

Component	ISHA – Harmful Substances Prohibited for Manufacturing, Importing, Transferring, or Supplying	ISHA – Harmful Substances Requiring Permission	Toxic Chemical Classification Listing (TCCL) – Toxic Chemicals	Toxic Release Inventory (TRI) – Group I	Toxic Release Inventory (TRI) – Group II
Monoammonium Phosphate 7722-76-1	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Attapulgate clay 12174-11-7 (>3)	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Mica-potassium aluminum silicate 120001-26-2 (>2)	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Calcium carbonate 471-34-1	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Amorphous silica 69012-64-2	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Yellow 14 pigment 5468-75-7	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

European Risk and Safety phrases:

EU Classification: Xn - Irritant

R Phrases:	20	Harmful by inhalation.
	36/37/38	Irritating to eyes, respiratory system and skin.
S Phrases:	22	Do not breath dust.
	24/25	Avoid contact with skin and eyes
	26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	36	Wear suitable protective clothing.

U.S. Federal Regulatory Information:

SARA 313:

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) - This product does not contain and chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

None of the chemicals in this product are under SARA reporting requirements or have SARA threshold planning quantities (TPQs) or CERCLA reportable quantities (RQs), or are regulated under TSCA 8(d).

SARA 311/312 Hazard Categories:

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
*-Sudden Release of Pressure Hazard	Yes
Reactive Hazard	No

* - Only applicable if material is in a pressurized extinguisher.

Clean Water/Clean Air Acts:

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42) or Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61) and Section 112 of the Clean Air Act Amendments of 1990.

U.S. State Regulatory Information:

Chemicals in this product are covered under specific State regulations, as denoted below:

Alaska - Designated Toxic and Hazardous Substances: None

California – Permissible Exposure Limits for Chemical Contaminants: None

Florida – Substance List: Mica Dust

Illinois – Toxic Substance List: None

Kansas – Section 302/303 List: None

Massachusetts – Substance List: Mica Dust

Minnesota – List of Hazardous Substances: None
Missouri – Employer Information/Toxic Substance List: None
New Jersey – Right to Know Hazardous Substance List: None
North Dakota – List of Hazardous Chemicals, Reportable Quantities: None
Pennsylvania – Hazardous Substance List: None
Rhode Island – Hazardous Substance List: Mica Dust
Texas – Hazardous Substance List: No
West Virginia – Hazardous Substance List: None
Wisconsin – Toxic and Hazardous Substances: None

California Proposition 65: No component is listed on the California Proposition 65 list.

Other:

Mexico – Grade	No component listed
Canada – WHMIS Hazard Class	No component listed

Section 16. OTHER INFORMATION

This SDS conforms to requirements under U.S., U.K., Canadian, Australian, and EU regulations or standards, and conforms to the proposed 2003 ANSI Z400.1 format.

Issuing Date	17-June-2012
Revision Date	13-March-2018
Revision Notes	None

The information herein is given in good faith but no warranty, expressed or implied, is made.
Updated by William F. Garvin, CIH.

MATERIAL SAFETY DATA SHEET**SECTION 1 — PRODUCT IDENTIFICATION****Product identifier:** Bright Green Dishwashing Gel**WHMIS Classification:** D2B**Product use:** Dishwashing Gel**Product Code Number:****Supplier name and address:**ICB North America
2418 Sierra Vista,
Newport Beach,
California, USA.
92660**Manufacturer's name and address:**

As per supplier

Emergency Telephone: 946-650-4525**SECTION 2 — CHEMICAL COMPOSITION/HAZARDOUS INGREDIENTS**

<u>Ingredients</u>	<u>CAS #</u>	<u>% (weight)</u>	<u>LD₅₀</u> <u>mg/kg</u> <u>oral/rat</u>	<u>LD₅₀</u> <u>mg/kg</u> <u>skin/rabbit</u>	<u>LC₅₀</u> <u>ppm</u> <u>inh/rat</u>
Sodium Citrate Dihydrate	006132-04-3	5.0-15.0	>2,000	Not Est.	Not Est.
Sodium Hydroxide	001310-73-2	1.0-5.0	5gr Man	Not Av	Not Av
Sodium Silicate	7732-18-5	1.0-15.0	1500-3200	Not Av	Not Av
Sodium Carboxymethyl Inulin	430439-54-6	1.0-5.0	>2,000	non irritating	Not Av

SECTION 3 — HAZARDS IDENTIFICATION*****POTENTIAL HEALTH EFFECTS*******Routes of entry:** Inhalation, ingestion, skin and eye contact.**Signs and symptoms of short-term (acute) exposure:***Inhalation:* May be irritating to the eyes, nose, throat and lungs*Skin contact:* Repeated contact may cause irritation is case of sensitive skin.*Eye contact:* Irritant, may cause redness, tearing and pain*Ingestion:* Harmful if swallowed.**Effects of long-term (chronic) exposure:** See Section 11. **Other important hazards:** None reported.**SECTION 4 — FIRST AID MEASURES****Inhalation:** Remove victim to fresh air. If symptoms persist, call a physician.**Skin contact:** Flush skin with plenty of water.**Eye contact:** IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. If symptoms persist seek medical attention.**Ingestion:** Immediately call physician. DO NOT induce vomiting. Give several glasses of water. Never give anything by mouth if victim is unconscious or convulsing.

SECTION 5 — FIRE FIGHTING MEASURES

Fire hazards/conditions of flammability: Not flammable.

Flash point (Method): Not applicable. °C (°F)

Lower flammable limit (% by volume): n/ap

Upper flammable limit (% by volume): n/ap

Explosion data: *Sensitivity to mechanical impact:* Not sensitive. *Sensitivity to static discharge:* Not sensitive.

Oxidizing properties: None.

Auto-ignition temperature: None.

Suitable extinguishing media: As appropriate for burning of surrounding products.

Special fire-fighting procedures/equipment: n/ap

Hazardous combustion products: n/ap

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Personal precautions: Handle cleaning products in a safe and responsible manner. If eye contact likely, wear safety glasses.

Environmental precautions: No special precautions required.

Spill response/Cleanup: Recover and reuse as much of the product as possible.

Prohibited materials: None known.

SECTION 7 — HANDLING AND STORAGE

Safe handling procedures: Avoid contact eyes. Wear proper protective equipment, including rubber gloves if sensitive skin.

Storage requirements: Store in a cool, dry area. Keep away from incompatible materials, (see Sect. 10)

Special packaging materials: n/ap

SECTION 8 — EXPOSURE CONTROLS AND PERSONAL PROTECTION

Ventilation and engineering controls: Mechanic ventilation should be adequate.

Respiratory protection: Normally not required.

Protective gloves: Rubber.

Eye protection: Safety glasses, or chemical goggles if exposure likely.

Other protective equipment: As required by workplace standards.

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Physical form, color and odor: Viscous liquid with turbid appearance, slight amber colour.

Odor threshold: n/ap

pH: as is 12.5-13.5

Boiling point: n/ap

Melting/freezing point: n/ap

Vapour pressure: n/ap

Solubility in water: Very soluble.

Coefficient of oil/water distribution: Essentially zero.

Specific gravity or relative density (water = 1): 1.01-1.10

Vapour density: n/ap

Volatile organic compounds (VOC's): n/ap

Viscosity: 3000 cps MIN (#3, 12 rpm 25°C)

Evaporation rate: n/ap

Percent Volatile by Weight: n/ap

SECTION 10 — REACTIVITY AND STABILITY DATA

Stability and reactivity: Normally stable.

Conditions to avoid: Keep containers tightly closed, when not in use.

Materials to avoid: Strong acids and reactive metals.

Hazardous decomposition products: Oxides of carbon.

SECTION 11 — TOXICOLOGICAL INFORMATION

LD₅₀: Not established for this product. See Section 2 for values for ingredients.

LC₅₀: Not established for this product. See Section 2 for values for ingredients.

Exposure limits: ACGIH-TLV – Final product not established.

Sodium Citrate Dihydrate Not Est.

Sodium Hydroxide 2 mg/m³ (C)

Sodium Silicate Not Est.

Sodium Carboxymethyl Inulin Not Est.

Carcinogenicity: None of the ingredients is listed by IARC, ACGIH, NTP, and OSHA as carcinogen.

Teratogenicity, mutagenicity, other reproductive effects: There is no human or animal information available on teratogenicity, reproductive toxicity, or mutagenicity.

Sensitization to material: Not reported.

Conditions aggravated by exposure: Skin conditions.

Synergistic materials: None known.

SECTION 12 — ECOLOGICAL INFORMATION

All organic matter is readily biodegradable under OECD 301 A-E

Sodium Carboxymethyl Inulin 48 hr EC₅₀ water flea (Daphnia magna) 2000 mg/L
96 hr LC₅₀ Zebra Fish Brachydanio rerio > 10000 mg/L
72 hr EC₅₀ Marine algae > 1000 mg/L

Sodium Hydroxide Concentrations greater than 10 ppm especially in fresh water may be fatal to fish and other aquatic organisms. Full formulation and usage dilutions would indicate levels well below this and would not expect any harm to aquatic life.

Sodium Silicate 96 hr fish (Gambusia affinis) 2320 ppm
96 hr snail eggs (Lymnaea) 632 ppm
96 hr Amphibia 160 ppm

Sodium Citrate Dihydrate Not available

SECTION 13 — WASTE DISPOSAL

Handling for disposal: Reuse if possible.

Methods of disposal: Use only licensed waste disposal services. Follow local, provincial, state and federal regulations.

SECTION 14 — TRANSPORTATION INFORMATION

Shipping description: TDG - Not regulated.

Please note: This shipping description is of a general nature only. It does not consider package sizes, modes of transport and other specific circumstances. Appropriate regulations should be referenced, and handling for transportation of dangerous goods/hazardous materials should be performed by trained personnel only.

SECTION 15 — REGULATORY INFORMATION
--

WHMIS information: D2B

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and this MSDS contains all the information required by the CPR.

SECTION 16 — OTHER INFORMATION

Prepared by: Martin Vince for ICB

Telephone number: (905) 566-1395

Preparation date: June 14, 2008

References:

1. ACGIH, Threshold Limit Values and Biological Exposure Indices for 2001.
2. International Agency for Research on Cancer Monographs, Supplement 7, 1988.
3. Canadian Centre for Occupational Health and Safety. CHEMINFO database.
4. Material Safety Data Sheets from raw materials suppliers.
5. N. Irving Sax. Dangerous Properties of Industrial Materials, Seventh Edition.

n/ap Not applicable

n/av Not available



Date:
Supercedes:

October 18, 2011
None

MATERIAL SAFETY DATA SHEET

1. PRODUCT IDENTIFICATION AND COMPANY IDENTIFICATION:

Product Name: **Brighton Professional™ Pomeberry Foam Handwash**
Item Numbers: 21896 and 21900
Company Name & Address: Staples Contract & Commercial, Inc.
500 Staples Drive
Framingham, MA 01702
Emergency Phone: **1-888-322-0912**
Non-Emergency Phone: 1-888-322-0912
MSDS Request Phone: 1-888-322-0912

2. INFORMATION ON INGREDIENTS:

HAZARDOUS INGREDIENTS	CAS NUMBER	OSHA PEL	ACGIH TLV	% RANGE
Glycerin, as mist	56-81-5	TWA: 5 mg/m ³	TWA: 10 mg/m ³	< 5

Other ingredient(s) with notification requirements:	CAS NUMBER	List
Glycerin, as mist	56-81-5	MA 1; NJ; PA 1

3. HAZARDS IDENTIFICATION:

EMERGENCY OVERVIEW

When used according to instructions, the product applicable to this MSDS is safe and presents no immediate or long-term health hazard. However, abnormal entry routes, such as gross ingestion, may require immediate medical attention.

Potential Health Effects:

HMIS: Health 1 Flammability 1 Reactivity 0 Personal Protection None

Eye Contact: May cause eye irritation.
Skin Contact: No irritation or reaction expected.
Inhalation: Not applicable.
Ingestion: May cause upset stomach, nausea (Abnormal entry route).
Carcinogenicity: Not listed as a carcinogen by NTP, IARC, OSHA or ACGIH.

4. FIRST AID MEASURES:

Eye Contact: Do not rub eyes. Flush eyes thoroughly with water for 15 minutes. If condition worsens or irritation persists, contact physician.
Skin Contact: Not applicable.
Inhalation: Not applicable.
Ingestion: Do not induce vomiting. Contact a physician or Poison Control Center.

5. FIRE FIGHTING MEASURES:NFPA: Health 0 Fire 1 Reactivity 0

Flashpoint °F/°C (PMCC method): Not Determined

Unusual Fire and Explosion Hazards: None known.

Special Fire Fighting Procedures: None known.

Extinguishing Media: X Water Fog X Alcohol Foam X CO₂ X Dry Chemical Other**6. ACCIDENTAL RELEASE MEASURES:**

No special requirements. Water clean up and rinse. CAUTION – WILL CAUSE SLIPPERY SURFACES.

7. HANDLING AND STORAGE:

Store at normal room temperature away from reach of small children. Keep containers sealed. Use older containers first. Avoid freezing conditions.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION:

Eye Protection: None required under normal conditions.

Skin Protection: None required under normal conditions.

Respiratory Protection: None required under normal conditions.

Ventilation: None required under normal conditions.

Protective Equipment or Clothing: None required under normal conditions.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Appearance and Odor Clear blue liquid with floral, fruity fragrance

pH (undiluted): 4.7 – 6.2

VOC, %: <1%

10. STABILITY AND REACTIVITY:

Stable/Non reactive product.

11. TOXICOLOGICAL INFORMATION:

No acute or chronic toxic effects expected when used according to directions.

12. ECOLOGICAL CONSIDERATIONS:

No ecological or special considerations when used according to directions. Not considered environmentally harmful from normal dilution, expected usage and typical drainage to sewers, septic systems and treatment plants.

13. DISPOSAL CONSIDERATIONS:

No special considerations when disposed according to local, state and Federal regulations.

14. TRANSPORT INFORMATION:

Not classified as a hazardous material.

15. REGULATORY AND OTHER INFORMATION:

TSCA: All ingredients are listed or exempt per reference 15 USC 2602 (2)(B)(iv).

Complies with current FDA regulations for cosmetic and/or over-the-counter drug products.

WHMIS: not controlled

Notice: The information herein is based on data considered to be accurate as of the date of preparation of this material safety data sheet. However, no warranty or representation, expressed or implied, is made as to the accuracy or completeness of the foregoing data and safety information. The user assumes all liability for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the product.



The Clorox Company
1221 Broadway
Oakland, CA 94612
Tel. (510) 271-7000

Material Safety Data Sheet

I Product: CLOROX® DISINFECTING WIPES														
Description: FRAGRANCED, MOISTENED TOWELETTE														
Other Designations	Distributor	Emergency Telephone Nos.												
EPA Reg. No. 5813-58	Clorox Sales Company 1221 Broadway Oakland, CA 94612	For Medical Emergencies call: (800) 446-1014 For Transportation Emergencies Chemtrac (800) 424-9300												
II Health Hazard Data		III Hazardous Ingredients												
Eye Contact: Can cause moderate eye irritation. Ingestion: Liquid should be practically non-toxic if ingested. Skin Contact: Prolonged skin contact may produce minor irritation. FIRST AID: EYES- Flush with plenty of water. Call a physician if irritation persists. IF SWALLOWED- Drink a glassful of water. Call a physician or poison control center. SKIN- Wash thoroughly with soap and water after handling. INHALATION- If breathing is affected, move to fresh air. Under normal consumer use conditions the likelihood of any adverse health effects are low.		<table border="1"><thead><tr><th>Ingredient</th><th>Concentration</th><th>Worker Exposure Limit</th></tr></thead><tbody><tr><td>n-Alkyl (C14, 60%; C16, 30% C12, 5%; C18, 5%) dimethylbenzyl ammonium chloride</td><td>0.145%</td><td>Not established</td></tr><tr><td>n-Alkyl (C12, 68%; C14, 32%) Dimethyl Ethylbenzyl ammonium chloride</td><td>0.145%</td><td>Not established</td></tr><tr><td>Isopropanol CAS #67-63-0</td><td>1- 5%</td><td>400 ppm/500 ppm¹ 400 ppm²</td></tr></tbody></table> ¹1998 ACGIH, TLV-TWA/STEL TLV-TWA- Threshold Limit Value-Time Weighted Average. STEL- Short Term Exposure Limit ²PEL- OSHA Permissible Exposure Limit None of the ingredients in this product are on the IARC, NTP or OSHA carcinogen lists.	Ingredient	Concentration	Worker Exposure Limit	n-Alkyl (C14, 60%; C16, 30% C12, 5%; C18, 5%) dimethylbenzyl ammonium chloride	0.145%	Not established	n-Alkyl (C12, 68%; C14, 32%) Dimethyl Ethylbenzyl ammonium chloride	0.145%	Not established	Isopropanol CAS #67-63-0	1- 5%	400 ppm/500 ppm ¹ 400 ppm ²
Ingredient	Concentration	Worker Exposure Limit												
n-Alkyl (C14, 60%; C16, 30% C12, 5%; C18, 5%) dimethylbenzyl ammonium chloride	0.145%	Not established												
n-Alkyl (C12, 68%; C14, 32%) Dimethyl Ethylbenzyl ammonium chloride	0.145%	Not established												
Isopropanol CAS #67-63-0	1- 5%	400 ppm/500 ppm ¹ 400 ppm ²												
IV Special Protection and Precautions		V Transportation and Regulatory Data												
No special protection or precautions have been identified for using this product under directed consumer use conditions. The following recommendations are given for production facilities and for other conditions and situations where there is increased potential for accidental, large-scale or prolonged exposure. Hygienic Practices- Wear safety glasses. Use rubber or nitrile gloves if in contact liquid, especially for prolonged periods. Engineering Controls: Use general ventilation to minimize exposure to vapor or mist. Work Practices: Avoid eye and skin contact and inhalation of vapor or mist. Avoid contact with food. Not for personal cleansing. KEEP OUT OF THE REACH OF CHILDREN		U.S. DOT, IATA, IMG Hazard Class: Not restricted. U.S. DOT Proper Shipping Name: None EPA- SARA Title III/CERCLA: Product may be regulated under Sections 311/312. This product contains no chemicals regulated under Section 304/CERCLA or Section 313. TSCA/DSL: All chemicals in this product are listed on the TSCA Inventory. The DSL status for some components has not been determined.												
VI Spill Procedures/Waste Disposal		VII Reactivity Data												
Spill Procedures: Absorb and containerize. Wash residual down to sanitary sewer. Contact the sanitary treatment facility in advance to assure ability to process washed down material. Waste Disposal: Disposal must be made in accordance with applicable federal, state and local regulations.		Stability: Mixing with sodium hypochlorite may release small amounts of formaldehyde gas. Storage/Disposal: Do not use or store near heat or open flame.												
VIII Fire and Explosion Data		IX Physical Data												
Flashpoint: >119°F Method: Closed cup. Unusual Fire and Explosion Hazards: None		Flashpoint..... >119°F Specific Gravity..... 0.99 g/cc. pH..... 5.0-6.0 Solubility in Water..... Liquid is completely dispersible												

©1963, 1991 THE CLOROX COMPANY

DATA SUPPLIED IS FOR USE ONLY IN CONNECTION WITH OCCUPATIONAL SAFETY AND HEALTH

DATE PREPARED 7/06



MATERIAL SAFETY DATA SHEET

Print date:1/24/2007

Revision Number: 4

1. PRODUCT AND COMPANY IDENTIFICATION

Product code: Fresh: 0026275, 0026276, 0049972, 0049967, 0052679, 0085639, 0052679, 0085639
Orange: 0026277, 0026278, 0049971, 0049966, 0085640, 0085641, 0085640, 0085641
Green Apple: 0026281, 0026282, 0049973, 0049968, 0085642, 0085643, 0085642, 0085643
Document Code D0012498

Product name: **ELECTRASOL AUTOMATIC DISHWASHING DETERGENT,
3 in 1 TABS -all scents-**

UPC Number and Size:	Electrasol 3-in-1 tabs	FG Number	UPC Code
	3-in-1 PowerBall 12 ct Fresh	51700-79130-00	0 51700 79130 9
	3-in-1 PowerBall 15 ct Fresh (Canada)	51700-79064-00	0 51700 79064 7
	3-in-1 PowerBall 15 ct Green Apple (Canada)	51700-79065-00	0 51700 79065 4
	3-in-1 PowerBall 20 ct Orange	51700-77039-08	0 51700 77039 7
	3-in-1 PowerBall 20 ct fresh	51700-77050-09	0 51700 77050 2
	3-in-1 PowerBall 25 ct Fresh Apple (Canada)	51700-79066-00	0 51700 79066 1
	3-in-1 PowerBall 25 ct Green Apple (Canada)	51700-79067-00	0 51700 79067 8
	3-in-1 PowerBall 28 ct fresh	51700-79305-04	0 51700 79305 1
	3-in-1 PowerBall 20 ct Green Apple	51700-77410-08	0 51700 77410 4
	3-in-1 PowerBall 55 ct Fresh	51700-79131-03	0 51700 79131 6
	3-in-1 PowerBall 55 ct Fresh (Canada)	51700-79039-00	0 51700 79039 5
	3-in-1 PowerBall 55 ct Orange (Canada)	51700-77267-00	0 51700 77267 4
	3-in-1 PowerBall 75 ct Fresh	51700-78758-00	0 51700 76456 3
	3-in-1 PowerBall 85 ct Fresh	51700-78239-03	0 51700 78239 0
	3-in-1 PowerBall 20+5 ct Fresh	51700-80328-00	0 51700 80328 6
	3-in-1 PowerBall 20+5 ct Orange	51700-80329-00	0 51700 80329 3
	3-in-1 PowerBall 28+7 ct Fresh	51700-79593-03	0 51700 79593 2

Product Description: Electrasol automatic dishwashing detergent tablet containing a special 3 in 1, pre-measured cleaning agent of concentrated detergent and Powerball rinse agent

Synonyms: No information available

Chemical characterisation: No data is available on the product itself.

Manufacturer: Reckitt Benckiser North America Inc.
Morris Corporate Center IV
399 Interpace Parkway (P.O. Box 225)
Parsippany, N.J. 07054-0225

Transportation Emergencies: 1-800-424-9300 (U.S. & Canada)
Outside North America Chemtrec:703-527-3887

Emergency Telephone number: 1-800-228-4722



MATERIAL SAFETY DATA SHEET

Print date:16/1/2007

Revision Number: 4

2. COMPOSITION/INFORMATION ON INGREDIENTS

	CAS-No	Weight %	TLV/PEL
Sodium Carbonate	497-19-8	30 - 40%	None
Sodium Tripolyphosphate	7758-29-4	20 - 30%	None
Sodium Perborate Monohydrate	10332-33-9	5 – 10%	None
Sodium Disilicate	1344-09-8	5 – 10%	None
Sodium Hydrogencarbonate	144-55-8	1 – 5%	None
Citric Acid Anhydrous	77-92-9	1 – 5%	None
Protease	9014-01-1	0.1 - 1.0%	60 ng/m ³
Amylase	9000-90-2	0.1 - 1.0%	None

Other ingredients: TAED, Colorant, Perfume, Glycerol

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Harmful if swallowed.

EYE IRRITANT. DO NOT get directly in eyes.

PRODUCT MAY POSE A CHOKING HAZARD TO CHILDREN UNDER 3 YEARS OF AGE.

Contains Sodium Carbonate, Sodium Perborate and enzymes.

KEEP OUT OF REACH OF CHILDREN

4. FIRST AID MEASURES

Inhalation:

Move to fresh air.

Skin contact:

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.

Ingestion:

Clean mouth with water and drink afterwards plenty of water. Consult a physician if necessary. Never give anything by mouth to an unconscious person.

Eye contact:

Rinse immediately with plenty of water, also under the eyelids. Remove any contact lenses. Flush eye with water for 15 minutes. If symptoms persist, call a physician.

Notes to physician:

No information available.

Aggravated Medical Conditions: No information available.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

As for surrounding fire.



MATERIAL SAFETY DATA SHEET

Print date:16/1/2007

Revision Number: 4

Extinguishing media which must not be used for safety reasons: No information available.

Specific hazards: Not applicable.

Unusual hazards: None known.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus, pressure-demand, MSHA / NIOSH (approved or equivalent) and full protective gear.

Specific methods: Standard procedure for chemical fires.

Flash point: Not applicable.

Autoignition temperature: No information available.

Flammability Limits in Air:
Lower No information available
Upper No information available

NFPA: Health: 2

Flammability: 0

Instability: 0

HMIS: Health: 2

Flammability: 0

Physical Hazard: 0

Key:

See also section 3

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Ensure adequate ventilation.

Environmental precautions: Do not allow material to contaminate ground water system.

Accidental Spill: Collect spilled tablets and return to container.
If powder has resulted from broken tablet(s), flush area with water or wipe with absorbent material (wet paper towel).
Rinse well and dry floors to avoid slippery condition.

7. HANDLING AND STORAGE

Handling: Harmful if swallowed CAUTION: EYE IRRITANT. DO NOT get directly in the eyes. contains enzymes.

Storage: Store in original container in areas inaccessible to small children and pets. KEEP OUT OF REACH OF CHILDREN.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Document code: D0012498

Product name:
ELECTRASOL AUTOMATIC DISHWASHING
DETERGENT, 3 in 1 TABS

Page 3 of 8



MATERIAL SAFETY DATA SHEET

Print date:16/1/2007

Revision Number: 4

Components	CAS-No	TLV/PEL
Protease	9014-01-1	60 ng/m ³

Engineering measures to reduce exposure: Ensure adequate ventilation.

Personal Protective Equipment

- Respiratory protection:** Self-contained breathing apparatus (SCBA).
- Hand protection:** PVC disposable gloves.
- Skin and body protection:** Usual safety precautions while handling the product will provide adequate protection against this potential effect.
- Eye protection:** Avoid contact with eyes. Safety glasses with side-shields. Emergency responders should wear full eye and face protection.
- Hygiene measures:** Washing with soap and water after use is recommended as good hygienic practice to prevent possible eye irritation from hand contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical state:** Solid.
- Appearance:** Solid rectangular tablets with rounded corners composed of a white layer, a smaller blue layer with an embedded pill, either white or red.
- Colour:** white and blue layered tablet with embeded pill (white or red)
- Odour:** Perfumed
- pH:** 10.2 - 10.8 (10% aqueous solution)
- Autoignition temperature:** No information available.
- Density:** No information available.
- Weight:** 20 - 22 g /tablet
- Vapor density:** Not applicable.
- Vapour pressure:** Not applicable.
- Water solubility:** Completely Soluable
- VOC content(%):** No information available.
- Explosion limits:**
- upper: No data available.
- lower: No data available.

10. STABILITY AND REACTIVITY

- Stability:** Stable under recommended storage conditions.
- Polymerization:** Hazardous polymerisation does not occur.



MATERIAL SAFETY DATA SHEET

Print date:16/1/2007

Revision Number: 4

Hazardous decomposition products:

Product develops heat and releases carbon dioxide if contact with acids.

Materials to avoid:

Do not mix with other household chemicals

Conditions to avoid:

Do not expose to temperatures above 120°F / 50°C

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Component Information

Product Information

LC50/inhalation/4h/rat =
LD50/dermal/rabbit =
LD50/oral/rat =

No information available.
No information available.
> 2500 mg/kg (calculated based o raw material data).

Local effects

Skin irritation:

None expected during normal conditions of use.

Eye irritation:

Irritating to eyes.

Inhalation

Contains enzymes: Avoid breathing dust from broken tablets. May cause mild nasal irritation upon prolonged or repeated contact to the dust in occupational or emergency response situation.

Ingestion

Harmful if swallowed. Will cause burning in mouth and throat. Difficulty swallowing, excessive salivating in infants. Reddening and swelling of mucous membranes of the mouth and throat.

Sensitization

Not expected to be a skin sensitiser

Chronic toxicity:

No information available

Specific effects

Carcinogenic effects:

No ingredient listed as carcinogenic by OSHA, NTP or IARC

Mutagenic effects:

No information available

Reproductive toxicity:

No information available

Target organ effects:

No information available

Information is based on data on the components and the toxicology of similar products



MATERIAL SAFETY DATA SHEET

Print date:16/1/2007

Revision Number: 4

12. ECOLOGICAL INFORMATION

Product Information

Mobility: Not applicable.

Bioaccumulative potential: Not applicable.

Ecotoxicity effects: No data available for the mixture.

Aquatic toxicity: No information available for the mixture.

Component Information

Components

Sodium Carbonate

Ecotoxicity: LC50 (fish, 96h) = 320 mg/L

Components

Sodium Tripolyphosphate

Ecotoxicity: EC50 (bacteria, 48h) > 1000 mg/L

Components

Sodium Perborate Monohydrate

Ecotoxicity: LC50 (fish, 96h) = 51 mg/L (Brachydanio rerio)

EC50 (daphnia, 48h) = 11 mg/L (Daphnia magna)

EC50 (algae, 96h) = 12 mg/L (Scenedesmus subspicatus)

Components

Sodium Disilicate

Ecotoxicity: LC50 (fish, 96h) = 3185 mg/L (Brachydanio rerio)

EC50 (daphnia, 48h) = 4857 mg/L (Daphnia magna)

Components

Sodium Hydrogencarbonate

Ecotoxicity: LC50 (fish, 96h) = 8600 mg/L (Lepomis Macrochirus)

Components

Citric Acid anhydrous

Ecotoxicity: = 14 mg/L 15 min EC50 Photobacterium phosphoreum

Components

Protease

Ecotoxicity: The product is not believed to dangerous to the environment with respect to mobility persistence, degradability, bioaccumulative potential, aquatic toxicity, and other data relating to eco-toxicity.

Components

Amylase

Ecotoxicity: The product is not believed to dangerous to the environment with respect to mobility persistence, degradability, bioaccumulative potential, aquatic toxicity, and other data relating to eco-toxicity.

Other information

Ozone depletion potential; ODP; (R-11 = 1) = No information available.

Global warming potential (GWP) = No information available.



MATERIAL SAFETY DATA SHEET

Print date:16/1/2007

Revision Number: 4

Additional ecological information:

Information given is based on data on the components and the ecotoxicology of similar products.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

Dispose of in accordance with local regulations.

Contaminated packaging:

Dispose of as unused product.

14. TRANSPORT INFORMATION

General Comments

Not classified as dangerous under DOT, TDG, IMDG, ICAO and ADR/RID transport regulations. For long distance transport of bulk material or shrinked paletts take into consideration sections 7 and 10.

UN No:

No UN-Number allocated

15. REGULATORY INFORMATION

International Inventories

Components	PICCS:	TSCA:	DSL:	ENCS:	CHINA:	AICS:	EINECS-No
Sodium Carbonate	Present	XU	Present	1-164	Present	Present	207-838-8
Sodium Tripolyphosphate		Xu	Present				231-838-7
Sodium Perborate Monohydrate	Present	Anhydrate: yes	Present		Present	Present	234-390-0
Sodium Disilicate	Present	Present	Present	1-508	Present	Present	215-687-4
Sodium Hydrogencarbonate	Present	Present	Present	1-164; 1-310	Present	Present	205-633-8
Citric Acid Anhydrous	Present	Present	Present	2-1318	Present	Present	201-069-1
Protease	Present	XU	Present		Present	Present	232-752-2
Amylase	Present	XU	Present		Present	Present	232-565-6

U.S. Regulations:

SARA Title III, Section 313 Chemical Notification & Release Reporting: None

Canada

WHMIS hazard class:

Not determined.



MATERIAL SAFETY DATA SHEET

Print date:16/1/2007

Revision Number: 4

16. OTHER INFORMATION

National Fire Protection Association



HMIS (U.S.A.):

Health Hazard	2
Fire Hazard	0
Reactivity	0
Personal Protection	B

(U.S.A.):

Reason for revision:

Changing Formula codes, see chapter 1. Replacing release 3 dd 05/23/2006

Additional advice:

Consult your supplier if the material is to be used for special applications such as in the food industry or for hygiene, medical or surgical end-use.

Prepared by:

Reckitt Benckiser, Regulatory, Safety & Environmental Services Dishwashing
Benckiserplatz 1, D-67059 Ludwigshafen (Rhein), Germany
Contact: Dr. Gerd Hüttmann, Tel. +49 (621) 59146-0, Fax +49 (621) 59146-398

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Section 1. Identification

Product name : Expo White Board Cleaner

Material uses : Cleaning solutions.

Manufacturer : Newell Rubbermaid
3500 Lacey Road, 10th Floor
Downers Grove, IL 60515
USA
800-323-0749 or 630-829-2500

Emergency telephone number (with hours of operation) : CHEMTREC (U.S. and Canada) 1-800-424-9300

Section 2. Hazards identification

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture : Not classified.

GHS label elements

Signal word : Not applicable

Hazard statements : No known significant effects or critical hazards.

Precautionary statements

General : Read label before use. If medical advice is needed, have product container or label at hand.

Prevention : Not applicable.

Response : Not applicable.

Storage : Not applicable.

Disposal : Not applicable.

Hazards not otherwise classified : None known.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	%	CAS number
3-butoxypropan-2-ol	2 - 5	5131-66-8

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 3. Composition/information on ingredients

Section 4. First aid measures

Description of necessary first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
- Ingestion** : Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

- Eye contact** : No known significant effects or critical hazards.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

Over-exposure signs/symptoms

- Eye contact** : No specific data.
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : None known.

- Specific hazards arising from the chemical** : In a fire or if heated, a pressure increase will occur and the container may burst.

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8).
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

None.

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Section 8. Exposure controls/personal protection

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

Appearance

- Physical state** : Liquid.
- Color** : Clear.
- Odor** : Not available.
- Odor threshold** : Not available.
- pH** : Not available.
- Melting point** : Not available.
- Boiling point** : Not available.
- Flash point** : Not available.
- Burning time** : Not applicable.
- Burning rate** : Not applicable.
- Evaporation rate** : Not available.
- Flammability (solid, gas)** : Not available.
- Lower and upper explosive (flammable) limits** : Not available.
- Vapor pressure** : Not available.
- Vapor density** : Not available.
- Relative density** : Not available.
- Solubility** : Not available.
- Solubility in water** : Not available.
- Partition coefficient: n-octanol/water** : Not available.
- Auto-ignition temperature** : Not available.
- Decomposition temperature** : Not available.
- SADT** : Not available.
- Viscosity** : Not available.

Section 10. Stability and reactivity

- Reactivity** : No specific test data related to reactivity available for this product or its ingredients.
- Chemical stability** : The product is stable.
- Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- Conditions to avoid** : No specific data.
- Incompatible materials** : No specific data.
- Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
3-butoxypropan-2-ol	LD50 Dermal	Rabbit	3100 mg/kg	-

Irritation/Corrosion

No known significant effects or critical hazards.

Sensitization

No known significant effects or critical hazards.

Mutagenicity

No known significant effects or critical hazards.

Carcinogenicity

No known significant effects or critical hazards.

Reproductive toxicity

No known significant effects or critical hazards.

Teratogenicity

No known significant effects or critical hazards.

Specific target organ toxicity (single exposure)

No known significant effects or critical hazards.

Specific target organ toxicity (repeated exposure)

No known significant effects or critical hazards.

Aspiration hazard

No known significant effects or critical hazards.

Information on the likely routes of exposure : Not available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Section 11. Toxicological information

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General : No known significant effects or critical hazards.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Dermal	63798.6 mg/kg

Section 12. Ecological information

Toxicity

No known significant effects or critical hazards.

Persistence and degradability

No known significant effects or critical hazards.

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
3-butoxypropan-2-ol	1.2	-	low

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.
Additional information	-	-	-	-	-

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 15. Regulatory information

U.S. Federal regulations : **United States inventory (TSCA 8b):** All components are listed or exempted.

SARA 311/312

Classification : Not applicable.

Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
3-butoxypropan-2-ol	2 - 5	Yes.	No.	No.	Yes.	No.

California Prop. 65

This product does not contain Chemicals known to State of California to cause cancer, birth defects, or reproductive harm.

Canada

WHMIS (Canada) : Not controlled under WHMIS (Canada).

Canadian lists

Canadian NPRI : The following components are listed: Propylene glycol butyl ether

CEPA Toxic substances : None of the components are listed.

Canada inventory : All components are listed or exempted.

Section 16. Other information

History

Date of issue/Date of revision : 8/5/2015

Date of previous issue : No previous validation

Version : 1

Prepared by : Product Safety.

Section 16. Other information

Key to abbreviations

: ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
UN = United Nations

▀ Indicates information that has changed from previously issued version.

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations. The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

SAFETY DATA SHEET



Issuing Date: 23-Feb-2015

Revision Date: 23-Feb-2015

Version 1

1. IDENTIFICATION

Product Name	Febreze Fabric Refresher - Free
Product ID:	92284730_RET_NG
Product Type:	Finished Product - Consumer (Retail) Use Only
Recommended Use	Fabric Refresher
Restrictions on Use	Safe to use around dogs and cats. As with other care products, not for use around birds.
Synonyms	Febreze Fabric Refresher Allergen Reducer - Unscented (96391139_RET_NG) Febreze Fabric Refresher - Wild Berries & Honey (99764733_RET_NG) Febreze Fabric Refresher - Gain Apple Mango Tango (99764733_A_RET_NG) Febreze Fabric Refresher - Downy April Fresh (99765267_RET_NG)
Manufacturer	PROCTER & GAMBLE - Fabric and Home Care Division. Ivorydale Technical Centre. 5289 Spring Grove Avenue, Cincinnati, Ohio 45217-1087 USA
E-mail Address	pgsds.im@pg.com
Emergency Telephone	Transportation (24 HR) CHEMTREC - 1-800-424-9300 (U.S./ Canada) or 1-703-527-3887 Mexico toll free in country: 800-681-9531

2. HAZARD IDENTIFICATION

"Consumer Products", as defined by the US Consumer Product Safety Act and which are used as intended (typical consumer duration and frequency), are exempt from the OSHA Hazard Communication Standard (29 CFR 1910.1200). This SDS is being provided as a courtesy to help assist in the safe handling and proper use of the product.

This product is classified under 29CFR 1910.1200(d) and the Canadian Hazardous Products Regulation as follows:.

Not Classified.

Hazard Statements	None
Hazard pictograms	None
Precautionary Statements - Prevention	None
Precautionary Statements - Response	None
Precautionary Statements - Storage	None

Precautionary Statements - Disposal None

Hazards not otherwise classified (HNOC) None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients are listed according to 29CFR 1910.1200 Appendix D and the Canadian Hazardous Products Regulation

Chemical Name	Synonyms	Trade Secret	CAS-No	Weight %
Ethanol	-	No	64-17-5	1 - 5

4. FIRST AID MEASURES

First aid measures for different exposure routes

Eye contact Rinse with plenty of water. Get medical attention immediately if irritation persists.

Skin contact Rinse with plenty of water. Get medical attention if irritation develops and persists.

Ingestion Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately if symptoms occur.

Inhalation Move to fresh air. If symptoms persist, call a physician.

Most important symptoms/effects, acute and delayed None under normal use conditions.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Dry chemical, CO₂, alcohol-resistant foam or water spray. Dry chemical. Alcohol-resistant foam.

Unsuitable Extinguishing Media None.

Special hazard None known.

Special protective equipment for fire-fighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Specific hazards arising from the chemical None.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment. Do not get in eyes, on skin, or on clothing.

Advice for emergency responders Use personal protective equipment as required.

Environmental precautions Keep out of waterways. Do not discharge product into natural waters without pre-treatment or adequate dilution.

Methods and materials for containment and cleaning up

Methods for containment Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Keep container closed when not in use. Never return spills in original containers for re-use. Keep out of the reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible products None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	CAS-No	ACGIH TLV	OSHA PEL	Mexico PEL
Ethanol	64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³	Mexico: TWA 1000 ppm Mexico: TWA 1900 mg/m ³

Chemical Name	CAS-No	Alberta	Quebec	Ontario TWAEV	British Columbia
Ethanol	64-17-5	TWA: 1000 ppm TWA: 1880 mg/m ³	TWA: 1000 ppm TWA: 1880 mg/m ³	STEL: 1000 ppm	STEL: 1000 ppm

No relevant exposure guidelines for other ingredients

Exposure controls

Engineering Measures **Distribution, Workplace and Household Settings:**
Ensure adequate ventilation

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):
Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction

Personal Protective Equipment

Eye Protection **Distribution, Workplace and Household Settings:**
No special protective equipment required

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):
Use appropriate eye protection

Hand Protection**Distribution, Workplace and Household Settings:**

No special protective equipment required

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

Protective gloves

Skin and Body Protection**Distribution, Workplace and Household Settings:**

No special protective equipment required

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

Wear suitable protective clothing

Respiratory Protection**Distribution, Workplace and Household Settings:**

No special protective equipment required

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

In case of insufficient ventilation wear suitable respiratory equipment

9. PHYSICAL AND CHEMICAL PROPERTIES**Physical State @20°C**

liquid

Appearance

clear

Odor

Perfume

Odor threshold

No information available

PropertyValuesNote**pH value**

6.0 - 8.4

Melting/freezing point

No information available

Boiling point/boiling range

100 °C / 212 °F

Flash point

57.8 - 70.5 °C / 136 - 159 °F

Product is an aqueous solution containing <= 24% alcohol and > 50% water

Evaporation rate

No information available

Flammability (solid, gas)

No information available

Flammability Limits in Air**Upper flammability limit**

No information available

Lower Flammability Limit

No information available

Vapor pressure

No information available

Vapor density

No information available

Relative density

1.0 - 1.4

Water solubility

soluble

Solubility in other solvents

No information available

Partition coefficient: n-octanol/water

No information available

Autoignition temperature

No information available

Decomposition temperature

No information available

Viscosity of Product

No information available

VOC Content (%)

Products comply with US state and federal regulations for VOC content in consumer products.

10. STABILITY AND REACTIVITY**Reactivity**

None under normal use conditions.

Stability

Stable under normal conditions.

Hazardous polymerization

Hazardous polymerization does not occur.

Hazardous Reactions

None under normal processing.

Conditions to Avoid

None under normal processing.

Materials to avoid None in particular.

Hazardous Decomposition Products None under normal use.

11. TOXICOLOGICAL INFORMATION

Product Information

Information on likely routes of exposure

Inhalation	No known effect.
Skin contact	No known effect.
Ingestion	No known effect.
Eye contact	No known effect.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity	No known effect.
Skin corrosion/irritation	No known effect.
Serious eye damage/eye irritation	No known effect.
Skin sensitization	No known effect.
Respiratory sensitization	No known effect.
Germ cell mutagenicity	No known effect.
Neurological Effects	No known effect.
Reproductive toxicity	No known effect.
Developmental toxicity	No known effect.
Teratogenicity	No known effect.
STOT - single exposure	No known effect.
STOT - repeated exposure	No known effect.
Target Organ Effects	No known effect.
Aspiration hazard	No known effect.
Carcinogenicity	No known effect.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not expected to be hazardous to the environment.

Persistence and degradability	No information available.
Bioaccumulative potential	No information available.
Mobility	No information available.
Other adverse effects	No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste from Residues / Unused Products	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.
California Hazardous Waste Codes (non-household setting)	331

14. TRANSPORT INFORMATION

DOT Not regulated

IMDG Not regulated

IATA Not regulated

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	CAS-No	Hazardous Substances RQs	Extremely Hazardous Substances RQs	CERCLA/SARA 302 TPQ
Maleic acid (C = 25 %: Xn; R22-36/37/38-4320 % = C <25 %: Xi; R36/37/38-430,1 % = C <20 %: Xi; R43)	110-16-7	5000 lb	-	

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CAS-No	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Maleic acid (C = 25 %: Xn; R22-36/37/38-4320 % = C <25 %: Xi; R36/37/38-430,1 % = C <20 %: Xi; R43)	110-16-7	5000 lb	-	-	X

California Proposition 65

This product is not subject to warning labeling under California Proposition 65.

U.S. State Regulations (RTK)

Chemical Name	CAS-No	New Jersey
Ethanol	64-17-5	X

Chemical Name	CAS-No	Massachusetts
Ethanol	64-17-5	X

Chemical Name	CAS-No	Pennsylvania
Ethanol	64-17-5	X
2,2'-Oxybisethanol	111-46-6	X
Maleic acid (C = 25 %: Xn; R22-36/37/38-4320 % = C <25 %: Xi; R36/37/38-430,1 % = C <20 %: Xi; R43)	110-16-7	X

Xi; R43)		
----------	--	--

International Inventories**United States**

All intentionally-added components of this product(s) are listed on the US TSCA Inventory.

Canada

This product is in compliance with CEPA for import by P&G.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

CEPA - Canadian Environmental Protection Act

16. OTHER INFORMATION

Issuing Date: 23-Feb-2015

Revision Date: 23-Feb-2015

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS



The Procter & Gamble Company
P&G Household Care
Fabric & Home Care Innovation Center
5299 Spring Grove Avenue
Cincinnati, OH 45217-1087

MATERIAL SAFETY DATA SHEET

MSDS #: RQ1212667
Supersedes: RQ1006378

Issue Date: 3/12/14
Issue Date: 1/4/2011

SECTION I - PRODUCT IDENTIFICATION

Identity: **Hand Dishwashing Foam and Antibacterial Hand Soap** **Finished Product**
Brands: **DAWN DIRECT FOAM**
Lime Surge [96286242] **Fresh Rapids [96286241]**
P&G Telephone Number: 1-800-725-3296
or call Local Poison Control Center or your physician.

SECTION II - HAZARDS IDENTIFICATION

Potential Health Hazards (Acute and Chronic): (See Section 11 for more information)

Ingestion: Ingestion may cause transient gastrointestinal irritation.

Eye Contact: May cause mild, transient irritation.

Skin: Transient irritation with prolonged exposure to concentrated material.

Inhalation: N/A

Signs and Symptoms of Exposure:

Ingestion: May result in nausea, vomiting, and/or diarrhea.

Eye Contact: May cause stinging, tearing, itching, swelling, and/or redness.

Skin: Prolonged contact with concentrated material may be drying or transiently irritating to skin.

Inhalation: N/A

Potential Environmental Effects: (See Section 12 for more information)

SECTION III - COMPOSITION AND INGREDIENTS

Ingredients listed on the product label are: biodegradable anionic surfactants and solvents. **Contains no phosphate.** For antibacterial hand soaps, active ingredient is triclosan at 0.1%. Inactive ingredients for antibacterial hand soaps are listed in the Drug Facts box on back label.

Hazardous Ingredients as defined by OSHA, 29 CFR 1910.1200, and/or WHMIS under the HPA:

<u>Chemical Name</u>	<u>Common Name</u>	<u>CAS No.</u>	<u>Composition</u> <u>Range</u>	<u>LD50/LC50</u>
Ethyl alcohol	Ethanol	64-17-5	5-10%	LD50 (rabbit, oral)= 6300 mg/kg

These substances are listed because in their pure bulk form they meet the OSHA definition of hazardous. Any hazards associated with this finished product are listed in Section II of this MSDS.

SECTION IV - FIRST AID INFORMATION

First Aid Procedures:

Ingestion: Drink 1 or 2 glasses of water.

Eye Contact: Flush thoroughly with water for 15 minutes.

Skin: If prolonged contact occurs, rinse thoroughly with water. If spilled on clothing, change clothes. If symptoms persist or recur, seek medical attention.

Inhalation: N/A

Other: Consumer product package has the following caution statement: "Keep out of reach of children. In case of accidental ingestion, drink a glass of water to dilute. If eye contact occurs, rinse thoroughly with water."

SECTION V - FIRE FIGHTING INFORMATION

Flammable Properties: Although this product has a flashpoint of 106°F/41°C (closed cup), it does not sustain combustion according to ASTM D4206

Flammable Properties:

Upper Flammable Limit: N/A

Lower Flammable Limit: N/A

Explosive Limits: UEL: N/A LEL: N/A

Auto-ignition Temperature: N/A

Hazardous Combustion Products: N/A

Explosion Data (Sensitivity to Mechanical Impact): N/A

Explosion Data (Sensitivity to Static Discharge): N/A

Extinguishing Media:

Suitable: CO₂, water or dry chemical may be used.

Unsuitable: N/K

Protection of Firefighters:

Specific Hazards Arising from the Material: None.

SECTION VI - ACCIDENTAL RELEASE MEASURES

Personal Precautions: None

Environmental Precautions: DISPOSAL IS TO BE PERFORMED IN COMPLIANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS. **RCRA Ignitable product waste.** Solutions of the detergents may be allowed to be flushed down sewer -- First check with your local water treatment plant. Recycling is recommended for undiluted scrap product. Do not landfill.

Steps To Be Taken in Case Material is Released or Spilled: Prevent spills from reaching a waterway. Sorbents may be used. Read "Waste Disposal Method" below for further information.

SECTION VII – HANDLING AND STORAGE

Precautions To Be Taken in Handling: No special precautions necessary.

Precautions To Be Taken in Storage: No special precautions necessary.

SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines: Ethanol (CAS# 64-17-5) ACGIH-TLV (8-hour): 1000 ppm
OSHA Z-1 PEL: 1000 ppm (1900 mg/m³)

Engineering Controls: N/A

Personal Protective Equipment (PPE): N/A

Eye/Face Protection: None required with normal household use.

Industrial Setting: For splash protection, use chemical goggles. Eye wash fountain is recommended.

Skin Protection: None required with normal household use.

Industrial Setting: Protective gloves (rubber, neoprene) should be used for prolonged direct contact.

Respiratory Protection: No special precautions for casual exposure.

Ventilation *Local Exhaust:* None required with normal consumer use. *Special:* None

Industrial (General): Normal/general dilution ventilation is acceptable. *Other:* None

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Appearance (color, physical form, shape): Clear liquid.

Flash Point (Method Used): 106°F (41°C) Pensky-Martens (Closed cup). This product contains less than 24% by volume of alcohol and does not sustain combustion (according to ASTM D4206).

Odor: Perfumed

Reserve Alkalinity: N/A

Odor Threshold: N/A

Solubility in Water: Complete

Physical State: Liquid hand dishwashing solution

Decomposition Temperature: N/K

Vapor Pressure (mm Hg): N/K

Evaporation Rate (nBuOAc=1): N/K

Vapor Density (Air=1): N/K

Specific Gravity/Density: 1.043 g/cm³

Boiling Point: N/K

Melting/Freezing Point: ~ 30 °F (-1.1°C)

Partition Coefficient (n-octanol/water): N/K

pH (10% solution): 8.4

Volatile Organic Compound (VOC): Not applicable - Product not regulated for VOC Content at State or Federal level

SECTION X - STABILITY AND REACTIVITY

Chemical Stability: Stable

Conditions to Avoid: None known

Incompatible Materials: None

Hazardous Decomposition Products: None known

Possibility of Hazardous Reactions: None known

SECTION XI - TOXICOLOGICAL INFORMATION

Liquid hand dishwashing detergents have a relatively low order of toxicity, may cause transient irritation and are expected to be emetic.

Chronic Effects: No chronic health effects reported.

Target Organs: No target organs reported.

Carcinogenicity: This finished product is not carcinogenic. **NTP:** No **IARC:** No **OSHA:** No

SECTION XII - ECOLOGICAL INFORMATION

All surfactants and solvents used in Dawn Direct Foam are expected to be readily biodegradable.

SECTION XIII - DISPOSAL CONSIDERATIONS

Waste Disposal Method: DISPOSAL SHOULD BE IN ACCORDANCE WITH FEDERAL, STATE/PROVINCIAL AND LOCAL REGULATIONS

Non Household Setting: Products covered by this MSDS, in their original form, when disposed as waste, are ignitable hazardous waste, D001, according to Federal RCRA regulations (40 CFR 261). Do not landfill. Disposal should be in accordance with local state and federal regulations.

California Hazardous Waste: Hazardous, in accordance with 22 CCR 66261.20 through 22 CCR 66261.24

Household Use: Household product is safe for disposal down the drain with running water. The empty container may be discarded in the trash or recycled (plastic bottle only without pump dispenser) where facilities exist.

SECTION XIV - TRANSPORT INFORMATION

Products covered by this MSDS, in their original form, are not regulated for transportation.

Ground Transport (US DOT): Not regulated

Air Transport (IATA): Not regulated

Marine/Water Transport (IMDG): Not regulated

SECTION XV - REGULATORY INFORMATION

United States

All intentionally-added components of this product are listed on the US TSCA Inventory.

This product is not subject to warning labeling under California Proposition 65.

EPA Reg. No.: Not Applicable

This product contains the following SARA 313/302/304/311/312 chemicals:

None

This product contains the following CERCLA chemicals:

Chemical Name	CAS Number	Max Range in Product (%)
Ethanol	64-17-5	10.0%

State Right-to-Know:

The following ingredients present in the finished product are listed on state right-to-know lists or state worker exposure lists:

Ingredient	CAS #	Max Level	State				
			IL	MA	NJ	PA	RI
Ethanol	64-17-5	10.0 %	X	X	X	X	X
Glycerol	56-81-5	5.0%	X	X		X	X
Propylene Glycol	57-55-6	2.0%				X	X

Perfumes contained within the products covered by this MSDS comply with appropriate IFRA guidance

Canada

All ingredients are CEPA approved for import to Canada by Procter & Gamble. This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and this MSDS contains all information required by the Controlled Products Regulations.

SECTION XVI - OTHER INFORMATION

Perfumes contained within the products covered by this MSDS comply with appropriate IFRA guidance.

P&G Hazard Rating:	Health:	1	4=EXTREME
	Flammability:	2	3=HIGH
	Reactivity:	0	2=MODERATE
			1=SLIGHT
			0=NOT SIGNIFICANT

*N/A. - Not Applicable

*N/K. - Not Known

Data supplied is for use only in connection with occupational safety and health.

DISCLAIMER: This MSDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Procter & Gamble to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Procter & Gamble assumed no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

1. Product and Company Identification

Product name LYSOL® Brand (Kills 99.9% of Bacteria) Neutra Air Sanitizing Spray – All Scents
CAS # Mixture


This MSDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is a greater potential for large-scale or prolonged exposure, in accordance with requirements of the U.S. Government's Occupational Safety and Health Administration (OSHA).
 This MSDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulation.

Product Use Fragrance

Distribuido por Reckitt Benckiser
 Morris Corporate Center IV
 399 Interpace Parkway
 P.O. Box 225
 Parsippany, NJ 07054-0225
 In Case of Emergency: 1-800-338-6167
 Transportation Emergencies: 24 Hour Number:
 North America: CHEMTREC: 1-800-424-9300
 Outside North America: 1-703-527-3887

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	/ 2
FLAMMABILITY	1
PHYSICAL HAZARD	0
PERSONAL PROTECTION	B



2. Hazards Identification

Emergency overview This product is regulated by the US EPA as a disinfectant.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS.
 CAUTION

DO NOT spray directly in eyes.

PHYSICAL HAZARDS: CONTENTS UNDER PRESSURE.

Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Potential short term health effects

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Eyes Moderate eye irritation.

Skin Moderate skin irritation

Inhalation Avoid breathing vapors. May cause irritation of respiratory tract.

Ingestion Harmful if swallowed.

Target organs Eyes. Skin. Respiratory system.

Chronic effects The finished product is not expected to have chronic health effects.

Signs and symptoms Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

OSHA regulatory status This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Potential environmental effects See section 12.

3. Composition/Information on Ingredients

Components	CAS #	Percent
Butane	106-97-8	10 - 20
Ethanol	64-17-5	10 - 20
Propane	74-98-6	2.5 - 10
Triethylene glycol	112-27-6	2.5 - 10
Alkyl (50% C14, 40% C12, 10% C16) dimethyl benzyl ammonium saccharinate	Not Applicable	0 - 0.1

4. First Aid Measures

First aid procedures

Eye contact

If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Skin contact

Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before re-use. Get medical attention immediately if symptoms occur.

Inhalation

Move to fresh air.

Ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. Call a physician or poison control center immediately.

Notes to physician

Treat patient symptomatically.

General advice

Do not puncture or incinerate container. Keep away from sources of ignition. No smoking. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit www.inhalant.org.

5. Fire Fighting Measures

Flammable properties

Flammable Aerosol.

NFPA AEROSOL LEVEL: Flammability Rating 1, per NFPA 30B

Extinguishing media

Suitable extinguishing media

Treat for surrounding material.

Unsuitable extinguishing media

Not available

Protection of firefighters

Specific hazards arising from the chemical

Contents under pressure. Pressurized container may explode when exposed to heat or flame. Cool containers with flooding quantities of water until well after fire is out.

Protective equipment and precautions for firefighters

Firefighters should wear full protective clothing including self contained breathing apparatus.

Hazardous combustion products

May include and are not limited to: Oxides of carbon.

Explosion data

Sensitivity to mechanical impact

Not available.

Sensitivity to static discharge

Not available.

6. Accidental Release Measures

Personal precautions

Ensure adequate ventilation. Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.

Environmental precautions	Do not discharge into lakes, streams, ponds or public waters. Advise authorities if product has penetrated drains, sewers or water pipes.
Methods for containment	Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area).
Methods for cleaning up	Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice.

7. Handling and Storage

Handling	Ensure adequate ventilation. Read and follow product label instructions. Do not use on polished wood, painted surfaces, leather, rayon fabrics, or acrylic plastics. Does not harm most bathroom surfaces. For other surfaces, spot test in an inconspicuous area. Do not use on utensils, glasses and dishes. Spray may leave hard floors slippery. Do not concentrate spray over hard floors. Do not puncture or incinerate container. Avoid contact with eyes, skin or clothing. Avoid prolonged breathing of vapors. When using do not eat or drink. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling.
Storage	Store in original container in areas inaccessible to small children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, open flames or other sources of ignition. Keep out of reach of children. NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit www.inhalant.org. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

8. Exposure Controls/Personal Protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Type	Value
Butane (CAS 106-97-8)	STEL	1000 ppm
Ethanol (CAS 64-17-5)	STEL	1000 ppm

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Ethanol (CAS 64-17-5)	PEL	1900 mg/m3 1000 ppm
Propane (CAS 74-98-6)	PEL	1800 mg/m3 1000 ppm

Exposure limits Chemicals listed in section 3 that are not listed here do not have established limit values for ACGIH or OSHA PEL.

Engineering controls Ensure adequate ventilation.

Personal protective equipment

Consult the product label for special protection or precautions that have been identified for using this product under directed consumer use conditions. The following recommendations are given for workplace employees, emergency personnel and for other conditions and situations where there is a greater potential for large-scale or prolonged exposure.

Eye / face protection Wear eye/face protection. Safety glasses with side-shields. Emergency responders should wear full eye and face protection.

Hand protection Protective gloves are recommended for prolonged or repeated exposure. Emergency responders should wear impermeable gloves.

Skin and body protection	Usual safety precautions while handling the product will provide adequate protection against injury or irritation. Emergency responders should wear impermeable clothing and footwear when responding to a situation where contact with the liquid is possible.
Respiratory protection	Not normally required if good ventilation is maintained and exposure guidelines are not exceeded. Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid inhalation of vapours generated by this product during a spill or other clean-up operations.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling. When using do not eat or drink.

9. Physical and Chemical Properties

Appearance	Clear
Color	Light yellow
Form	Aerosol.
Odor	Various
Odor threshold	Not available.
Physical state	Gas.
pH	Not available.
Freezing point	Not available.
Boiling point	Not available.
Pour point	Not available.
Evaporation rate	Not available
Flash point	> 199.94 °F (> 93.30 °C)
Auto-ignition temperature	Not available.
Flammability limits in air, upper, % by volume	Not available.
Flammability limits in air, lower, % by volume	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity	1.0-1.2 @ 25°C
Partition coefficient (n-octanol/water)	Not available.
Solubility (water)	Complete
Relative density	Not available.
Viscosity	Not available.
VOC	Not available
Percent volatile	Not available

10. Stability and Reactivity

Reactivity	This product may react with strong acids. May react with strong bases or oxidizing agents.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Exposure to moisture. Do not mix with other chemicals. Protect from sunlight and do not expose to temperatures exceeding 50°C (120°F). Extremes of temperatures can occur in cars and near ovens and fireplaces. Do not place in contact with hot surfaces or near naked flames. Do not pierce or burn after use. Do not spray on a naked flame, onto or near a fire, or any incandescent material such as an electric fire.
Incompatible materials	Caustics. Acids. Oxidizers.

11. Toxicological Information

Toxicological data

Components	Species	Test Results
Alkyl (50% C14, 40% C12, 10% C16) dimethyl benzyl ammonium saccharinate (CAS Not Applicable)		
LC50		
Not available.		
LD50		
Not available.		
Butane (CAS 106-97-8)		
Acute		
<i>Inhalation</i>		
LC50	Mouse	680 mg/l, 2 Hours
	Rat	658 mg/l/4h
LD50		
Not available.		
Ethanol (CAS 64-17-5)		
Acute		
<i>Inhalation</i>		
LC50	Mouse	39 mg/l, 4 Hours
	Rat	31623 ppm, 4 Hours
<i>Oral</i>		
LD50	Dog	5500 mg/kg
	Guinea pig	5600 mg/kg
	Mouse	3450 mg/kg
	Rat	7060 mg/kg
		6200 mg/kg
Propane (CAS 74-98-6)		
Acute		
<i>Inhalation</i>		
LC50	Rat	> 1442.8 mg/l, 15 Minutes
LD50		
Not available.		
Triethylene glycol (CAS 112-27-6)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	22460 mg/kg
<i>Inhalation</i>		
LC50	Rat	> 3.9 mg/l, 4 Hours
<i>Oral</i>		
LD50	Guinea pig	7900 mg/kg
	Mouse	21000 mg/kg
	Rabbit	8400 mg/kg
	Rat	12800 mg/kg
Effects of acute exposure		
Eye contact	Moderate eye irritation.	
Skin contact	Moderate skin irritation	

Inhalation	Avoid breathing vapors. May cause irritation of respiratory tract.
Ingestion	Harmful if swallowed.
Sensitization	May cause allergic reactions in some individuals.
Chronic effects	The finished product is not expected to have chronic health effects.
Carcinogenicity	The finished product is not expected to have chronic health effects.
Mutagenicity	The finished product is not expected to have chronic health effects.
Reproductive effects	The finished product is not expected to have chronic health effects.
Teratogenicity	The finished product is not expected to have chronic health effects.
Name of Toxicologically Synergistic Products	Not available.

12. Ecological Information

Ecotoxicity	See below		
Ecotoxicological data Components		Species	Test Results
Ethanol (CAS 64-17-5)			
Aquatic			
Crustacea	EC50	Daphnia	11744.5 mg/L, 48 Hours
		Water flea (Daphnia magna)	7.7 - 11.2 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	> 100 mg/l, 96 hours
Triethylene glycol (CAS 112-27-6)			
Aquatic			
Crustacea	EC50	Daphnia	42426 mg/L, 48 Hours
		Water flea (Daphnia magna)	48.9 - 56 mg/l, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	> 10000 mg/l, 96 hours
Persistence and degradability	Not available.		
Bioaccumulation / Accumulation	Not available		
Mobility in environmental media	Not available.		
Environmental effects	Not available.		
Aquatic toxicity	Not available.		
Partition coefficient			
Butane		2.89	
Ethanol		-0.31	
Propane		2.36	
Chemical fate information	Not available.		

13. Disposal Considerations

Disposal instructions	Non-refillable container. Do not reuse or refill this container. Wrap container and put in trash or offer recycling if available. Dispose in accordance with all applicable regulations.
Waste from residues / unused products	Not available

Contaminated packaging Not available

14. Transport Information

U.S. Department of Transportation (DOT)

UN1950, Aerosols, Class 2.1, Re-Classed as Limited Quantity

Transportation of Dangerous Goods (TDG - Canada)

UN1950, AEROSOLS, Class 2.1, Re-Classed as Limited Quantity

IATA/ICAO (Air)

UN1950, Aerosols, Flammable, Limited Quantity or Consumer Commodity, ID8000 if acceptable to airline

IMDG (Marine Transport)

UN1950, AEROSOLS, Class 2.1, Limited Quantity

15. Regulatory Information

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200
hazardous chemical Yes

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

EPA Registration No. - 777-101

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Butane (CAS 106-97-8)	Listed.
Ethanol (CAS 64-17-5)	Listed.
Propane (CAS 74-98-6)	Listed.

US CAA Section 111 Volatile Organic Compounds: Listed substance

Ethanol (CAS 64-17-5)	Listed.
Triethylene glycol (CAS 112-27-6)	Listed.

US CAA Section 112(r) Accidental Release Prevention - Regulated Flammable Substance: Listed substance

Butane (CAS 106-97-8)	Regulated flammable substance.
Propane (CAS 74-98-6)	Regulated flammable substance.

US CAA Section 112(r) Accidental Release Prevention: Threshold quantity

Butane (CAS 106-97-8)	10000 lbs
Propane (CAS 74-98-6)	10000 lbs

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Butane (CAS 106-97-8)	Listed.
Propane (CAS 74-98-6)	Listed.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

US CAA Section 612 SNAP Program: Listed substance

Butane (CAS 106-97-8)	Listed.
Propane (CAS 74-98-6)	Listed.

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - Yes
	Delayed Hazard - No
	Fire Hazard - Yes
	Pressure Hazard - Yes
	Reactivity Hazard - No

State regulations

This product is not subject to warning labeling under the California Proposition 65 regulation.

US - California Hazardous Substances (Director's): Listed substance

Butane (CAS 106-97-8)	Listed.
Ethanol (CAS 64-17-5)	Listed.

US - Illinois Chemical Safety Act: Listed substance

Butane (CAS 106-97-8)	Listed.
Ethanol (CAS 64-17-5)	Listed.
Propane (CAS 74-98-6)	Listed.

US - Louisiana Spill Reporting: Listed substance

Butane (CAS 106-97-8)	Listed.
Ethanol (CAS 64-17-5)	Listed.
Propane (CAS 74-98-6)	Listed.

US - Minnesota Haz Subs: Listed substance

Butane (CAS 106-97-8)	Listed.
Ethanol (CAS 64-17-5)	Listed.
Propane (CAS 74-98-6)	Listed.
Triethylene glycol (CAS 112-27-6)	Listed.

US - New Jersey RTK - Substances: Listed substance

Butane (CAS 106-97-8)	Listed.
Ethanol (CAS 64-17-5)	Listed.
Propane (CAS 74-98-6)	Listed.

US - Texas Effects Screening Levels: Listed substance

Butane (CAS 106-97-8)	Listed.
Ethanol (CAS 64-17-5)	Listed.
Propane (CAS 74-98-6)	Listed.
Triethylene glycol (CAS 112-27-6)	Listed.

US. Massachusetts RTK - Substance List

Butane (CAS 106-97-8)	Listed.
Ethanol (CAS 64-17-5)	Listed.
Propane (CAS 74-98-6)	Listed.

US. Pennsylvania RTK - Hazardous Substances

Butane (CAS 106-97-8)	Listed.
Ethanol (CAS 64-17-5)	Listed.
Propane (CAS 74-98-6)	Listed.
Triethylene glycol (CAS 112-27-6)	Listed.

US. Rhode Island RTK

Butane (CAS 106-97-8)	Listed.
Propane (CAS 74-98-6)	Listed.

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No
*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)		

16. Other Information

Disclaimer	This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.
Further information	LYSOL® Brand (Kills 99.9% of Bacteria) Neutra Air Sanitizing Spray – Citrus Zest, 10 oz/16 oz – 8073138v1.0 LYSOL® Brand (Kills 99.9% of Bacteria) Neutra Air Sanitizing Spray – Fresh Breeze, 10 oz/16 oz – 8073139v1.0 LYSOL® Brand (Kills 99.9% of Bacteria) Neutra Air Sanitizing Spray – Morning Linen, 10 oz/16 oz – 8073141v1.0
Issue date	12-September-2013
Effective date	15-September-2013
Prepared by	Reckitt Benckiser Regulatory Department Phone: 800-333-3899

Other information

For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.

This MSDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



RAID® HOUSE & GARDEN BUG KILLER (REG. NO. 20796 P.C.P. ACT)

Version 1.

Print Date 03/19/2010

Revision Date 01/26/2010

MSDS Number 350000004252

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Trade name : RAID® HOUSE & GARDEN BUG KILLER (REG. NO. 20796 P.C.P. ACT)

Use of the Substance/Mixture : Insecticide

Company : S.C. Johnson and Son, Limited
1 Webster Street
Brantford ON N3T 5R1

Emergency telephone : 24 Hour Transport & Medical Emergency Phone (866) 231-5406
24 Hour International Emergency Phone (952) 852-4647
24 Hour Canadian Transport Emergency Phone (CANUTEC) (613) 996-6666

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance / Odor : opaque / aerosol / characteristic

Immediate Concerns

: Caution
Contents under pressure. Do not puncture or incinerate. Do not store at temperatures above 120 Deg. F (50 Deg C), as container may burst. Keep away from heat, sparks and flame. Avoid contact with skin, eyes and clothing. Avoid prolonged or repeated breathing of vapor.

Potential Health Effects

Exposure routes : Eye, Skin, Inhalation, Ingestion.

Eyes : May cause:
Mild eye irritation

Skin : Prolonged or repeated contact may dry skin and cause irritation.

Inhalation : May be harmful if inhaled.

Ingestion : None known.

Aggravated Medical Condition : None known.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



RAID® HOUSE & GARDEN BUG KILLER (REG. NO. 20796 P.C.P. ACT)

Version 1.

Print Date 03/19/2010

Revision Date 01/26/2010

MSDS Number 350000004252

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Water	7732-18-5	60.00 - 100.00
Isobutane	75-28-5	10.00 - 30.00
Propane	74-98-6	5.00 - 10.00
Butane	106-97-8	1.00 - 5.00
Piperonyl butoxide	51-03-6	1.00 - 5.00
Allethrin	584-79-2	0.10 - 1.00
Tetramethrin	7696-12-0	0.01 - 0.10

4. FIRST AID MEASURES

- Eye contact : Flush immediately with plenty of water for at least 15 to 20 minutes. Get medical attention if irritation develops and persists.
- Skin contact : Wash off with soap and water. Get medical attention if irritation develops and persists.
- Inhalation : Remove to fresh air. If breathing is affected, get medical attention.
- Ingestion : Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.

5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Alcohol foam, carbon dioxide, dry chemical, water fog
- Specific hazards during fire fighting : Aerosol Product - Containers may rocket or explode in heat of fire.
- Further information : Cool and use caution when approaching or handling fire-exposed containers. Wear full protective clothing and positive pressure self-contained breathing apparatus. Fight fire from maximum distance or protected area.
- Flash point : < 20 °F
Method: Tag Closed Cup (TCC)
Note: Propellant
- Lower explosion limit : Note: no data available

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



RAID® HOUSE & GARDEN BUG KILLER (REG. NO. 20796 P.C.P. ACT)

Version 1.

Print Date 03/19/2010

Revision Date 01/26/2010

MSDS Number 350000004252

Upper explosion limit : Note: no data available

NFPA Classification : NFPA Level 1 Aerosol

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Remove all sources of ignition.
Use personal protective equipment.

Environmental precautions : Use appropriate containment to avoid environmental contamination.

Methods for cleaning up : Soak up with inert absorbent material.
Dike large spills.
Sweep up and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Handling

Advice on safe handling : Use only as directed.
KEEP OUT OF REACH OF CHILDREN AND PETS.
Do not puncture or incinerate.
Avoid breathing vapors, mist or gas.
Avoid contact with skin, eyes and clothing.

Advice on protection against fire and explosion : Keep away from heat and sources of ignition.

Storage

Requirements for storage areas and containers : Keep in a dry, cool and well-ventilated place.
Do not freeze.
Do not store at temperatures above 120 Deg. F (50 Deg C), as container may burst.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



RAID® HOUSE & GARDEN BUG KILLER (REG. NO. 20796 P.C.P. ACT)

Version 1.

Print Date 03/19/2010

Revision Date 01/26/2010

MSDS Number 350000004252

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non-standard units	Basis
Isobutane	75-28-5	-	1,000 ppm	-	ACGIH TWA
Propane	74-98-6	-	1,000 ppm	-	ACGIH TWA
Butane	106-97-8	-	1,000 ppm	-	ACGIH TWA

Personal protective equipment

Respiratory protection

Industrial setting : Substantial amounts of mist/vapors can be controlled with local exhaust ventilation or respiratory protection.

Household setting : No personal respiratory protective equipment normally required.

Hand protection

Industrial setting : For prolonged or repeated contact use protective gloves.

Household setting : not required under normal use

Eye protection

Industrial setting : If prolonged or repeated contact is possible:
Safety glasses with side-shields

Household setting : No special requirements.

Hygiene measures : Use only with adequate ventilation. Wash thoroughly after handling. Wear suitable protective clothing. Keep away from food, drink and animal feedingstuffs.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



RAID® HOUSE & GARDEN BUG KILLER (REG. NO. 20796 P.C.P. ACT)

Version 1.

Print Date 03/19/2010

Revision Date 01/26/2010

MSDS Number 350000004252

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	: aerosol
Color	: opaque
Odor	: characteristic
pH	: no data available
Boiling point	: no data available
Freezing point	: no data available
Flash point	: < 20 °F Method: Tag Closed Cup (TCC) Propellant
Evaporation rate	: no data available
Autoignition temperature	: no data available
Lower explosion limit	: no data available
Upper explosion limit	: no data available
Vapour pressure	: no data available
Density	: 0.81 g/cm3
Water solubility	: soluble
Partition coefficient: n-octanol/water	: no data available

10. STABILITY AND REACTIVITY

Conditions to avoid	: Heat, flames and sparks.
Materials to avoid	: Do not mix with oxidizing agents.
Hazardous decomposition products	: Thermal decomposition can lead to release of irritating gases and vapours.
Hazardous reactions	: Stable

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



RAID® HOUSE & GARDEN BUG KILLER (REG. NO. 20796 P.C.P. ACT)

Version 1.

Print Date 03/19/2010

Revision Date 01/26/2010

MSDS Number 350000004252

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50
estimated
> 5,000 mg/kg

Acute inhalation toxicity : LC50
estimated
6.7 mg/l

Acute dermal toxicity : LD50
estimated
> 2,000 mg/kg

Chronic effects

Carcinogenicity : no data available

Mutagenicity : no data available

Reproductive effects : no data available

Teratogenicity : no data available

Sensitisation : Substance is not a sensitizer.

12. ECOLOGICAL INFORMATION

Ecotoxicity effects : Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

13. DISPOSAL CONSIDERATIONS

Industrial setting : Observe all applicable Federal, Provincial and State regulations and Local/Municipal ordinances regarding disposal.

Household setting : Consumer may discard empty container in trash, or recycle where facilities exist.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



RAID® HOUSE & GARDEN BUG KILLER (REG. NO. 20796 P.C.P. ACT)

Version 1.

Print Date 03/19/2010

Revision Date 01/26/2010

MSDS Number 350000004252

14. TRANSPORT INFORMATION

Land transport

▪ U.S. DOT and Canadian TDG Surface Transportation:

UN-Number 1950
Proper shipping name Aerosols, flammable
Class: 2.1
Packaging group: None.

Note: SC Johnson ships this product as Consumer Commodity ORM-D (non-bulk packages)

Sea transport

▪ IMDG:

Class: 2.1
Packaging group: None.
Proper shipping name Aerosols, flammable
UN-Number: 1950

Note: SC Johnson ships this product as "Limited Quantity" when the container quantity value is 1 Liter or less.

Air transport

▪ ICAO/IATA:

Class: 2.1
Packaging group: None.
Proper shipping name Aerosols, flammable
UN/ID No.: UN 1950

Note: SC Johnson typically does not ship products via air, therefore it has not been determined if the product container meets current IATA/ICAO package criteria. Refer to IATA/ICAO Dangerous Goods Regulations for detailed instructions when shipping this item by air.

15. REGULATORY INFORMATION

Notification status : All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).

Canada Regulations : This product has been classified in accordance with hazard

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



RAID® HOUSE & GARDEN BUG KILLER (REG. NO. 20796 P.C.P. ACT)

Version 1.

Print Date 03/19/2010

Revision Date 01/26/2010

MSDS Number 350000004252

criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

16. OTHER INFORMATION

HMIS Ratings

Health	1
Flammability	4
Reactivity	0

NFPA Ratings

Health	1
Fire	4
Reactivity	0
Special	

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by:	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
--------------	--

SAFETY DATA SHEET

RESOLVE® High Traffic Area Foam Carpet Cleaner



HEALTH • HYGIENE • HOME

1. Product and company identification

Product name : RESOLVE High Traffic Area Foam Carpet Cleaner

Distributed by : Reckitt Benckiser LLC.
Morris Corporate Center IV
399 Interpace Parkway (P.O. Box 225)
Parsippany, New Jersey 07054-0225
+1 973 404 2600

Emergency telephone number (Medical) : 1-800-338-6167

Emergency telephone number (Transport) : 1-800-424-9300 (U.S. & Canada) CHEMTREC
Outside U.S. and Canada (North America), call Chemtrec:703-527-3887

Website: <http://www.rbnainfo.com>

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

SDS # : D8040582_3

Formulation #: : 8125757

2. Hazards identification

Classification of the substance or mixture : FLAMMABLE AEROSOLS - Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : Extremely flammable aerosol.

Precautionary statements

General : Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.

Prevention : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Pressurized container: Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source.

Response : Not applicable.

Storage : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Code # : D8040582_2

SDS # : D8040582_3

Date of issue : 29/05/2015.

1/12

D8040582_3

2. Hazards identification

- Disposal** : Not applicable.
- Supplemental label elements** : None known.
- Hazards not otherwise classified** : None known.

3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	%	CAS number
butane	1 - 3	106-97-8
propane	1 - 3	74-98-6

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

Description of necessary first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

- Eye contact** : No known significant effects or critical hazards.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

Over-exposure signs/symptoms

D8040582_3

4. First aid measures

- Eye contact** : Adverse symptoms may include the following:
irritation
redness
- Inhalation** : Adverse symptoms may include the following:
respiratory tract irritation
coughing
- Skin contact** : No specific data.
- Ingestion** : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

5. Fire-fighting measures

Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : None known.

- Specific hazards arising from the chemical** : Extremely flammable aerosol. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Bursting aerosol containers may be propelled from a fire at high speed. Runoff to sewer may create fire or explosion hazard.

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. In the case of aerosols being ruptured, care should be taken due to the rapid escape of the pressurized contents and propellant. If a large number of containers are ruptured, treat as a bulk material spillage according to the instructions in the clean-up section. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide

D8040582_3

6. Accidental release measures

adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

7. Handling and storage

Precautions for safe handling

Protective measures : Put on appropriate personal protective equipment (see Section 8). Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous.

Conditions for safe storage, including any incompatibilities : Store in accordance with local regulations. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Control

Occupational exposure limits

D8040582_3

8. Exposure controls/personal protection

Ingredient name	Exposure limits
butane	OSHA PEL 1989 (United States, 3/1989). TWA: 800 ppm 8 hours. TWA: 1900 mg/m ³ 8 hours. NIOSH REL (United States, 10/2013). TWA: 800 ppm 10 hours. TWA: 1900 mg/m ³ 10 hours. ACGIH TLV (United States, 6/2013). STEL: 1000 ppm 15 minutes.
isobutane	NIOSH REL (United States, 10/2013). TWA: 800 ppm 10 hours. TWA: 1900 mg/m ³ 10 hours. ACGIH TLV (United States, 6/2013). STEL: 1000 ppm 15 minutes.
propane	OSHA PEL 1989 (United States, 3/1989). TWA: 1000 ppm 8 hours. TWA: 1800 mg/m ³ 8 hours. NIOSH REL (United States, 10/2013). TWA: 1000 ppm 10 hours. TWA: 1800 mg/m ³ 10 hours. OSHA PEL (United States, 2/2013). TWA: 1000 ppm 8 hours. TWA: 1800 mg/m ³ 8 hours.

Appropriate engineering controls : Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

D8040582_3

8. Exposure controls/personal protection

- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

9. Physical and chemical properties

Appearance

- Physical state** : Liquid. [Aerosol.]
- Color** : White. Opaque.
- Odor** : Characteristic.
- Odor threshold** : Not available.
- pH** : 10 to 11
- Melting point** : Not available.
- Boiling point** : Not available.
- Flash point** : Not determined.
- Evaporation rate** : Not available.
- Flammability (solid, gas)** : Extremely flammable.
- Lower and upper explosive (flammable) limits** : Not available.
- Vapor pressure** : Not available.
- Vapor density** : Not available.
- Relative density** : Not available.
- Solubility** : Not available.
- Partition coefficient: n-octanol/water** : Not available.
- Auto-ignition temperature** : Not available.
- Decomposition temperature** : Not available.
- Viscosity** : Not available.

Aerosol product

- Type of aerosol** : Foam

10. Stability and reactivity

- Reactivity** : No specific test data related to reactivity available for this product or its ingredients.
- Chemical stability** : The product is stable.
- Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- Conditions to avoid** : Avoid all possible sources of ignition (spark or flame).

D8040582_3

10. Stability and reactivity

Incompatible materials : No specific data.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Not available.

Irritation/Corrosion

Not available.

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : Not available.

Potential acute health effects

Eye contact : No known significant effects or critical hazards.

Inhalation : No known significant effects or critical hazards.

Skin contact : No known significant effects or critical hazards.

Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:
irritation
redness

Inhalation : Adverse symptoms may include the following:
respiratory tract irritation
coughing

D8040582_3

11. Toxicological information

Skin contact : No specific data.

Ingestion : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

General : No known significant effects or critical hazards.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
ORAL (LD50) Calculated value for the mixture	> 2000 mg/kg

12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
butane	2.89	-	low
isobutane	2.8	-	low
propane	1.09	-	low

Mobility in soil

D8040582_3

12. Ecological information

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	UN1950	AEROSOLS	2.1	-		-
TDG Classification	UN1950	AEROSOLS	2.1	-		-
Mexico Classification	UN1950	AEROSOLS	2.1	-		-
IMDG Class	UN1950	AEROSOLS	2.1	-		-
IATA-DGR Class	UN1950	Aerosols, flammable	2.1	-		-

PG* : Packing group

15. Regulatory information

U.S. Federal regulations : **TSCA 8(a) PAIR**: 2-methylundecanal; α-hexylcinnamaldehyde; 2-(4-tert-butylbenzyl) propionaldehyde; dodecanal
TSCA 8(a) CDR Exempt/Partial exemption: Not determined
United States inventory (TSCA 8b): All components are listed or exempted.
Clean Water Act (CWA) 311: ammonia
Clean Air Act (CAA) 112 regulated flammable substances: butane; propane

D8040582_3

15. Regulatory information

Clean Air Act Section 112 : Not listed

(b) Hazardous Air
Pollutants (HAPs)

Clean Air Act Section 602 : Not listed

Class I Substances

Clean Air Act Section 602 : Not listed

Class II Substances

DEA List I Chemicals : Not listed

(Precursor Chemicals)

DEA List II Chemicals : Not listed

(Essential Chemicals)

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : Fire hazard

Composition/information on ingredients

No products were found.

State regulations

Massachusetts : The following components are listed: BUTANE; PROPANE

New York : None of the components are listed.

New Jersey : The following components are listed: BUTANE; PROPANE

Pennsylvania : The following components are listed: BUTANE; PROPANE

Label elements

Signal word : CAUTION

Hazard statements : MAY CAUSE EYE IRRITATION. CONTENTS UNDER PRESSURE.

Precautionary measures : Keep out of the reach of children. Do not get in eyes. Avoid contact with eyes, skin and clothing. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120 °F. Use only with adequate ventilation. Do not swallow. Keep container tightly closed and sealed until ready for use. Wash thoroughly after handling.

16. Other information

Hazardous Material :
Information System (U.S.A.)

Health	1
Flammability	1
Physical hazards	0
Personal protection	B

D8040582_3

16. Other information

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection :
Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Key to abbreviations :

- ATE = Acute Toxicity Estimate
- BCF = Bioconcentration Factor
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- IATA = International Air Transport Association
- IBC = Intermediate Bulk Container
- IMDG = International Maritime Dangerous Goods
- LogPow = logarithm of the octanol/water partition coefficient
- MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
- UN = United Nations

Date of issue : 29/05/2015.
Date of previous issue : No previous validation.
Version : 3
Prepared by : Reckitt Benckiser Italy
 Via Sant'Antonio, 5
 30034 MIRA, VENICE
 ITALY
 ++39 041 5629211

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

D8040582_3

16. Other information



RB is a member of the CSPA Product Care Product Stewardship Program.

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Material Name: Static Guard Antistatic Spray
Revision Date: May 6 2013
CAS #: Mixture
Product Use: Anti-static Spray
Company Information: B&G Foods, Inc.
Four Gatehall Drive, Suite 110
Parsippany, NJ 07054
973 401 6500
Contact Name: William H. Wright, EVP QA, R&D
(PHONE EXTENSION) 6414

2. Hazards Identification

Emergency Overview: CONTENTS UNDER PRESSURE
EXTREMELY FLAMMABLE. Will be easily ignited by heat, spark or flames
Contact with eyes may cause irritation.

Potential short term health effects

Eyes	Contact with eyes may cause irritation. Health injuries are not known or expected under normal use.
Skin	Health injuries are not known or expected under normal use.
Inhalation	Health injuries are not known or expected under normal use. Intentional misuse by concentrating and inhaling the product can be harmful or fatal.
Ingestion	Do not ingest. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Health injuries are not known or expected under normal use.
Target Organs	Central Nervous System. Eyes. Respiratory system. Skin.
Chronic Effects	Conjunctiva. May cause central nervous system disorder (e.g. narcosis involving a loss of coordination, weakness, fatigue, mental confusion and blurred vision) and/or damage.
Main Symptoms	Conjunctivitis. Rash. Irritation. De-fatting of the skin. Narcosis. Behavioral changes. Decrease in motor functions.

3. Composition / Information on Ingredients

Components	CAS#	Percent
ALCOHOL DENATURED	64-17-5	< 80
Isobutane	75-28-5	< 10
Hydrofluorocarbon 152A	75-37-6	< 20
Propane	74-98-6	< 2.5

Composition Comments: This product is not considered to be a carcinogen by IARC, ACGIH, NTP or OSHA

4. First Aid Measures

First Aid

Eye Contact	Immediately flush eyes with plenty of water for at least 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops or persists.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops or persists.
Inhalation	Move to fresh air. Call physician if symptoms develop or persist.
Ingestion	Have victim rinse mouth thoroughly with water. Do not induce vomiting without medical advice. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or to the proper respiratory medical device. If ingestion of a large amount does occur, seek medical attention.

Notes to Physician: Symptoms may be delayed

General Advice: Ensure that medical personnel are aware of the material(s) involved and take precaution to protect themselves. Call physician if symptoms develop or persist. If you feel unwell, seek medical advice (show the label where possible)

5. Fire Fighting Measures

Unusual fire & explosion hazards	Vapor or gas may spread to distant ignition sources and flash back. Run off to sewer may cause fire or explosion hazard. Containers may explode when heated.
Suitable extinguishing media	Small fires: Dry chemical, CO ₂ , water spray or regular foam. Large fires: Water spray, fog or regular foam.
Firefighting equipment/instructions	Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand

Material Name: Static Guard Antistatic Spray MSDS

MSDS US

Date of Revision: May 6 2013

1 / 5

Special protective equipment for fire fighters	breathing apparatus, protective clothing and face mask. Move container from fire area, if you can do it without risk. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. ALWAYS stay away from tanks engulfed in flame. For massive fire, use unmanned hose holders or monitor nozzles, if this is impossible, withdraw from area and let fire burn. Withdraw immediately in case of rising sound from venting safety devices or any discoloration of tanks due to fire.
Specific methods	Structural firefighter's protective clothing will only provide limited protection.
Flash Point	In the event of fire and/or explosion do not breathe fumes.
Auto ignition temperature	>-58 °F(>50° C) Propellant 685.4 °F (362.8 °C) estimated
6. Accidental Release Measures	
Containment Procedures	Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material where this is possible.
Personal precautions	Ventilate closed spaces before entering. Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep out of low areas. Stay up wind.
Methods for cleaning up	Large spills: Dike far ahead of liquid spill for later disposal. Absorb with earth, sand or other non combustible material and transfer to containers for later disposal. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean contaminated surface thoroughly.
7. Handling and Storage	
Handling	Do not handle or store near an open flame, heat or other sources of ignition. Vapors may form explosive mixtures with air. All equipment used when handling the product must be grounded. Avoid contact with skin and eyes. Keep away from sources of ignition – No smoking. May be ignited by open flame. Do not breathe gas/fumes/vapor/spray.
Storage	Do not handle or store near an open flame, heat or other sources of ignition. Store in cool place. Keep in a well ventilated place. This material can accumulate static charge, which may cause spark and become an ignition source. The pressure in sealed containers can increase under the influence of heat. Use care in handling/storage. Keep the container dry. Keep this material away from food, drink and animal feed. Keep out of the reach of children. Level 2 Aerosol
8. Exposure control / Personal Protection	
Personal Protective Equipment	
Respiratory protection	No personal respiratory protective equipment normally required. Applicable for industrial setting only. When workers are facing concentrations over the exposure limit they must use appropriate certified respirators.
Hand protection	Not normally needed Applicable for industrial setting only. Protective gloves.
Eye Protection	Avoid contact with eyes Applicable for industrial settings only. Wear chemical goggles.
Skin and body protection	Not normally needed. Applicable for industrial setting only. Use personal protective equipment as required.
Engineering measure to reduce exposure	Use process enclosures, local exhaust ventilation or other engineering controls to control airborne levels below recommended exposure limits. Use explosion proof equipment if high dust/air concentrations are possible. Use explosion proof ventilation equipment
Hygiene measures	Avoid contact with eyes. When using do not smoke. Keep away from food and drink. Handle in accordance with good industrial hygiene and safety practice.
9. Physical & Chemical Properties	
Boiling Point	>1.04 °F (>-17.2 °C)
Flammability	Not available
Form	Aerosol
Percent Volatile	90.6097% estimated
Vapor Pressure	47 – 67 psi @70 °F (21.1 °C)
VOC	79.506%
Material Name: Static Guard Antistatic Spray MSDS	

MSDS US

10. Chemical Stability & Reactivity Information

Stability Risk of explosion. Risk of ignition.
Incompatibility Acids, Amines, Isocyanates, Strong Oxidizing agents

11. Toxicological information

Toxicology data for the preparation

Local effects Contact may irradiate or burn eyes.

Carcinogenicity

US ACGIH Threshold Limit Values: A4 carcinogen

ALCOHOL DENAT. 64-17-5 Not classifiable as a human carcinogen

Reproductivity Possible reproductive hazard

Chronic toxicity Prolonged exposure may cause chronic effects

Further Information Symptoms may be delayed

12. Ecological Information

Ecotoxicity This material is not expected to be harmful to aquatic life. Components of this product have been identified as having potential environmental concerns.

Invertebrate Toxicity: EC50 value

ALCOHOL DENAT.	64-17-5	Water flea (Daphnia magna)>4.58 mg/l 24 h Static Intoxication
ALCOHOL DENAT.	64-17-5	Water flea (Daphnia magna)>100 mg/l 24 h Static Intoxication
ALCOHOL DENAT.	64-17-5	Water flea (Daphnia magna)>100 mg/l 4 h Static Intoxication
ALCOHOL DENAT.	64-17-5	Water flea (Daphnia magna)>100 mg/l 2 h Static Intoxication
ALCOHOL DENAT.	64-17-5	Water flea (Daphnia magna)>10000 mg/l 24 h Static Intoxication
ALCOHOL DENAT.	64-17-5	Water flea (Daphnia magna)>0000 mg/l 48 h Static Intoxication
ALCOHOL DENAT.	64-17-5	Water flea (Daphnia magna)7.7-11.2 mg/l 48 h Static Intoxication
ALCOHOL DENAT.	64-17-5	Water flea (Daphnia magna)>10100-11200 mg/l 48 h Static Intoxication
ALCOHOL DENAT.	64-17-5	Water flea (Daphnia magna)>12300-13400 mg/l 24 h Static Intoxication
ALCOHOL DENAT.	64-17-5	Water flea (Daphnia magna)>100 mg/l 6 h Static Intoxication

Micro-organisms Toxicity: LC50 value

ALCOHOL DENAT. 64-17-5 Tubellarian, flatworm (Dugesia tigrina)>100 mg/l 96 h Static Mortality

13. Disposal Considerations

Waste Codes D001: Waste Flammable material with a flash pint <140° F (60°C)
Disposal instructions Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities. If discarded, this product is considered a RCRA ignitable waste, D001. Incinerate the material under controlled conditions in a approved incinerator.

14. Transport Information

Department of Transportation (DOT) Requirements

<=1L (33.8 Fl. Oz.)

Basic shipping requirements:

Proper Shipping name	Consumer Commodity
Hazard Class	ORM-D
Subsidiary Hazard Class	None
Additional information:	
Packaging exceptions	156, 306
Packaging non bulk	156, 306
Packaging bulk	None
ERG Number	126

Department of Transportation (DOT) Requirements

Basic shipping requirements:

Proper Shipping name	Aerosols, flammable
Hazard Class	2.1
UN Number	UN1950
Additional information:	
Special provisions	153, N82
Packaging Exceptions	306
Packaging Non bulk	None
Packaging bulk	None
ERG Number	126



IATA

Material Name: Static Guard Antistatic Spray MSDS

MSDS US


Date of Revision: May 6 2013

3 / 5

<=1L (33.8 Fl. Oz.)

Basic shipping requirements:


Proper Shipping name	Consumer Commodity
Hazard Class	9
Subsidiary Hazard Class	3
UN Number	ID8000
Packaging instructions	910



IATA

Basic shipping requirements:


Proper Shipping name	Aerosols, flammable
Hazard Class	2.1
Subsidiary Hazard Class	6.1
UN Number	1950
Packaging instructions	Forbidden



IMDG

Basic shipping requirements:

Proper Shipping name	Aerosols, flammable
Hazard Class	2.1
Subsidiary Hazard Class	3
UN Number	1950
Additional Information	
Item	5F
Labels Required	2.1
Transport Category	2



15. Regulatory Information

US Federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910, 1200
CERCLA/SARA Hazardous Substances – Not applicable

Occupational Safety and Health Administration (OSHA)

29 CFR 1910, 1200 Hazardous Chemical	Yes
--------------------------------------	-----

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 302 extremely hazardous substance	No
Section 311 hazardous chemical	Yes
Hazard Categories	Immediate Hazard – Yes Delayed Hazard – Yes Fire Hazard – Yes Pressure Hazard – No Reactivity Hazard - No

HMIS ratings

Health: 1*
Flammability: 4
Physical Hazard: 1

NFPA ratings

Health : 1
Flammability: 4
Instability: 1

International Regulations

This product is classified and labeled in accordance with EC directives or respective national laws.

Inventory Status

Country(s) or region	Inventory Name	On inventory (yes/no)
Australia	Australian inventory of Chemical Substance (AICS)	No
Canada	Domestic Substance List (DSL)	No
Canada	Non Domestic Substance List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of New and Existing Chemicals (EINECS)	No

Material Name: Static Guard Antistatic Spray MSDS

MSDS US

Europe	European Inventory of Notified Chemical Substances (ELINCS)	No
Japan	Japanese Inventory of Existing and New Chemical Substance (ENCS)	No
Korea	Korean Inventory of Chemicals (KICS)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippines Inventory of Chemicals and Chemical Substances(PICCS)	No
United States & Puerto Rico	Toxic Substance Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(S)

State Regulations

US – New Jersey Community RTK (EHS Survey): Reportable threshold

Hydrofluorocarbon 152A	75-37-5	500 lbs
Isobutane	75-28-5	500 lbs
Propane	74-98-6	500 lbs

US – Pennsylvania RTK – Hazardous Substances: posted Substance

Alcohol Denatured	64-17-5	Listed
Isobutane	75-28-5	Listed
Propane	74-98-6	Listed

16. Other information

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designed and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

Issue date

06 May 2013